

# Centre de Documentation du GERA

Groupe d'Etudes et de Recherches en Acupuncture  
192 chemin des cèdres  
83130 La Garde  
France



Dr Johan Nguyen


☎ : 04.96.17.0030/

📠 : 04.96.17.00.31

✉ [centre.doc@gera.fr](mailto:centre.doc@gera.fr)

## Bibliographie sélective

Acupuncture auriculaire  
Sémiologie auriculo-faciale



# ACUDOC2

Centre de documentation du Groupe d'Etudes et de  
Recherches en Acupuncture  
192 chemin des cèdres  
83130 - La Garde, France

[www.acudoc2.org](http://www.acudoc2.org)

[www.gera.fr](http://www.gera.fr)

**Base de donnée spécialisée en acupuncture et médecine  
traditionnelle chinoise.**

## Domaine

Acupuncture et médecine traditionnelle chinoise. Aspects historiques et sociologiques.  
Théories médicales traditionnelles. Etudes cliniques et expérimentales.

## nombre de références disponibles

140.200 références au 1er janvier 2006.

## Origine des documents

Périodiques spécialisés en acupuncture et MTC (publiant régulièrement des articles  
d'acupuncture) : collection de 350 revues d'acupuncture et MTC titres ([voir catalogue des  
périodiques](#)). Articles de périodiques "extérieurs" (ne publiant qu'occasionnellement des  
articles d'acupuncture). Thèses et mémoires. Traités (bibliothèque de 2690 livres  
d'acupuncture et MTC (voir catalogue des traités).

## Antériorité

Pour les publications en langues occidentales, les documents sont indexés à partir de 1683  
(De Acupunctura de Wilhem Then Rhyne) : 1090 références avant 1950. Une recherche  
bibliographique rétrospective systématique a été menée. Pour les publications en langues  
asiatiques, les documents sont indexés à partir de 1980 (date antérieure pour certains  
documents).

## Bibliographies sélectives

L'informatisation du centre de documentation du GERA permet la diffusion de bibliographies  
sélectives. ([voir demande de bibliographie](#)). Le tri peut notamment s'effectuer à partir :  
-de 220 descripteurs primaires (sections, [voir plan de classement](#)).  
-de 1800 descripteurs secondaires (mots-clés, [voir thésaurus](#))

## fourniture des documents

Le centre de documentation du GERA peut donner accès aux documents sous forme de  
photocopies. (3.2 €par article). [voir demande de copie de document](#)

## Informations / Demande de documentation

Dr Johan Nguyen

☎ : 04.96.17.0030/ 📠 : 04.96.17.00.31 ✉ [centre.doc@gera.fr](mailto:centre.doc@gera.fr)

centre de documentation du gera  
192 chemin des cèdres  
83130 La Garde- France  
fax : 04.96.17.00.31  
[centre.doc@gera.fr](mailto:centre.doc@gera.fr)

## Demande de copie de document

Les reproductions sont destinées à des fins exclusives de recherches et réservées à l'usage du demandeur. tarif: **3.20 € par article**, gratuit pour les membres du gera.

**Joindre un chèque d'un montant correspondant à la commande (nombre d'articles x 3.20 €)**

Pour toute thèse ou mémoire, s'adresser directement à la société ou à la bibliothèque universitaire concernée. Les prêts de livres ne sont assurés qu'aux membres du GERA

<b>nom:</b>	<b>date et signature:</b>
<b>adresse:</b>	
<b>e-mail :</b>	

<i>n° réf.gera</i>	<i>auteur</i>	<i>n° réf.gera</i>	<i>auteur</i>
1/		16/	
2/		17/	
3/		18/	
4/		19/	
5/		20/	
6/		21/	
7/		22/	
8/		23/	
9/		24/	
10/		25/	
11/		26/	
12/		27/	
13/		28/	
14/		29/	
15/		30/	

ci-joint un chèque de € (nombre d'articles x 3.20 €) à l'ordre de **CD GERA**  
**une facture sera automatiquement jointe à l'envoi des copies**


attention !

vérifier la disponibilité de l'article (di)

vérifier la langue de publication

vérifier le type de document (pas de copie de thèse ou mémoire)

# référence type



Les résumés correspondent soit à la reproduction du résumé présentation de l'auteur, soit à un résumé assuré par le CD GERA

centre de documentation du gera  
192 chemin des cèdres  
83130 La Garde  
France

☎ 04.96.17.00.31

## demande de copie de document

Les reproductions sont destinées à des fins exclusives de recherches et réservées à l'usage du demandeur.

*tarif: 3.20 Euros par article*, gratuit pour les membres du gera

Pour toute thèse ou mémoire, s'adresser directement à la société ou à la bibliothèque universitaire concernée. Les prêts de livres ne sont assurés qu'aux membres du GERA

<b>nom:</b>	<b>date et signature:</b>
<b>adresse:</b>	

<i>n° réf.gera</i>	<i>auteur</i>	<i>n° réf.gera</i>	<i>auteur</i>
1/		16/	
2/		17/	
3/		18/	
4/		19/	
5/		20/	
6/		21/	
7/		22/	
8/		23/	
9/		24/	
10/		25/	
11/		26/	
12/		27/	
13/		28/	
14/		29/	
15/		30/	

ci-joint un chèque de                      frs (nombre d'articles x 3.20 Euros) à l'ordre de <b>CD GERA</b> <b>une facture sera automatiquement jointe à l'envoi des copies</b>
--

attention !

vérifier la disponibilité de l'article (di)

vérifier la langue de publication

vérifier le type de document (pas de copie de thèse ou mémoire)

## Notices

- 1- gera: 126462/di/tt  
 . . . . ().  
 [5.10 / - ]
- 2- gera: 113911/di/ra  
**INFLUENCE OF GENERAL ANESTHESIA AND SURGICAL INTERVENTION ON THE ELECTRICAL PARAMETERS OF AURICULAR ORGAN PROJECTION AREAS.** JAN Z. SZOPINSKI, ET AL.  
**medical acupuncture.** ,14(2),40 (eng\*).  
 [4.04 / - ]
- 3- gera: 126464/di/tt  
**AURICULAR DIAGNOSIS WITH COLOR PHOTO.** LI-CHUN HUANG. . . . ().  
 [5.10 / - ]
- 4- gera: 70922/di/me- num  
**AURICULOTHERAPIE.** PELLIN. x. . . . (fra).  
 [5.10 / - ]
- 5- gera: 28385/nd/tt  
**TRAITE DE REFLEXOLOGIE ENDONASALE.** BONNETON A. **maisonneuve, ste ruffine.** 0,,360P (fra).  
 [4.04 / 8- 7160- isbn:2- ]
- 6- gera: 28345/nd/tt  
**[L'AURICULOSOMATOLOGIE].** BOURDIOL RJ.  
**maisonneuve,moulins-les-metz.** 0,, (eng).  
 [5.10 / - ]
- 7- gera: 28348/nd/tt  
**[TRAITE D'IRIDO-DIAGNOSTIC].** BOURDIOL RJ.  
**maisonneuve,ste ruffine.** 0,, (deu).  
 [4.04 / - ]
- 8- gera: 28460/nd/tt  
**AURICOLOTERAPIA.** CASPANI F. **edizioni di red, como.** 0,, (ita).  
 [5.10 / - ]
- 9- gera: 28456/nd/tt  
**IRODOLOGIA.** FRAGNAY P. **edizioni di red, como.** 0,, (ita).  
 [4.04 / iridologie- ]
- 10- gera: 28364/nd/tt  
**IRIDOLOGIE.** HOUDRET. . 0,, (fra).  
 [4.04 / - ]
- 11- gera: 28365/nd/tt  
**TRAITE D'IRIDOLOGIE.** HOUDRET. . 0,, (fra).  
 [4.04 / - ]
- 12- gera: 28628/nd/tt  
**IRIDOLOGY SIMPLIFIED.** JENSEN B. **jensen.** 0,,39P (eng).  
 [4.04 / - ]
- 13- gera: 28813/nd/tt  
**BILDATLAS DER AUGENDIAGNOSTIK. ZEICHENLEHRE.** MARKGRAF A. **markgraf.** 0,,185P (deu).  
 [4.04 / - ]
- 14- gera: 28342/di/tt  
**[TRAITE D'AURICULOTHERAPIE].** NOGIER PFM.  
**maisonneuve,ste ruffine.** 0,, (deu).  
 [5.10 / - ]
- 15- gera: 28343/nd/tt  
**[DE L'AURICULOTHERAPIE A L'AURICULOMEDECINE].** NOGIER PFM.  
**maisonneuve,ste ruffine.** 0,, (eng).  
 [5.10 / - ]
- 16- gera: 28344/nd/tt  
**[DE L'AURICULOTHERAPIE A L'AURICULOMEDECINE].** NOGIER PFM.  
**maisonneuve,ste ruffine.** 0,, (esp).  
 [5.10 / - ]
- 17- gera: 28349/nd/tt  
**[INTRODUCTION PRATIQUE A L'AURICULOTHERAPIE].** NOGIER PFM.  
**maisonneuve,ste ruffine.** 0,, (eng).  
 [5.10 / - ]
- 18- gera: 28350/nd/tt  
**[INTRODUCTION PRATIQUE A L'AURICULOTHERAPIE].** NOGIER PFM.  
**maisonneuve,ste ruffine.** 0,, (deu).  
 [5.10 / - ]
- 19- gera: 28378/nd/tt  
**POINTS REFLEXES AURICULAIRES.** NOGIER PFM.  
**maisonneuve, ste ruffine.** 0,,192P (fra).  
 [5.10 / isbn:2- 5- 7160- ]
- 20- gera: 28379/nd/tt  
**COMPLEMENT DES POINTS REFLEXES AURICULAIRES.** NOGIER PFM. **maisonneuve, ste ruffine.** 0,,224P (fra).  
 [5.10 / 8- 7160- isbn:2- ]
- 21- gera: 28351/nd/tt  
**[L'HOMME DANS L'OREILLE].** NOGIER PFM ET NOGIER R. **maisonneuve,ste ruffine.** 0,, (eng).  
 [5.10 / - ]
- 22- gera: 17697/nd/tt  
**INTERNATIONAL HANDBOOK OF EAR REFLEX POINT.** OLESON T. x. 0,,256P (eng).  
 This text presents the essential clinical data of auriculotherapy in a multi-national edition designed to encourage an international understanding of this innovative clinical procedure Not only have the auricular points of Dr Nogier and those of Chinese auriculotherapists been compared, Dr Oleson has also drawn upon his own research at the UCLA Pain Management Center. His naming System assigns each auriculopoint a unique number, an indication of whether it belongs to the Nogier or Chinese map, and a name corresponding to the body part with which it as associated. All points are listed in nine languages : English, Chinese, Spanish, French, German, Japanese, Korean. Russian and Persian. Points are also presented by application with point associations for seventeen auricular microsystems. The International Handbook is made very easy to use by the effective and extensive use of crisp computer-generated illustration. More than half its pages filled with finely-drawn charts that greatly enhance readers' ability to locate and apply the points. The Illustrations are appealing, informative and easy to use. In addition there are twenty-seven illustrated auriculotherapy treatment plans for common problems. These include : tobacco, drug and alcohol withdrawal, dental analgesia, headaches and migraines, jaw, back, muscle and joint pain with many others. References and an index are

provided. [Redwing Reviews, June, 1995]. [5.10 / - ]

23- gera: 17601/nd/tt

**AURICULOTHERAPY MANUAL.** OLESON TD. x. 0,, (eng).

Beginning with a synopsis history of auriculotherapy and its comparison with body acupuncture, this book continues with the most complete description of ear "maps" available. The descriptions of auricular anatomy present the ear topographically in both horizontal and vertical dimensions. It provides descriptions of the ear landmarks, including those aspects hidden by the overlaying anatomy. These descriptions include the relation of one landmark to another, as well as the parts of the body. These maps are made more useful by the development of a fully illustrated presentation and an inclusive nomenclature for ear point locations. The nomenclature allows the text to detail over two hundred and fifty clinical relations including those of the Chinese, Western functional associations, and those of Dr. Nogier. The many cross references, tables of clinical data, summaries of general treatment protocols, and the profuse use of clear, well-labeled illustrations makes this text an ideal clinical reference. [Redwing Reviews, June, 1995]. [5.10 / - ]

24- gera: 28375/nd/tt

**L'AURICULOTHERAPIE SANS AIGUILLE.** ROSENSTIEL ET AMAR. . 0,, (fra). [5.10 / - ]

25- gera: 28376/nd/tt

**L'AURICULOTHERAPIE SANS AIGUILLE.** ROSENSTIEL ET AMAR. . 0,, (fra). [5.10 / - ]

26- gera: 28377/nd/tt

**L'AURICULOTHERAPIE SANS AIGUILLE.** ROSENSTIEL ET AMAR. . 0,, (fra). [5.10 / - ]

27- gera: 81640/di/ra

**UNTERSUCHUNGSGANG OHRKUPUNKTUR STUFE II (MABIG FORTGESCHRITTENE).** STRITTMATTER B ET AL. **akupunkturarzt / aurikulotherapeut.** 199,5-6,111-33 (deu\*). [5.10 / - ]

28- gera: 5751/nd/re

**OBSERVATIONS SUR L'USAGE DES MOXAS CHINOIS OU DU CYLINDRE DE COTON EMPLOYE SELON LA METHODE DE FEU M.POUTEAU (1).** PASCAL. **journal med chir pharm.** 1784,61,268-74 (fra). ref:0 [5.10 / - ]

29- gera: 5802/di/re- num

**LES AURICURES D'ANNAM.** SALLET A. **ethnographie.** 1934,28-29,19-26 (fra). ref:0

Dans le Vietnam traditionnel une profession est spécialisée dans les soins d'oreille, non seulement soins d'hygiène, mais également massages et acupuncture. [5.10 / vietnam- ]

30- gera: 5803/di/ra

**LE PAVILLON DE L'OREILLE. ZONES ET POINTS REFLEXES.** NOGIER P. **bulletin de la societe d'acupuncture.** 1956,20,51-7 (fra). ref:0 [5.10 / - ]

31- gera: 92897/di/cg

**REFLEXE OCULO-CARDIAQUE ET ACUPUNCTURE.** GRALL. **iiiemes journees**

**internationales d'acupuncture, la bourboule.** 1957,,135 (fra). ref:0 [5.10 / - ]

32- gera: 5804/di/ra

**NOUVEAUX APERCU CONCERNANT LES POINTS REFLEXES PORTES PAR LE PAVILLON DE L'OREILLE.** NOGIER. **bulletin de la societe d'acupuncture.** 1957,25,25-37 (fra). ref:0 [5.10 / - ]

33- gera: 92893/di/cg

**LE PAVILLON DE L'OREILLE,POINTS DE COMMANDE GENERAUX,INDICATIONS THERAPEUTIQUES.** NOGIER. **iiiemes journees internationales d'acupuncture, la bourboule.** 1957,,116 (fra). ref:0 [5.10 / - ]

34- gera: 4953/di/ra

**MODIFICATION DE LA SENSIBILITE DES POINTS DU PAVILLON AURICULAIRE AU COURS ET A LA SUITE DE CERTAINS PROCESSUS PHYSIOLOGIQUES OU \*.** NOGIER P. **bulletin de la societe d'acupuncture.** 1958,29,7-12 (fra). ref:0 [4.04 / 05.10- ]

35- gera: 45517/di/cg

**REFLEXES DU PAVILLON DE L'OREILLE.** NOGIER P. **colloques lyonnais sur l'acupuncture, lyon 10-11 mars 1962.** 1962,,60P (fra). ref:0 [5.10 / - ]

36- gera: 4955/di/re- num

**[EXPERIMENTAL REFERRED TENDER SPOTS IN THE PINNA OF MONKEY].** WU WY. **acta physiologica sinica.** 1962,25(1),78-85 (chi). ref:0 [4.04 / singe- ea- ]

37- gera: 4956/di/el

**EXAMEN DU TEINT, DU FACIES ET DES YEUX.** CHAMFRAULT. **in traite de medecine chinoise.** 1964,,180-7 (fra). ref:0 [4.04 / iridologie- ]

38- gera: 5805/di/ra

**LES MERVEILLES DE L'AURICULOTHERAPIE.** NOEL E. **cahiers de biotherapie.** 1965,7,204 (fra). ref:0 [5.10 / - ]

39- gera: 5806/di/ra- num

**REFLEXOTHERAPIE AURICULAIRE ET LATERALISATION.** BOURDIOL R. **meridiens.** 1968,3-4,73-82 (fra\*). ref:0

A la suite des travaux du Docteur Paul Nogier sur la réflexothérapie auriculaire, l'auteur a systématiquement recherché la sensibilité douloureuse de deux parties distinctes de l'oreille chez les droitiers et chez les gauchers : l'antitragus et le lobule. Il compare statistiquement les résultats de cette nociceptivité aux différents tests sensori-moteurs (applaudir, viser, ouvrir une épingle anglaise, dévisser un flacon) et mensurations biométriques (moyenne dynamométrique, longueurs épicondylo-digitale et tibio-malléolaire externe, périmètres du métacarpe, de l'avant-bras et du mollet) chez 218 sujets dont 63 gauchers et 11 faux gauchers, tous soumis à un type d'examen identique selon une technique immuable. La valeur de ce test sensitif semble probant. Le pourcentage de positivité se situe à 94 % pour l'antitragus. Il vient immédiatement après le test de l'applaudissement (95 %) qui a toujours été considéré comme le meilleur moyen diagnostique

de latéralisation. Par contre, le lobule n'est positif qu'à 55 %. Après un essai d'explication anatomique et d'intégration clinique par le biais de l'auriculopuncture du Docteur Nogier, l'auteur a appliqué un courant de faible intensité sur l'antitragus de certains gauchers pour faire varier la polarité électrique de cette partie de l'oreille. Bien que l'expérimentation soit encore trop restreinte et très récente, il semble que cette nouvelle thérapeutique apporte des résultats encourageants. [5.10 / lateralite- ]

40- gera: 5809/di/ra

**ETUDE CLINIQUE SUR L'ACUPUNCTURE AURICULAIRE.** GROUPE DE L'ERZHEN (SHANGAI). **meridiens.** 1969,7-8,97-107 (fra\*). ref:0

L'acupuncture auriculaire aurait été, selon les auteurs, déjà pratiquée sous les Tang et les Ming, avant de connaître le développement actuel, dû aux travaux du Français Paul Nogier. Le groupe d'études de Shanghai fait ici état d'excellents résultats : le taux d'efficacité serait de 81 % sur 2 231 observations portant sur 50 affections différentes. On peut regretter toutefois l'imprécision de ces statistiques. [5.10 / - ]

41- gera: 5808/di/ra- num

**L'OREILLE VOIT, POSSIBILITE D'UN REFLEXE NOUVEAU.** NOGIER P. **meridiens.** 1969,5-6,57-65 (fra\*). ref:0

L'auteur expose sous ce titre paradoxal les conclusions les plus avancées de toute une série de recherches poursuivies depuis plusieurs années sur le pavillon de l'oreille. Il rappelle d'abord les différents travaux qu'il a réalisés aboutissant à l'isolement d'une somatotopie au niveau de l'oreille externe et à une thérapeutique nouvelle, l'auriculothérapie dont les principes et la méthode sont exposés dans un ouvrage qui va paraître incessamment. Dans le cadre de cette étude, le Docteur Nogier décrit le réflexe nouveau qu'il a découvert, qui consiste essentiellement en une modification du rythme et de l'amplitude du pouls lorsqu'on crée une stimulation au niveau du pavillon auriculaire. Il le nomme le réflexe auriculo-cardiaque. L'auteur expose les conditions d'apparition, de persistance et de reproduction de ce réflexe et les différents procédés qu'il a utilisés pour exciter le pavillon. [5.10 / am- ]

42- gera: 5807/di/tt

**TRAITE D'AURICULOTHERAPIE.** NOGIER PFM. **maisonneuve,ste ruffine.** 1969,,330P (fra). ref:0

1) Connaissance du pavillon, cartographie des points de correspondance. 2) Méthodes et techniques (points douloureux, détection électronique, RAC). 3) Applications cliniques (indications et contre-indications, auriculo-diagnostic, quelques observations). 4) Compléments. [5.10 / - ]

43- gera: 5813/di/ra

**ABORD NEUROPHYSIOLOGIQUE DE L'AURICULOTHERAPIE.** CURE N. **nouvelle revue internationale d'acupuncture.** 1970,16,371-4 (fra). ref:0 [5.10 / 25.01- ]

44- gera: 5810/di/ra

**AURICULOTHERAPIE : OBSERVATIONS CLINIQUES.** GALLIEN JL. **cahiers de biotherapie.** 1970,27,211 (fra). ref:0 [5.10 / - ]

45- gera: 5812/di/ra

**SOMATOTOPIE DU PAVILLON AURICULAIRE ET RELATIONS VISCERO-CUTANÉES.** JARRICOT ET AL. **nouvelle revue internationale d'acupuncture.** 1970,16,345-70 (fra). ref:0

1) Données sur les dermalgies réflexes : le phénomène subjectif et objectif, leur valeur sémiologique. 2) On peut observer au niveau auriculaire le phénomène sensible qui a les mêmes caractéristiques. 3) Discussions des projections viscérales au niveau de la conque. [5.10 / 04.04- ]

46- gera: 5811/di/ra

**AURICULOTHERAPIE.** NOGIER P. **nouvelle revue internationale d'acupuncture.** 1970,15,33 (fra). ref:0 [5.10 / - ]

47- gera: 5814/di/ra

**COURS D'AURICULOTHERAPIE (2).** BOURDIOL R. **acupuncture.** 1971,27,37-43 (fra). ref:0

2) Somatologie rachidienne, mélique, tête et cou. 3) Quelques points d'action spécifique importants. 4) Syndromes algiques, examen de l'oreille, recherche de la latéralité, choix du métal de l'aiguille, durée et fréquence des séances, réactions du patient après la séance. [5.10 / lateralite- seance- aiguille- 04.04- seance- ]

48- gera: 19590/di/ra

**COURS D'AURICULOTHERAPIE (3).** BOURDIOL R. **acupuncture.** 1971,28,26-9 (fra). ref:0 [5.10 / - ]

49- gera: 19591/di/ra

**COURS D'AURICULOTHERAPIE (4).** BOURDIOL R. **l'acupuncture.** 1971,29,37-42 (fra). ref:0 [5.10 / - ]

50- gera: 21182/di/co

**L'AURICULOTHERAPIA.** MARTINELLI G. **paderno del grappa, treviso.** 1971,,26P (ita). ref:0 [5.10 / - ]

51- gera: 27841/di/re

**L'AURICULOTHERAPIE.** NOGIER P. **lyon mediterrane medical.** 1971,7(14),1-8 (fra). ref:14 [5.10 / - ]

52- gera: 5816/di/re- num

**HYPOTHESES NEURO-ANATOMIQUES EN AURICULOTHERAPIE.** BOURDIOL R. **lyon mediterrane medical.** 1972,8(18),1697-170 (fra). ref:2 [5.10 / 25.01- ]

53- gera: 28554/nd/tt

**EAR ACUPUNCTURE.** HUANG H. **emmaus, rodale.** 1972,,149P (eng). ref:20 [5.10 / - ]

54- gera: 5815/di/re- num

**LE REFLEXE AURICULO-CARDIAQUE (RAC).** NOGIER P. **lyon mediterrane medical.** 1972,8(18),1709-38 (fra). ref:20  
Découverte du RAC, analyse du mécanisme, applications en auriculothérapie, en acupuncture, en médecine manuelle. En annexe traduction d'une planche chinoise des points de l'oreille. [5.10 / am- ]

55- gera: 28288/nd/tt

**TREATISE OF AURICULOTHERAPY.** NOGIER PFM. **maisonneuve,ste ruffine.** 1972,, (fra). ref:0 [5.10 / - ]

56- gera: 28582/nd/tt

**TREATISE OF AURICULOTHERAPY.** NOGIER PFM. **maisonneuve, moulins-les-metz.** 1972,,321P (eng). ref:0 [5.10 / - ]



- 57- gera: 5817/di/ra  
**HYPOTHESES NEURO-ANATOMIQUES EN AURICULOTHERAPIE.** BOURDIOL R. *cahiers de biotherapie.* 1973,39,193 (fra). ref:0  
 [5.10 / 25.01- ]
- 58- gera: 5818/di/ra- num  
**DE L'AURICULOTHERAPIE.** JARRICOT H ET AL. *meridiens.* 1973,21-22,85-137 (fra\*). ref:0  
 1) L'oreille dans la médecine traditionnelle chinoise. 2) Technique d'examen. 3) Somatotopie d'après Nogier. 4) Auriculothérapie chinoise. 5) Les points d'acupuncture péri-auriculaires. [5.10 / 04.04- ]
- 59- gera: 5819/di/tt  
**EINFUHRUNG IN DIE CHINESISCHE OHKUPUNKTUR.** KONIG G ET WANCURA I. *maug verlag,heidelberg.* 1973,, (deu). ref:32  
 [5.10 / - ]
- 60- gera: 4957/di/ra  
**[ETUDE DE LA RESISTIVITE ELECTRIQUE DE L'OREILLE DU LAPIN AU COURS DE LA PERITONITE EXPERIMENTALE].** LI CHAO TE ET AL. *chinese medical journal.* 1973,94(7),94 (eng). ref:32  
 La péritonite expérimentale entraîne l'apparition de points de moindre résistivité au niveau d'une zone vasculaire du méat acoustique externe. [4.04 / resistance- 10.14- 05.10- ea-lapin- ]
- 61- gera: 17968/di/ra  
**LES POINTS AURICULAIRES (1).** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1973,10,31-42 (fra). ref:32  
 [5.10 / - ]
- 62- gera: 5821/di/ra  
**DIATHERAPUNCTURE ET AURICULOTHERAPIE.** BERGERET C. *cahiers de biotherapie.* 1974,41,363 (fra). ref:0  
 [5.10 / - ]
- 63- gera: 9122/di/ra  
**[ETUDE PRELIMINAIRE SUR L'ASPECT CLINIQUE DE L'ACUPUNCTURE AURICULAIRE ET SUR SON MECANISME];.** COMMITTEE OF AURICULAR ACUPUNCTURE \*. *contemporary research in chinese acupuncture.* 1974,2,53-75 (eng). ref:0  
 [5.10 / - ]
- 64- gera: 9121/di/ra  
**[RAPPORT SUR LES RESULTATS DE L'ACUPUNCTURE AURICULAIRE SUR 12 POINTS SENSIBLES DE L'OREILLE EXTERNE].** GU WC ET AL. *contemporary research in chinese acupuncture.* 1974,1,27-35 (eng). ref:0  
 [5.10 / 04.04- ]
- 65- gera: 5842/di/ra  
**[ACUPUNCTURE AURICULAIRE (résumé)].** JAMES Y ET AL. *american journal of chinese medicine.* 1974,2(3),322 (eng). ref:0  
 [5.10 / - ]
- 66- gera: 5824/nd/th  
**ETUDE CRITIQUE DE L'AURICULOTHERAPIE A PROPOS DE 31 OBSERVATIONS.** JOYEUX CM. *these medecine,grenoble.* 1974,92, (fra). ref:0  
 [5.10 / - ]
- 67- gera: 70884/di/tp- num  
**PRINCIPAUX POINTS UTILISES EN AURICULOTHERAPIE.** JOYEUX CM. x. 1974,, (). ref:0  
 [5.10 / - ]
- 68- gera: 5823/di/ra  
**[PROJECTION DES DIFFERENTES ZONES SOMATIQUES AU NIVEAU DE L'OREILLE DE L'HOMME ET DE L'ANIMAL].** KVIRCHISHVILI VI. *american journal of acupuncture.* 1974,2(3),208 (eng). ref:0  
 1) Une stimulation douloureuse (froid, chaleur, vibration chez l'homme ou injection intra-musculaire d'une substance chez l'animal) entraîne une diminution de la résistivité au niveau de zones particulières de l'oreille : l'importance de la baisse de la résistivité est proportionnelle à l'importance du stimulus. Ces zones ont 1 à 2 mm2. 2) L'injection de colorant entraîne une coloration de la zone correspondante traduisant des modifications vasculaires. 3) En même temps qu'une baisse de résistivité, on peut observer des modifications morphologiques (ulcération, desquamation, hyperthermie, sudation). 4) Ces modifications persistent après section des nerfs somatiques mais non après sympathectomie bilatérale. [5.10 / 04.04- resistance- 25.02- lcp- ]
- 69- gera: 8984/di/ra  
**[ANALYSE DES "POINTS SENSIBLES NORMAUX" DE L'OREILLE].** LEE Z. *contemporary research in chinese acupuncture.* 1974,2,76-84 (eng). ref:0  
 [4.04 / 05.10- ]
- 70- gera: 18653/di/ra  
**OREILLE ET ACUPUNCTURE.** MUSSAT. *nouvelle revue internationale d'acupuncture.* 1974,33,35-7 (fra). ref:0  
 [5.10 / - ]
- 71- gera: 5822/di/ra  
**POINTS AURICULAIRES (1).** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1974,8,35-40 (fra). ref:0  
 [5.10 / - ]
- 72- gera: 17969/di/ra  
**LES POINTS AURICULAIRES (2).** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1974,11,29-35 (fra). ref:0  
 [5.10 / - ]
- 73- gera: 17970/di/ra  
**LES POINTS AURICULAIRES (3).** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1974,12,69-77 (fra). ref:0  
 [5.10 / - ]
- 74- gera: 19592/di/ra  
**POINT AURICULAIRES (2).** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1974,9,29-34 (fra). ref:0  
 [5.10 / - ]
- 75- gera: 19593/di/ra  
**POINTS AURICULAIRES (3).** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1974,10,31-4 (fra). ref:0  
 [5.10 / - ]
- 76- gera: 19594/di/ra  
**POINTS AURICULAIRES (4).** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1974,11,29-36 (fra). ref:0  
 [5.10 / - ]

- 77- gera: 19595/di/ra  
**POINTS AURICULAIRES (5)**. NGUYEN VAN NGHI.  
**mensuel du medecin acupuncteur**. 1974,12,69-77 (fra). ref:0  
 [5.10 / - ]
- 78- gera: 28579/nd/tt  
**EAR ACUPUNCTURE**. NOGIER PFM. **emmaus, rodale**.  
 1974,,150P (eng). ref:0  
 [5.10 / - ]
- 79- gera: 17244/nd/re  
**ACUPUNCTURE : WHY INTO THE PINNA ? (letter)**.  
 PAMUK W. **med j aust**. 1974,2(21),796 (eng). ref:0  
 [5.10 / - ]
- 80- gera: 5820/nd/th  
**VASCULARISATION ET INTERVENTION DU PAVILLON DE L'OREILLE, LEURS RELATIONS AVEC L'AURICULOTHERAPIE**. SEOANE M. **these medecine,montpellier**. 1974,,58 (fra). ref:0  
 [5.10 / innervation- anatomie- ]
- 81- gera: 28595/nd/tt  
**EAR ACUPUNCTURE**. WARREN FZ ET HUANG HL.  
**emmaus,rodale**. 1974,, (eng). ref:0  
 [5.10 / - ]
- 82- gera: 4959/di/tt  
**TRAITE D'IRIDO-DIAGNOSTIC**. BOURDIOL RJ.  
**maisonneuve,ste ruffine**. 1975,,365P (fra). ref:0  
 [4.04 / iridologie- ]
- 83- gera: 9125/di/ra  
**[EMBRYOGENESE ET AURICULOMEDECINE];**  
 BOURDIOL RJ. **auricular-medicine and acupuncture physician**. 1975,4-5,4-9 (eng). ref:0  
 [5.10 / embryologie- ]
- 84- gera: 9129/di/ra  
**[LE SYSTEME NERVEUX AUTONOME PERIPHERIQUE EN AURICULO-MEDEGINE]**.  
 BOURDIOL RJ. **auricular-medicine and acupuncture physician**. 1975,7-9,1-2 (eng). ref:0  
 [5.10 / snv- am- ]
- 85- gera: 9130/di/ra  
**[LE SYSTEME NERVEUX AUTONOME PERIPHERIQUE EN AURICULO-MEDEGINE]**.  
 BOURDIOL RJ. **auricular-medicine and acupuncture physician**. 1975,7-9,12-13 (eng). ref:0  
 [5.10 / snv- am- ]
- 86- gera: 21754/di/ra  
**LE SYSTEME AUTONOME PERIPHERIQUE EN AURICULO-MEDEGINE**. BOURDIOL RJ. **auriculo medecine**. 1975,1,27-9 (fra). ref:0  
 [5.10 / snv- ]
- 87- gera: 4958/di/ra  
**[IRIDO-NEVRAXOLOGIE]**. DEBARDO B ET AL.  
**rivista di agopuntura**. 1975,21,63 (ita). ref:0  
 [4.04 / iridologie- ]
- 88- gera: 9123/di/ra  
**[RAPPORT PRELIMINAIRE SUR L'ETUDE CLINIQUE DE L'ACUPUNCTURE AURICULAIRE]**.  
 FIRST SHANGHAI MUNICIPAL PEOPLE'S \*.  
**contemporary research in chinese acupuncture**.  
 1975,6,280-313 (eng). ref:0  
 [5.10 / - ]
- 89- gera: 5845/di/ra  
**CONSIDERATIONS ENERGETIQUES EN AURICULOPUNCTURE**. GOURION A. **mensuel du medecin acupuncteur**. 1975,22,51-9 (fra). ref:0  
 1) Relations entre l'énergie Tinh et les organes sensoriels. 2) Limites de l'auriculopuncture par rapport aux points somatiques. 3) Explications sur la position relative des points auriculaires à partir de la zone Tai Ch'i du Tao. 4) Rôle de certains points auriculaires. [5.10 / 5 sens- ]
- 90- gera: 5849/di/tt  
**TRAITE D'ACUPUNCTURE AURICULAIRE**.  
 GROBLAS A ET LEVY J. **editions publi-real,paris**.  
 1975,,134P (fra). ref:0  
 Anatomie du pavillon de l'oreille, répartition anatomique des points, généralités sur l'acupuncture, fonctions principales des points de l'oreille, points réflexes du pavillon de l'oreille, technique de l'acupuncture auriculaire, répertoire, technique de l'acupuncture auriculaire, répertoire thérapeutique des transpoints de l'oreille, étude du mécanisme intime. [5.10 / - ]
- 91- gera: 17245/nd/re  
**ACUPUNCTURE- WHY INTO THE PINNA ? (letter)**.  
 LEHRNBECHER W. **med j aust**. 1975,1(15),485 (eng). ref:0  
 [5.10 / - ]
- 92- gera: 5848/di/tt  
**A COMPLETE TEXTBOOK OF AURICULAR ACUPUNCTURE**. LU HC. **academy of oriental heritage,vancouver**. 1975,,310P (eng). ref:0  
 Compilation et traduction de textes chinois sur l'auriculothérapie : 1) Localisation des points. 2) Théorie des fonctions organiques en médecine chinoise. 3) Relations oreille-méridiens : trajet auriculaire des méridiens, PSC induit au niveau auriculaire, action méridienne du point auriculaire, projection des méridiens au niveau auriculaire. 4) Examen et diagnostic auriculaire. 5) Indications thérapeutiques et traitement des affections courantes. 6) Anesthésie par acupuncture auriculaire. 7) Anesthésie par injection au niveau de la racine de l'oreille. 8) Formules thérapeutiques de diverses sources (Pékin, Nanking et Canton) dans diverses affections. [5.10 / psc- 04.04- 06.02- 05.15- 02.05- ]
- 93- gera: 9126/di/ra  
**[INTRODUCTION A L'AURICULO-MEDEGINE]**.  
 NOGIER P. **auricular-medicine and acupuncture physician**. 1975,4-5,10-19 (eng). ref:0  
 [5.10 / am- ]
- 94- gera: 9127/di/ra  
**[INTRODUCTION A L'AURICULO-MEDEGINE]**.  
 NOGIER P. **auricular-medicine and acupuncture physician**. 1975,7-9,3-8 (eng). ref:0  
 [5.10 / am- ]
- 95- gera: 9128/di/ra  
**[INTRODUCTION A L'AURICULO-MEDEGINE]**.  
 NOGIER P. **auricular-medicine and acupuncture physician**. 1975,7-9,14 (eng). ref:0  
 [5.10 / am- ]
- 96- gera: 5846/di/cg- num  
**LES NOUVELLES LOCALISATIONS DE L'AURICULE**. NOGIER P ET AL. **6eme congres national**

- d'acupuncture, paris.** 1975,,97-08 (fra). ref:0  
Discussion sur les localisations chinoises. Désintoxication tabagique. [5.10 / 20.02- ]
- 97- gera: 5843/di/ra  
**INTRODUCTION A L'AURICULOTHERAPIE ET OBSERVATIONS COMMENTEES.** PAGANY-GUY M. **cahiers de biotherapie.** 1975,48,47 (fra). ref:0  
[5.10 / - ]
- 98- gera: 5844/di/ra  
**[AURICULOTHERAPIE].** SAE II CHUN. **acupuncture and electrotherapeutics research.** 1975,1(1-4),224 (eng). ref:0  
[5.10 / - ]
- 99- gera: 5850/di/tt  
**THE EAR GATEWAY TO BALANCING THE BODY.** WEXU M. **asian publishers,new york.** 1975,,193P (eng). ref:6  
[5.10 / - ]
- 100- gera: 8986/di/ra  
**[APPLICATIONS CLINIQUES].** X. **auricular-medicine and acupuncture physician.** 1975,7-9,20-22 (eng). ref:6  
Malformation de la zone auriculaire du poignet associée à des kystes du poignet. [4.04 / lcp- 05.10- 18.08- malformation- embryologie- ]
- 101- gera: 9131/di/ra  
**[LE REFLEXE AURICULO-CARDIAQUE].** X. **auricular-medicine and acupuncture physician.** 1975,7-9,15-16 (eng). ref:6  
[5.10 / am- ]
- 102- gera: 9132/di/ra  
**LE PUNCTOSCOPE.** X. **auricular-medicine and acupuncture physician.** 1975,7-9,17-18 (eng). ref:6  
[5.10 / - ]
- 103- gera: 9133/di/ra  
**[QUELQUES POINTS AURICULAIRES].** X. **auricular-medicine and acupuncture physician.** 1975,7-9,19 (eng). ref:6  
A propos du rein, du cadre colique et de l'anus. [5.10 / 10.06- 10.09- rn- ]
- 104- gera: 21713/di/ra  
**QU'EST-CE QUE L'AURICULO-MEDEICINE ?.** X. **auriculo-medicine.** 1975,1,7-9 (fra). ref:6  
[5.10 / am- ]
- 105- gera: 21714/di/  
**COMMENT-CONNAITRE UN PAVILLON DE L'OREILLE ?.** X. **auriculo-medicine.** 1975,1,10-1 (fra). ref:6  
[5.10 / - ]
- 106- gera: 21751/di/ra  
**LE PALPEUR A PRESSION, PREMIER DETECTEUR.** X. **auriculo medicne.** 1975,1,12 (fra). ref:6  
[5.10 / 04.04- ]
- 107- gera: 21753/di/ra  
**QUELQUES POINTS A BIEN CONNAITRE ?.** X. **auriculo medicne.** 1975,1,14-6 (fra). ref:6  
[5.10 / - ]
- 108- gera: 5866/di/ra  
**LA PROJECTION DES NERFS CRANIENS SUR**
- L'AURICULE.** BOURDIAL. **auriculomedecine.** 1976,5,13 (fra). ref:0  
[5.10 / - ]
- 109- gera: 5865/di/ra  
**CONFIRMATION D'UNE LOCALISATION AURICULAIRE PAR UNE OBSERVATION DRAMATIQUE.** BOURDIOL. **auriculomedecine.** 1976,5,44 (fra). ref:0  
[5.10 / - ]
- 110- gera: 5858/di/ra  
**LES PLEXUS.** BOURDIOL RJ. **auriculomedecine.** 1976,4,19-21 (fra). ref:0  
[5.10 / - ]
- 111- gera: 21766/di/ra  
**LE PARA-SYMPATHIQUE.** BOURDIOL RJ. **auriculo medicne.** 1976,3,13-4 (fra). ref:0  
[5.10 / - ]
- 112- gera: 112307/di/ra  
**HISTORIA DE LA AURICULOTERAPIA EN CHINA.** HERZOG A. **revista argentina de acupuntura.** 1976,45,14 (esp). ref:0  
[5.10 / - ]
- 113- gera: 5853/di/ra  
**[ACUPUNCTURE AURICULAIRE].** KADJOS V. **american journal of acupuncture.** 1976,4(2),130-6 (eng). ref:0  
Historique, anatomie descriptive, projections, choix du côté, recherche du point actif (inspection, palpation, détection), conduite du traitement. Résultats. [5.10 / lateralite- 04.04- ]
- 114- gera: 5862/di/ra  
**AIRES REFLEXES DU PAVILLON.** NOGIER. **auriculomedecine.** 1976,4,7-12 (fra). ref:4  
[5.10 / - ]
- 115- gera: 5863/di/ra  
**LA DETECTION ELECTRIQUE.** NOGIER. **auriculomedecine.** 1976,2,9-10 (fra). ref:4  
[5.10 / resistance- 04.04- ]
- 116- gera: 21757/di/ra  
**QUELQUES POINTS A BIEN CONNAITRE.** NOGIER. **auriculomedecine.** 1976,2,11-6 (fra). ref:4  
[5.10 / - ]
- 117- gera: 21762/di/ra  
**L'EXAMEN D'UN MALADE.** NOGIER. **auriculo medicne.** 1976,3,3-4 (fra). ref:4  
[5.10 / 04.01- ]
- 118- gera: 21763/di/ra  
**LE TERRAIN MORBIDE ET SES REACTIONS.** NOGIER. **auriculomedecine.** 1976,3,5-6 (fra). ref:4  
[5.10 / - ]
- 119- gera: 21764/di/ra  
**CARACTERES DIRECTS OU CROISES DU REFLEXE DU PAVILLON, ABSENCE OU EXCES D'INFORMATION.** NOGIER. **auriculomedecine.** 1976,3,7 (fra). ref:4  
[5.10 / lateralite- ]
- 120- gera: 21765/di/ra  
**VOIES ENDOCRINIENNES.** NOGIER. **auriculomedecine.** 1976,3,9-11 (fra). ref:4

- [5.10 / 09.01- ]
- 121- gera: 9120/nd/re  
**AURICULOTHERAPIE.** NOGIER ET AL. **chir dent fr.** 1976,46(296),61-3 (fra). ref:4  
[5.10 / - ]
- 122- gera: 5856/di/ra  
**LA SINGULARITE DU PAVILLON.** NOGIER P. **auriculomedecine.** 1976,4,3-4 (fra). ref:4  
[5.10 / - ]
- 123- gera: 5857/di/ra  
**LE SYSTEME DE VIGILANCE ET LES TRANSFERTS D'INFORMATION AU NIVEAU DE POINTS NON** NOGIER P. **auriculomedecine.** 1976,4,15-7 (fra). ref:4  
[5.10 / - ]
- 124- gera: 5864/di/ra  
**DETECTION PAR LES POULS.** NOGIER P. **auriculomedecine.** 1976,3,15-21 (fra). ref:4  
[5.10 / 04.03- ]
- 125- gera: 19596/di/ra  
**AIRES REFLEXES DU PAVILLON.** NOGIER P. **auriculomedecine.** 1976,4,7 (fra). ref:4  
[5.10 / - ]
- 126- gera: 19597/di/ra  
**FRONTIERES EXTERNES.** NOGIER P. **auriculomedecine.** 1976,4,13 (fra). ref:4  
[5.10 / - ]
- 127- gera: 21756/di/ra  
**LES CENTRES REFLEXES DU RACHIS.** NOGIER P. **auriculo medecine.** 1976,2,5-7 (fra). ref:4  
[5.10 / 18.11- ]
- 128- gera: 21767/di/ra  
**LE PROBLEME DE LA PREMIERE COTE.** NOGIER P. **auriculo medecine.** 1976,3,31-2 (fra). ref:4  
[5.10 / 18.12- ]
- 129- gera: 21768/di/ra  
**BLOCAGE DE LA PREMIERE DE LA PREMIERE COTE.** NOGIER P. **auriculo medecine.** 1976,3,32-3 (fra). ref:4  
[5.10 / 18.12- ]
- 130- gera: 21769/di/ra  
**INFLUENCES DES CICATRICES ET TRAITEMENTS PAR L'AURICULOTHERAPIE.** NOGIER P. **auriculo medecine.** 1976,3,34-5 (fra). ref:4  
[5.10 / cicatrice- ]
- 131- gera: 21772/di/ra  
**FRONTIERES EXTERNES.** NOGIER P. **auriculo medecine.** 1976,4,13 (fra). ref:4  
[5.10 / - ]
- 132- gera: 21771/di/ra  
**TRAVAUX DU GLEM A L'ITERC.** NOGIER P ET AL. **auriculo medecine.** 1976,3,39-42 (fra). ref:4  
[5.10 / association- ]
- 133- gera: 8983/di/ra  
**[ETUDE DE LA RESISTIVITE ELECTRIQUE DE L'OREILLE DU LAPIN DANS LA PERITONITE ET L'ULCERE GASTRIQUE EXPERIMENTAL].** PEKING MEDICAL COLLEGE. **chinese medical journal.** 1976,2(6),423-34 (eng). ref:4  
[4.04 / 10.05- ea- resistance- 10.14- 05.10- lapin- ]
- 134- gera: 5860/di/ra  
**REFLEXION A PROPOS DE LA LOCALISATION DES POINTS PSYCHIQUES.** X. **auriculomedecine.** 1976,4,31 (fra). ref:4  
[5.10 / 14.14- ]
- 135- gera: 5861/di/ra  
**CAS CLINIQUES.** X. **auriculomedecine.** 1976,4,33 (fra). ref:0  
[5.10 / - ]
- 136- gera: 5868/di/ra  
**[INNERVATION ET VASCULARISATION DE L'AURICULE ET LES POINTS UTILISES EN AURICULOTHERAPIE].** BOSSY J ET AL. **acupuncture and electrotherapeutics research.** 1977,2(3-4),247-57 (eng). ref:0  
L'étude macroscopique de dix oreilles adultes a montré que l'auriculothérapie possède un substratum anatomique permettant de la faire entrer dans le cadre des réflexothérapies. La zone d'origine des points auriculaires est soit cérébro- spinale, soit neuro-vasculaire. Pour la participation cérébro-spinale, le grand nerf auriculaire assure l'innervation de toute la portion libre et postérieure de l'auricule ; le nerf auriculo-temporal innerve l'antitragus, l'incisure intertragique, le tragus, une partie du lobule et la fosse triangulaire ; enfin la conque reçoit son innervation du rameau auriculaire du X. La participation neuro-vasculaire est constituée de fibres autonomes péri-artérielles et péri-veineuse sous la dépendance du ganglion sympathique cervical supérieur ; les supports en sont l'artère temporale superficielle, l'artère auriculaire postérieure et les veines de même nom pour la portion libre et la région tragique, les artères stylomastoïdienne et tympanique postérieure conque, et de nombreuses veines isolées. Sous les points d'analgésie on trouve habituellement un élément important, souvent cérébro-spinal, ou un pédicule vasculo-nerveux. Par contre pour les représentations topiques généralement décrites (membres et face sur la partie auriculaire libre, viscères thoraciques et abdominaux sur la conque) cet aspect périphérique semble perdre de son importance au profit de l'organisation névrauxiale, soit des centres primaires, soit des centres supra segmentaires et tout spécialement de la formation réticulaire. Ainsi la représentation topique sur l'auricule apparaît essentiellement comme le reflet de la convergence, dans la formation réticulaire, de son innervation cérébro-spinale et des fibres spino-thalamiques. [5.10 / 25.02- innervation- anatomie- 02.06- ]
- 137- gera: 20112/di/ra- num  
**DIE OHR-AKUPUNKTUR DES KOPFSCHMERZES.** ELSEN HG. **z allg med.** 1977,53,1863-4 (deu). ref:13  
[5.10 / - ]
- 138- gera: 28808/nd/tt  
**BIBLIOGRAPHIE DER AUGENDIAGNOSTIK.** HEIMANN KO ET LINDEMANN G. **marczell.** 1977,,51P (deu). ref:0  
[4.04 / - ]
- 139- gera: 4960/di/tt  
**TRAITE PRATIQUE D'IRIDOLOGIE MEDICALE.** JAUSAS G. **édition dangles,st-jean-de-braye.** 1977,,276P (fra). ref:0  
[4.04 / iridologie- ]

140- gera: 21535/di/ra

**IRIDOLOGIA SPERIMENTALE : CONTRIBUTO STATISTICO ALLA TOPOGRAFIA IRIDEA EPATOBILIARE (RICERA PRELIMINARE).** MONFARDINI A. *rivista italiana di agopuntura.* 1977,29,37-42 (ita). ref:3 [4.04 / iridologie- 10.10- 10.11- ]

141- gera: 5870/di/ra- num

**EXPERIENCES PRINCEPS DE L'AURICULOPUNCTURE. (2) EXPERIENCES PRELIMINAIRES SUR L'AURICULOPUNCTURE DE L'HOPITAL POPULAIRE DE SHANGHAI.** NGUYEN VAN NGHI. *mensuel du medecin acupuncteur.* 1977,46,207-22 (fra). ref:14

1) Localisation de 34 points sur le pavillon et techniques de puncture. 2) Résultats sur 1205 observations. 3) Etude sur les maladies aiguës (amygdalite et pneumonie). 4) PSC à partir des points auriculaires et points sensibles associés des méridiens. 5) Fréquence d'apparition des points douloureux à l'oreille. 6) Localisation des points douloureux pour une affection donnée. 7) Technique des aiguilles à demeure et analyse de 68 observations. 8) Etude de la tension du LCR avant et après puncture. [5.10 / 17.07- pl- 16.05- 04.04- psc- 05.06- ]

142- gera: 5869/di/ra

**EXPERIENCES PRINCEPS DE L'AURICULOPUNCTURE (1).** NGUYEN VAN NGHI ET AL. *mensuel du medecin acupuncteur.* 1977,45,167-76 (fra). ref:0

Traduction du livre "Auriculothérapie" publié à Shanghai en 1959. Etude clinique et première exploration du mécanisme de l'auriculopuncture : définition de la technique et analyse des résultats de 1661 cas, étude clinique sur des affections aiguës (appendicite, amygdalite, bronchite), étude expérimentale chez l'animal (badigeonnage de piment, injection de produits, fracture), relation entre King Lo et point auriculaire (PSC), effets de l'auriculopuncture sur la sécrétion et le péristaltisme gastrique. Explication de l'auriculothérapie à partir des théories traditionnelles ou de la physiologie de Pavlov. Indications de la méthode, comparaison de la puncture unique ou multiple. [5.10 / secretion- peristaltisme- 10.05- psc- 16.05- ]

143- gera: 5876/di/ra

**LES DETECTIONS A LA POINTE NOIRE.** NOGIER. *auriculomedecine.* 1977,6,28 (fra). ref:0 [5.10 / am- ]

144- gera: 5877/di/ra

**LA DETECTION D'UN POINT PATHOLOGIQUE.** NOGIER. *auriculomedecine.* 1977,8,3 (fra). ref:0 [5.10 / am- ]

145- gera: 5878/di/ra

**DETECTION A LA POINTE NOIRE ET LA POINTE BLANCHE, APPLICATIONS NOUVELLES.** NOGIER. *auriculomedecine.* 1977,9,25 (fra). ref:0 [5.10 / am- ]

146- gera: 5879/di/ra

**PEUT-ON IDENTIFIER LE SEXE AU PAVILLON ?.** NOGIER. *auriculomedecine.* 1977,8,23 (fra). ref:0 [5.10 / am- ]

147- gera: 5875/di/ra

**AURICULOMEDECINE ET ACUPUNCTURE.** NOGIER ET AL. *auriculomedecine.* 1977,8,1 (fra). ref:0 [5.10 / am- ]

148- gera: 5873/nd/ra

**UTILISATION DES COULEURS EN AURICULOMEDECINE.** NOGIER P. *auriculomedecine.* 1977,7,41 (fra). ref:0 [5.10 / couleur- am- ]

149- gera: 5874/di/ra

**LES COURTS CIRCUITS AURICULAIRES.** NOGIER P. *auriculomedecine.* 1977,6,30 (fra). ref:0 [5.10 / am- ]

150- gera: 29472/nd/tt

**INTRODUCTION PRACTICA A LA AURICULOTERAPIA.** NOGIER P. *kovaks,palma de mallorca.* 1977,, (esp). ref:0 [5.10 / - ]

151- gera: 5880/nd/th

**INTRODUCTION A L'ACUPUNCTURE AURICULAIRE CANINE (BASE ANATOMIQUE, RECHERCHE DES POINTS).** NOUREAU JP. *these veterinaire,toulouse.* 1977,131, (fra). ref:0

En commençant ce travail, nous avons un double objectif : étudier l'anatomie du pavillon auriculaire du chien et la comparer à l'homme ; rechercher l'existence des points d'acupuncture et les interpréter. Cette étude nous a montré successivement que : les origines embryologiques des pavillons auriculaires du chien et de l'homme sont similaires ; malgré la grande diversité de forme des oreilles de chien, le relief ne varie pas en dessous d'une ligne passant par l'anthélix ; par contre, l'hélix et la gouttière scaphoïde ont une morphologie plus variés. L'analyse bibliographique des travaux concernant la vascularisation du pavillon du chien montre que les éléments vasculaires qui abordent celui-ci sont bien connus, par contre leur répartition sur le pavillon lui-même l'est beaucoup moins. Une étude personnelle nous a fait découvrir le réseau artériel par radiographie et diaphanisation, le réseau veineux par dissection. L'analogie de distribution des vaisseaux entre l'homme et le chien est remarquable, mise à part l'artère temporale superficielle de l'homme qui irrigue un territoire relativement plus important que chez le chien. En ce qui concerne l'innervation du pavillon du chien, les données bibliographiques présentent des lacunes ou des contradictions. Quoiqu'il en soit, c'est à ce niveau que l'on rencontre le plus de différence entre le pavillon de l'homme et celui du chien, en particulier dans la topographie du N. grand auriculaire et du N. facial. Cette comparaison des bases anatomiques des pavillons auriculaires de l'homme et du chien permet d'effectuer la transposition avec une précision accrue. En effet, si un point transposé a des éléments vasculo-nerveux sous-jacents identiques au point homologue humain, il a une chance supplémentaire d'avoir la fonction qu'on lui attribue a priori. A l'aide du punctoscope, nous avons découvert de nombreux points, pourtant nos conditions d'expérience n'étaient pas parfaites, en particulier, nos chiens étaient en bonne santé et les médecins s'accordent pour dire que les points auriculaires ne sont pas habituellement décelables dans les conditions physiologiques normales. Puis, nous avons interprété nos points mais nous savons que la planche ainsi établie présentera des lacunes et des inexactitudes tant que tous ces points n'auront pas été vérifiés par l'expérience clinique et thérapeutique. Plan : 1) Anatomie du pavillon auriculaire du chien : rappel embryologique, situation, structure, morphologie du relief auriculaire, vascularisation, innervation. 2) Recherche des points d'acupuncture propriétés physiques et physiologiques des transpoints réflexes, difficultés rencontrées, résultat, répartition anatomique des points auriculaires. 3) Interprétation et discussion, comparaison des repères anatomiques entre le

chien et l'homme, signification des points. [5.10 / resistance-02.06- 24.02- anatomie- innervation- ]

152- gera: 5867/di/ra  
**NUEVA TECNICA DE ACUPUNTURA EN AURICULOTERAPIA. OBESIDAD NUEVOS PUNTOS EN AURICULOTERAPIA.** SZUSTER JC ET AL. *revista argentina de acupuntura.* 1977,47,9-11 (esp). ref:0 [5.10 / - ]

153- gera: 4961/nd/re  
**VON DER AKUPUNKTUR ZUR IRISDIAGNOSTIK.** TREVOR-ROPER PD. *klin monatsbl augenheilkde.* 1977,170(6),877-9 (deu). ref:0 [FROM ACUPUNCTURE TO IRIS DIAGNOSIS]. Scientific medicine is always encircled by a miscellany of medical fantasies, which come and go, and which offer a short-cut to diagnosis and treatment, and (very occasionally) both together. Oculodiagnosis, or Iridodiagnosis, has little place in honset ophthalmology, but still holds its devotees. [4.04 / iridologie- ]

154- gera: 5872/di/tt  
**PRACTICAL EAR NEEDLING THERAPY.** X. *medicine and health publishing co,hong-kong.* 1977,,162P (eng). ref:0 Intérêts, structure de l'oreille, localisation des points, fonctions des points, techniques de stimulation, introduction à l'inspection de l'oreille, détecteur de points, choix des points selon la méthode Pien Cheng, rapport de cas, anesthésie par points auriculaires, l'auriculothérapie dans les toxicomanies, aiguilles à demeure. [5.10 / lcp- 04.04- 06.02- 05.06- 20.03- resistance- ]

155- gera: 4963/di/cg  
**SIGNIFICATION DES SIGNES LOCALISES A LA FACE EN ACUPUNCTURE TRADITIONNELLE ET MODERNE.** BOSSY J ET AL. *conferences d'acupuncture,gera,toulon.* 1978,,38-47 (fra). ref:0 Poulos révélateurs au niveau de la face, somatotopie de la face, du nez, des dents, de la langue, de l'oeil, de l'oreille. Essai d'interprétation. [4.04 / iridologie- 04.03- 05.11- ]

156- gera: 5895/di/ra  
**AURICULOMEDECINE ET ACUPUNCTURE.** FLAMENT. *auriculomedecine.* 1978,12,7 (fra). ref:0 [5.10 / am- ]

157- gera: 5881/di/ra  
**ACUPUNCTURE AURICULAIRE.** GROSBLAS A ET AL. *point lo.* 1978,6,47 (fra). ref:0 [5.10 / - ]

158- gera: 5892/di/ra  
**[METHODE PHYSIOLOGIQUE SIMPLE DE DETERMINATION DE LA CORRESPONDANCE TOPOGRAPHIQUE ENTRE ZONE SOMATIQUE ET POINT AURICULAIRE ET \*].** MINHAING CHO. *acupuncture and electrotherapeutics research.* 1978,3(1-2),113-20 (eng). ref:0 [5.10 / 04.04- ]

159- gera: 5883/di/ra- num  
**EXPERIENCES DE L'AURICULOPUNCTURE, 3) INDICATIONS ET TRAITEMENT PAR AURICULOPUNCTURE (HOPITAL POPULAIRE DE VAN THAN).** NGUYEN VAN NGHI ET AL. *mensuel du medecin acupuncteur.* 1978,47,259-66 (fra). ref:2 1) Essai d'explication de l'auriculopuncture par les théories traditionnelles et pavlovienne. 2) Recherche des points

réactogènes. 3) Techniques de puncture. 4) Analyse des résultats (arthrose, 281 cas ; sciatique, 57 ; rhumatismes, 1190 cas ; hypertension artérielle, 60 cas ; gastrite, 190 cas ; grippe, 102 cas. 5) Utilisation des aiguilles à demeure ou des moxas sur aiguille. 6) Résultats sur 2299 cas traités. [5.10 / 05.09- 05.06- 07.05- 18.16- 04.04- 13.02- 10.05- ]

160- gera: 5884/di/ra- num  
**EXPERIENCES PRINCEPS DE L'AURICULOPUNCTURE, 4) ANALYSE DE 925 CAS TRAITES PAR AURICULOPUNCTURE (HOPITAL CENTRAL DE YANG PO).** NGUYEN VAN NGHI ET AL. *mensuel du medecin acupuncteur.* 1978,49,359-68 (fra). ref:0

1) Description de 28 points auriculaires. 2) Techniques de puncture. 3) Résultats sur 925 cas. 4) Histoire naturelle des points douloureux auriculaires. 5) Effets de l'auriculopuncture sur la sécrétion gastrique. [5.10 / secretion- 10.05- 04.04- ]

161- gera: 5885/di/ra- num  
**EXPERIENCES PRINCEPS DE L'AURICULOPUNCTURE, 5) ANALYSE DE 800 CAS TRAITES PAR AURICULOPUNCTURE (HOPITAL N°1 DE SHANGHAI).** NGUYEN VAN NGHI ET AL. *mensuel du medecin acupuncteur.* 1978,52,43-9 (fra). ref:0 1) Etude traditionnelle de l'oreille. 2) Définition de 50 points. 4) Résultats sur 800 cas. 6) Recherche du point douloureux. 7) Technique de puncture. [5.10 / 04.04- ]

162- gera: 5888/di/ra  
**EXPERIENCES PRINCEPS DE L'AURICULO-PUNCTURE, 6) ANALYSE DE 312 CAS TRAITES PAR AURICULOPUNCTURE (TOTALISANT 518 SEANCES) AVEC \*.** NGUYEN VAN NGHI ET AL. *mensuel du medecin acupuncteur.* 1978,53,81-90 (fra). ref:0 [5.10 / - ]

163- gera: 5889/di/ra- num  
**EXPERIENCES PRINCEPS DE L'AURICULO-PUNCTURE (7).** NGUYEN VAN NGHI ET AL. *mensuel du medecin acupuncteur.* 1978,55,189-99 (fra). ref:0 1) Description de 12 points qui ne correspondent pas à ceux de Nogier et à la conception du foetus renversé. Rapport de cas cliniques traités par ces points. 2) Rapport de 81 cas d'affections ORL (amygdalite, analgésie, post-amygdalectomie, pharyngite, sinusite, surdité...). [5.10 / 16.05- 16.02- 16.01- 16.04- ]

164- gera: 5893/di/ra  
**AURICULOMEDECINE ET ACUPUNCTURE.** NOGIER. *auriculomedecine.* 1978,10,29 (fra). ref:0 [5.10 / am- ]

165- gera: 5894/di/ra  
**AURICULOMEDECINE ET ACUPUNCTURE.** NOGIER. *auriculomedecine.* 1978,11,23 (fra). ref:0 [5.10 / am- ]

166- gera: 21775/di/ra  
**PROBLEMES ACTUELS VUS A TRAVERS L'AURICULO-MEDECINE.** NOGIER P. *auriculo medecine.* 1978,10,3-4 (fra). ref:0 [5.10 / - ]

167- gera: 21776/di/ra  
**LES OSCILLATIONS.** NOGIER P. *auriculo medecine.* 1978,10,5-6 (fra). ref:0 [5.10 / - ]

168- gera: 5890/di/tt

**INTRODUCTION PRATIQUE A**

**L'AURICULOTHERAPIE. NOGIER PMF.**

**maisonneuve,ste ruffine.** 1978,,164P (fra). ref:0

Comme son nom l'indique, cette "Introduction" permet au médecin de s'initier à cette nouvelle thérapeutique. L'auteur expose avec clarté et la rend accessible à tous ceux qui désirent utiliser le réflexe du pavillon pour soigner. Particulièrement efficace dans le domaine des algies, l'auriculothérapie a d'autres applications dans la correction des troubles fonctionnels. Le lecteur trouve en introduction l'histoire de la découverte du Docteur Nogier, puis une étude du pavillon et de l'image foetale anatomique de l'oreille, une étude des localisations, de la détection, des moyens de traitement, la consultation et les soins, indications et contre-indications. Enfin, des exemples cliniques et les perspectives qu'ouvre cette nouvelle thérapeutique. Un index rend l'utilisation de cet ouvrage aisé et justifie le titre. [5.10 / - ]

169- gera: 5882/di/tt

**LE MAILLON RELIANT L'AURICULOMEDECINE A L'ACUPUNCTURE TRADITIONNELLE CHINOISE.**

**PAGANI-GUY M. éditions jean de cassagnac paris.**

1978,,116P (fra). ref:0

[5.10 / - ]

170- gera: 5887/di/ra

**ACUPUNCTURE CHINOISE ET**

**AURICULOMEDECINE. PAGANI-GUY M. revue**

**francaise d'acupuncture.** 1978,14,37-40 (fra). ref:0

Pratique de l'auriculomédecine en prenant comme fil conducteur la pensée chinoise. Localisation des 5 éléments au niveau de l'oreille. [5.10 / 5 mouvements- 02.02- am- ]

171- gera: 21777/di/ra

**LA THESE OU LA VIE... D'UN FOETUS ! REYNAUD**

**A. auriculo medecine.** 1978,10,11 (fra). ref:0

[5.10 / - ]

172- gera: 82709/di/tt

**AGOPUNTURA AURICOLARE CINESE. ROCCIA.**

**minerva,torino.** 1978,,175P (ita). ref:0

[5.10 / - ]

173- gera: 5891/di/ra

**UTILISATION DU PROGRAMME COULEUR (PC)**

**EN AURICULOMEDECINE. SECONDY.**

**auriculomedecine.** 1978,10,27-8 (fra). ref:0

[5.10 / am- couleur- ]

174- gera: 5896/nd/th

**QU'EST-CE QUE L'AURICULOTHERAPIE ? SON ACTION SUR LES TROUBLES**

**PSYCHOFONCTIONNELS. SURIER D. these**

**medecine,paris-bichat.** 1978,73, (fra). ref:0

[5.10 / 14.14- ]

175- gera: 70024/nd/tt

**AURICULOTHERAPIE. OORACUPUNCTUUR.**

**WEXU M. ankh hermes.** 1978,,224P (ned). ref:0

[5.10 / - ]

176- gera: 5886/di/ra

**[NOUVELLE DECOUVERTE DES PROJECTIONS PRE-AURICULAIRE DU TU MO ET JEN MO].**

**WORLEY FM. american journal of acupuncture.**

1978,6(2),131-4 (eng). ref:0

Projection du Du Mai à l'oreille gauche et du Jen Mai à

l'oreille droite. [5.10 / 02.05- vc- curieux- vg- ]

177- gera: 4964/nd/me

**PRECISIONS SUR LA TOPOGRAPHIE IRIENNE.**

**BATAILLER A. memoire d'acupuncture,afera,nimes.**

1979,,26P (fra). ref:0

[4.04 / iridologie- ]

178- gera: 4965/di/ra

**SEMIOLOGIA DE LA EXTREMIDAD CEFALICA EN**

**MTCH. BOSSY J. revista de la sociedad latino-americana**

**de acupuntura y auriculoterapia.** 1979,3,11 (esp). ref:0

[4.04 / iridologie- ]

179- gera: 5902/di/ra

**[ANALYSE CLINIQUE DE L'AURICULOPUNCTURE**

**(résumé)]. CHIANG RT. acupuncture research quarterly.**

1979,10,41-2 (eng). ref:0

Traitement de 215 patients 41,4 % de bons résultats et 43,7 % d'amélioration. [5.10 / - ]

180- gera: 21784/di/ra

**LATERALITE ET ORIENTATION. FAYETON S.**

**auriculo medecine.** 1979,17,27-9 (fra). ref:0

[5.10 / lateralite- ]

181- gera: 5906/di/ra

**AURICULOMEDECINE ET ACUPUNCTURE.**

**FLAMENT C. auriculomedecine.** 1979,14,9 (fra). ref:0

[5.10 / - ]

182- gera: 21781/di/ra

**REACTIONS DU CENTRE ET DE LA PERIPHERIE**

**ET INTERPRETATION DES MODIFICATIONS**

**PRODUITES PAR LA POSE DE PENTHONIUM SUR**

**LE BRAS ET SUR L\*. FRONT E. auriculo medecine.**

1979,17,13 (fra). ref:0

[5.10 / - ]

183- gera: 5897/di/ra

**AURICULOTHERAPIE ET AURICULOMEDECINE.**

**KOVACS RJH. cahiers de biotherapie.** 1979,64,63 (fra).

ref:0

[5.10 / am- ]

184- gera: 5903/di/tt

**THE FUNDAMENTALS OF EAR ACUPUNCTURE.**

**KROPEJ H. haug verlag,heidelberg.** 1979,,94P (eng). ref:0

Dr. Kropelj provides a synopsis of points, their location, and the use of different needles as an introduction to European auricular acupuncture. He uses the Nogier system, not the system as it has been modified in China since the 1950's. Thus, practitioners familiar with Chinese ear acupuncture will find new informations well as one-to-one correspondence. This is a useful work for the beginner and experienced practitioner alike. [Redwing Reviews, June, 1995]. [5.10 / - ]

185- gera: 5909/di/ra

**DETECTION DES ENERGIES**

**PARASYMPATHIQUES ET SYMPATHIQUES AVEC**

**LES FILTRES 9, 64 ET 44 A. LENZ A.**

**auriculomedecine.** 1979,16,17 (fra). ref:0

[5.10 / apasymphatique- sympathique- ]

186- gera: 21780/di/ra

**VERS UNE MEDECINE PLUS HUMAINE. MAGNIN P.**

**auriculo medecine.** 1979,17,3-5 (fra). ref:0

[5.10 / - ]

- 187- gera: 5911/di/ra  
**REVOLUTION DANS LES LOCALISATIONS AURICULAIRES.** NOGIER. **auriculomedecine.** 1979,15,13 (fra). ref:0  
 [5.10 / - ]
- 188- gera: 5905/di/ra  
**ETES-VOUS LATERALISES ?.** NOGIER P. **auriculomedecine.** 1979,14,3 (fra). ref:0  
 [5.10 / lateralite- ]
- 189- gera: 5907/di/ra  
**INNERVATION DE LA PLAGE F.** NOGIER P. **auriculomedecine.** 1979,14,14 (fra). ref:0  
 [5.10 / 02.06- innervation- ]
- 190- gera: 5908/di/ra  
**ACTION DE LA NORADRENALINE ET DE L'ACETYLCHOLINE SUR L'INFORMATION DU PAVILLON.** NOGIER P. **auriculomedecine.** 1979,14,33 (fra). ref:0  
 [5.10 / acetylcholine- noradrenaline- ]
- 191- gera: 21782/di/ra  
**PENTHONIUM ET SYSTEME NEURO VEGETATIF.** NOGIER P. **auriculo medecine.** 1979,17,15-6 (fra). ref:0  
 [5.10 / snv- 14.11- ]
- 192- gera: 5901/di/tt  
**L'HOMME DANS L'OREILLE.** NOGIER R. **maisonneuve,moulins-les-metz.** 1979,,253P (fra). ref:0  
 1) L'auriculothérapie : une découverte fortuite, origines de l'auriculothérapie, le médecin de l'oreille et ses malades, les indications et les exemples, les points d'utilisation fréquente. 2) L'auriculomédecine, le RAC, la peau et ses informations, la latéralité, curieuses cicatrices, traitements en auriculomédecine. [5.10 / cicatrice- lateralite- ]
- 193- gera: 5904/nd/cg  
**AURICULOGIE : CLAVIER AURICULAIRE DE L'ACUPUNCTURE TRADITIONNELLE.** PAGANI-GUY M. **1er seminaire de la saa,bordeaux.** 1979,97-121, (fra). ref:0  
 [5.10 / - ]
- 194- gera: 5912/di/ra  
**L'OREILLE, CELLULE GEANTE.** PIRO. **auriculomedecine.** 1979,17,7-12 (fra). ref:0  
 [5.10 / - ]
- 195- gera: 5910/di/ra  
**AURICULODIAGNOSTIC.** RIVIERE. **auriculomedecine.** 1979,17,23-6 (fra). ref:0  
 [5.10 / 04.04- ]
- 196- gera: 21783/di/ra  
**REFLEXIONS SUR LE TRAITEMENT DES CICATRICES.** SAGNE R. **auriculo medecine.** 1979,17,17-21 (fra). ref:0  
 [5.10 / cicatrice- ]
- 197- gera: 5898/di/el  
**ACUPUNCTURE AURICULAIRE.** X. **in lu hc.** 1979,2,133-156 (eng). ref:0  
 [5.10 / - ]
- 198- gera: 4973/di/cg  
**[LES FIBRES NERVEUSES ADRENERGIQUES, PRINCIPAL FACTEUR AFFECTANT LES MODIFICATIONS DE RESISTIVITE ELECTRIQUE DE L'OREILLE DU \*].** BEIJING MEDICAL COLLEGE. **advances in acupuncture and acupuncture anaesthesia,beijing.** 1980,,25 (eng). ref:0  
 Etude de l'apparition de points de moindre résistivité au niveau de l'oreille du lapin en cas d'ulcère expérimental. Cette apparition dépend des fibres nerveuses adrénérquiques. En cas de lésion de ces fibres on observe une diminution de 50 % du nombre des points auriculaires de basse résistivité. [4.04 / 25.02- ea- lapin- 10.05- 05.10- resistance- snv- ]
- 199- gera: 5924/nd/tt  
**ELEMENTS D'AURICULOTHERAPIE.** BOURDIOL RJ. **maisonneuve,moulins-les-metz.** 1980,,360P (fra). ref:0  
 Cet ouvrage présente les notions indispensables à la compréhension de la neuro-physiologie dans cette discipline. Il s'agit d'un traité qui rassemble les bases de la méthode. 1) L'auricula : anatomie macroscopique de l'auricula. Neuro-embryologie auriculaire. Les conceptions classiques. Notre conception du développement auriculaire. 2) Systématisation auriculaire : Localisation de l'auricule externe sensitive. Localisation de l'auricule mastoïdienne motrice. Tragus et meat acoustique. 3) L'auriculodiagnostic : détection esthétique. Détection électronique. topognosie déductive. 4) L'auriculothérapie : traitement global du pavillon. Traitement des plaques auriculaires. Traitement des points auriculaires. Hiérarchisation des points. 5) En guise de conclusion : Déroulement d'une séance. Quelques conseils pour finir. [Redwing Reviews, June, 1995]. [5.10 / anatomie- 04.04- embryologie- ]
- 200- gera: 5921/di/cg  
**[DONNEES HISTORIQUES SUR L'ACUPUNCTURE AURICULAIRE].** CHEN GONGSUN. **advances in acupuncture and acupuncture anaesthesia,beijing.** 1980,,107 (eng). ref:0  
 L'acupuncture auriculaire tire ses origines des théories et de l'expérience des médecins chinois. [5.10 / 01.02- ]
- 201- gera: 28807/nd/tt  
**DIFFERENZIERUNG DER IRISZEICHEN. LEHRBUCH II. BILDATLAS UND THERAPIEHINWEISE.** DECK J. **deck.** 1980,,344P (deu). ref:0  
 [4.04 / - ]
- 202- gera: 4966/di/tt  
**IRIDOLOGY, PERSONALITY AND HEALTH ANALYSIS TROUGH THE IRIS.** HALL D. **angus and robertson publishers.** 1980,,240P (eng). ref:0  
 [4.04 / typologie- ]
- 203- gera: 5913/di/ra  
**LA ZONE VASCULAIRE.** KOVACS JH. **cahiers de biotherapie.** 1980,66,47 (fra). ref:0  
 [5.10 / - ]
- 204- gera: 4972/di/cg  
**[RECHERCHES PRELIMINAIRES SUR LES RELATIONS ENTRE CEPHALES ET CONDUCTIBILITE ELECTRIQUE DES POINTS D'ACUPUNCTURE DE L'OREILLE].** KUANG PEIGEN ET AL. **advances in acupuncture and acupuncture anaesthesia,beijing.** 1980,292,295 (eng). ref:0  
 Etude chez 42 sujets avec céphalées comparés à 30 sujets sains. Etude de la conductibilité électrique au niveau des points auriculaires occiput et front. La conductibilité est plus grande en cas de céphalée. Il existe une relation entre la valeur de la conductibilité et l'intensité de la céphalée. Une valeur de 100 micro-A est un bon critère de diagnostic. Il existe une relation entre la valeur de la conductance et



l'efficacité thérapeutique du point. [4.04 / 05.10- 14.02-  
resistance- ]

205- gera: 5914/di/ra  
**L'AURICULOMEDECINE, MEDECINE DE  
MEDIATION.** MAGNIN P. **cahiers de biotherapie.**  
1980,68,63 (fra). ref:0  
[5.10 / - ]

206- gera: 4967/di/ra  
**[IRIDOLOGIE EXPERIMENTALE].** MONFARDINI A.  
**quaderni di agopuntura tradizionale.** 1980,2(4),15 (ita).  
ref:0  
[4.04 / iridologie- ]

207- gera: 4968/di/ra  
**[IRIDOLOGIE MEDICALE (NOTION GENERALES  
INTRODUCTIVES)].** MONFARDINI A. **quaderni di  
agopuntura tradizionale.** 1980,2(1),11 (ita). ref:0  
L'iridologie médicale étudie l'état de l'iris pour évaluer les  
conditions de santé d'un individu. L'auteur, après une analyse  
des publications parues dans ce domaine, examine les  
problèmes techniques d'investigation et de recherche en  
iridologie et expose une méthodologie personnelle  
concernant les techniques d'examen, la sémiologie de l'iris et  
offre une hypothèse de travail pour l'iridologie thérapeutique.  
[4.04 / iridologie- ]

208- gera: 82969/nd/tt  
**AURICULOPUNTURA.** NGUYEN VAN NGHI.  
**cabal,madrid.** 1980,, (esp). ref:0  
[5.10 / - ]

209- gera: 4969/nd/re  
**AN EXPERIMENTAL EVALUATION OF  
AURICULAR DIAGNOSIS : THE SOMATOTOPIC  
MAPPING OR MUSCULOSKELETAL PAIN AT EAR  
ACUPUNCTURE POINTS.** OLESSON ET AL. **pain  
(amsterdam).** 1980,8(2),217-29 (eng). ref:0  
The present study was designed to experimentally evaluate  
the claims by French and Chinese acupuncturists that a  
somatotopic mapping of the body is represented upon the  
external ear. According to this system of diagnosis, areas of  
the auricle where there is increased electrical conductivity  
and heightened tenderness to touch correspond to specific  
areas of the body where there is some pathological condition.  
The hypothetical map of different bodily regions appears on  
the external ear as an inverted fetus, with the head  
represented towards the lower lobule, the hands and feet  
represented at the uppermost portion of the auricle, and the  
body in between. Forty patients were medically examined to  
determine areas of their body where there was  
musculoskeletal pain. Each patient was then draped with a  
sheet to conceal any visible physical problems. The physician  
conducting the auricular diagnosis had no prior knowledge of  
the patient's medical condition, but simply examined the  
patient's ear for areas of elevated skin conductivity or  
tenderness. The concordance between the established medical  
diagnosis and the auricular diagnoses was 75.2%. Both  
quantified readings of electrical current flow and subjective  
ratings of dermal tenderness were statistically significant in  
arriving at accurate diagnoses. These results thus supports the  
hypothesis that there is a somatotopic organization of the  
body represented upon the human auricle. [4.04 / 05.10-  
conductibilite- ec- ]

210- gera: 5923/nd/re  
**THE EXTERNAL EAR (THE ELECTRICAL  
ASPECTS IN RELATION TO ACUPUNCTURE) A  
PRELIMINARY REPORT.** ONG LS ET AL. **med j**

**malaysia.** 1980,35(1),53-7 (eng). ref:0  
[5.10 / resistance- ]

211- gera: 979/di/ra  
**RAPPORT DE SYNTHESE SUR LES DONNEES  
ACTUELLES CONCERNANT  
L'AURICULOPUNCTURE.** PHAM QUANG CHAU.  
**mensuel du medecin acupuncteur.** 1980,73,81-6 (fra). ref:0  
[5.10 / rg- ]

212- gera: 5915/di/ra  
**[BREVE HISTOIRE DE L'ACUPUNCTURE  
AURICULAIRE].** SPONZILLI O. **giornale italiano di  
agopuntura.** 1980,1(2),105-6 (ita). ref:0  
[5.10 / 01.02- ]

213- gera: 5917/di/ra  
**[TENTATIVE D'EXPLICATION ET PERPECTIVES  
DE RECHERCHES EN AURICULOMEDECINE].**  
SPONZILLI O. **giornale italiano di agopuntura.**  
1980,1(1),29-32 (ita). ref:0  
[5.10 / am- ]

214- gera: 18504/di/ra  
**FREQUENT INVOLVEMENT OF "VITAL" TEETH  
IN FOCAL DISTURBANCES.** THOMSEN J. **american  
journal of acupuncture.** 1980,8(1),25-30 (eng). ref:0  
[4.04 / dent- 19.05- ]

215- gera: 4974/di/cg  
**[RECHERCHE SUR LA VALEUR CLINIQUE DU  
DIAGNOSTIC PAR OSCILLOSCOPE AU POINT  
AURICULAIRE].** TONG YUJIE. **advances in  
acupuncture and acupuncture anaesthesia,beijing.**  
1980,101,116 (eng). ref:7  
Etude sur 591 cas (1182 oreilles). L'examen de l'oreille a une  
bonne valeur diagnostique, la valeur de la résistivité est plus  
basse en cas de maladie, et cette valeur est variable en  
fonction des maladies. [4.04 / resistance- 05.10- ]

216- gera: 17254/nd/re  
**L'AURICULOTHERAPIE.** VU GIANG M. **infirm fr.**  
1980,214,23-7 (fra). ref:0  
[AURICULOTHERAPY]. [5.10 / - ]

217- gera: 5916/di/el  
**[TRAITEMENT PAR ACUPUNCTURE  
AURICULAIRE].** X. **in essentials of chinese  
acupuncture,foreign language press,beijing.** 1980,,399-415  
(eng). ref:0  
[5.10 / - ]

218- gera: 26451/di/co- num  
**AURICULOTHERAPIE.** X. **institut de mtc de  
shanghai,shanghai.** 1980,,228-48 (fra). ref:0  
[5.10 / - ]

219- gera: 26458/di/co- num  
**AURICULOTHERAPY. THE THERAPY OF  
ELECTRIC-ACUPUNCTURE.** X. **guangzhou traditional  
medical college, guangzhou.** 1980,,13P (eng). ref:0  
[5.10 / 05.12- ]

220- gera: 28160/nd/tt  
**AURICULOTERAPIA PRACTICA.** X.  
**miraguano,madrid.** 1980,, (esp). ref:0  
[5.10 / - ]

221- gera: 5922/di/cg  
**[ETUDE DE L'ACUPUNCTURE AURICULAIRE].** XU

RUIZMENG ET AL. **advances in acupuncture and acupuncture anaesthesia,beijing**. 1980,107,120 (eng). ref:0  
L'acupuncture auriculaire est développée depuis l'antiquité chinoise. 2) Utilisée dans 14886 cas elle est efficace dans 90,1 %. 3) Utilisation dans 3181 cas d'analgésie chirurgicale. 4) Intérêt diagnostique : relation entre chondroplasie et tumeur. 5) innervation de l'oreille. 6) Etude de la résistivité des points auriculaires. [5.10 / 23.04- résistance- 04.04- innervation- lcp- ]

222- gera: 4970/di/cg  
**[ETUDE EXPERIMENTALE SUR LES VOIES AFFERENTES IMPLIQUEES DANS LA FORMATION DES POINTS DE BASSE RESISTIVITE CHEZ LE LAPIN]**. YIN HUIZMEN ET AL. **advances in acupuncture and acupuncture anaesthesia,beijing**. 1980,290,294 (eng). ref:0

La stimulation ininterrompue pendant 12 heures du vague chez le lapin entraîne l'apparition d'un grand nombre de points de basse résistivité au niveau de l'oreille. La section unilatérale du sympathique cervical entraîne une diminution homolatérale du nombre de points. La stimulation de la branche gastrique du sympathique n'a pas d'effet sur la formation des points de basse résistivité. [4.04 / 05.10- lapin-sympathique- résistance- 25.02- ea- snv- ]

223- gera: 4971/di/cg  
**[MODIFICATION DES POINTS AURICULAIRES DE BASSE RESISTIVITE CHEZ LA FEMME A DIFFERENTES ETAPES DE LA GROSSESSE]**. ZHOU SHAO CI ET AL. **advances in acupuncture and acupuncture anaesthesia,beijing**. 1980,292,294 (eng). ref:0  
Le travail précédent montre que la stimulation continue de la branche gastrique du vague entraîne une augmentation du nombre de points basse résistivité . Ceci suggère qu'une élévation du nombre de point peut être obtenue à partir d'influx afférents continus à partir des récepteurs viscéraux. Etude chez la femme enceinte : à 3 mois 42 points, à 6 mois 20, à 7 mois 23, à 8 mois 86, à 9 mois 128, la plus forte valeur est obtenue juste au moment de l'accouchement (169). La valeur la plus basse est 6 mois après l'accouchement. [4.04 / résistance- 11.10- 05.10- 25.02- ]

224- gera: 9140/di/ra  
**[PRESCRIPTION PRIMITIVE ET POINTS A ACTION MEDICAMENTEUSE SIMILAIRE]**. BAHN FR. **auricular-medicine and acupuncture physician**. 1981,6,30-2 (eng). ref:0  
[5.10 / - ]

225- gera: 5927/di/tt  
**AURICULOSOMATOLOGIE**. BOURDIOL RJ. **maisonneuve,moulins-les-metz**. 1981,,264P (fra). ref:0  
1) Les bases expérimentales de l'auriculomédecine, (le réflexe artériel de Nogier, les trois tissus bio-énergétiques auriculaires, l'énergie, l'effet de résonance énergétique. 2) Auriculomédecine fréquentielle. 3) Les couleurs en auriculomédecine. 4) Manifestations biotiques polarisées. 5) Les obstacles aux transferts énergétiques. 6) L'auriculo-somatodiagnostic. [Redwing Reviews, June, 1995]. [5.10 / 04.04- ]

226- gera: 5928/di/ra  
**[UTILISATION DES RAYONS INFRAROUGE AU NIVEAU DES POINTS AURICULAIRES (résumé)]**. CHIANG RT. **acupuncture research quarterly**. 1981,17,23-4 (eng). ref:0  
La puncture des points de l'oreille est douloureuse d'où l'intérêt de l'utilisation de rayons infrarouges sur les points sensibles de l'oreille. Traitement de 65 patients, 3 séances par

semaines, au total 10 séances. Dans 78 % les zones sensibles de l'oreille disparaissent. [5.10 / 04.04- 05.09- ]

227- gera: 70630/di/th- num  
**ETUDE DES SIGNES ET LOCALISATIONS AURICULAIRES AU COURS DES MALADIES RHUMATOLOGIQUES ET DE LEUR TRAITEMENT**. GARDIN VF. **these medecine, paris 7**. 1981,, (fra). ref:0  
[4.04 / lcp- ]

228- gera: 339/di/ra  
**[FACTEURS ESSENTIELS POUR ELEVER LE RESULTAT DE L'AURICULO-ACUPUNCTURE]**. GUAN ZUENG Y. **revue de mtc du yunnan**. 1981,2(6),28 (chi). ref:0  
[5.10 / facteur- ]

229- gera: 314/di/ra  
**[UNE NOUVELLE TECHNIQUE EN AURICULOTHERAPIE : LA COLORATION DES POINTS AURICULAIRES]**. GUAN ZUNXIN. **revue de mtc du yunnan**. 1981,2(5),27 (chi). ref:0  
[4.04 / lcp- ec- ]

230- gera: 4977/nd/th  
**PLACE DE L'IRIDOLOGIE DANS LE DIAGNOSTIC DU CANCER**. GUICHES JE. **these medecine,montpellier**. 1981,107,74P (fra). ref:0  
[4.04 / 23.04- iridologie- ]

231- gera: 5932/di/tt  
**L'AURITHERAPIE**. HALFON R. **maloine,paris**. 1981,,101P (fra). ref:0  
Traitement par injection de licodaine au niveau auriculaire. [5.10 / 05.15- ]

232- gera: 313/di/ra  
**[VALEUR DIAGNOSTIC DE LA PROTUSION DU POINT AURICULAIRE DANS LE CANCER DU FOIE ET D'AUTRES AFFECTIONS]**. HE CHENGJIAN ET AL. **shanghai journal of traditional chinese medicine**. 1981,9,26 (chi). ref:0  
[4.04 / ec- 10.10- 23.04- lcp- ]

233- gera: 5933/nd/th  
**L'AURICULOTHERAPIE CHEZ LE CHIEN, DONNEES ACTUELLES**. JEANNOT R. **these veterinaire,toulouse**. 1981,25,74P (fra). ref:0  
L'utilisation du pavillon auriculaire à des fins thérapeutiques remonte, chez l'homme, à des millénaires, mais n'a connu un développement important que lors de ces dernières années. Chez le chien, le premier travail publié a été la thèse de doctorat vétérinaire de Noureau : "Introduction à l'acupuncture auriculaire canine". L'auriculothérapie se présente comme une technique très simple à mettre en oeuvre. Les points à traiter n'apparaissent avec toutes leurs caractéristiques que lors de désordres somatiques ou viscéraux. Les méthodes de stimulation sont nombreuses ; nous retiendrons chez le chien : l'injection de micro-courants et les aiguilles semi-permanentes. Par l'intermédiaire du substratum nerveux, le stimulus gagne la formation réticulée. C'est à ce niveau que se déroulent les mécanismes permettant d'expliquer aussi bien l'action antalgique que thérapeutique. L'existence des points au niveau du pavillon ayant été démontrée dans différentes conditions (animal vigile, anesthésié, mort ; animaux sains ou malades), nous avons tenté de mettre en place une cartographie au moyen de méthodes globales (techniques de Kvirchishvili, thermographie) qui permettent l'observation de l'ensemble de l'oreille. Les résultats obtenus nous ont toutefois déçus. Nous

nous sommes alors tournés vers un travail long et méticuleux consistant à explorer au moyen d'un punctoscope la totalité de la surface du tégument auriculaire chez le chiens atteints d'affections bien définies. L'analyse de ces résultats confrontés à ceux aimablement transmis par certains auteurs étrangers, a abouti à la présentation d'une cartographie qui, même incomplète, possède les éléments essentiels. Nous n'en sommes encore qu'au tout début du développement de l'auriculothérapie en médecine vétérinaire et les recherches tant en laboratoire que sur le terrain doivent être poursuivies. Les résultats entrevus sont très intéressants aussi bien sur le plan thérapeutique qu'analgésique. Plan : 1) Anatomie comparée du pavillon de l'oreille : innervation et morphologie comparée. 2) Généralités sur l'auriculothérapie : caractéristiques du point, technique de traitement, indications, résultats, contre-indication, limites, théories explicatives (théories traditionnelles et neurophysiologie). 3) Mise en évidence des points : les punctoscopes, expérimentation (animal anesthésié, post. vigile), recherche d'une cartographie (technique de Kvirchishvili, étude thermographique, recherche à l'aide d'un punctoscope). [5.10 / 24.02- 05.06- 04.04- resistance- ]

234- gera: 4975/nd/th

**LES FOYERS REACTOGENES DENTAIRES, LEUR IMPORTANCE EN PATHOLOGIE COURANTE.**

KITTLER P. **these medecine,marseille.** 1981,229, (fra). ref:0

[4.04 / dent- 19.05- ]

235- gera: 4976/di/ra

**[LE DIAGNOSTIC PAR LES YEUX SELON LA MTC].**

LURABDA GONZALES R. **medicina tradicional china.** 1981,1,2 (esp). ref:0

[4.04 / iridologie- ]

236- gera: 315/di/ra

**VALEUR SEMIOLOGIQUE DES LESIONS CUTANEEES PONCTUELLES RHINOFACIALES.**

NGUYEN J ET AL. **mensuel du medecin acupuncteur.** 1981,86,611-8 (fra). ref:0

Etude de la valeur sémiologique de lésions cutanées ponctuelles de la zone rhinofaciale ovaire-testicule. Les antécédents de pathologie génitale sont plus fréquents dans le groupe porteur de lésion que dans le groupe de contrôle. [4.04 / lcp- ]

237- gera: 18221/di/ra

**HISTOIRE NATURELLE DES LCP.** NGUYEN J ET AL. **mensuel du medecin acupuncteur.** 1981,86,618-21 (fra).

ref:13

[4.04 / lcp- ]

238- gera: 5929/di/ra

**DETECTION ET TRAITEMENT DES POINTS PAR L'OREILLE PAR L'ALTERATION DE LEUR SENSIBILITE.** NOGIER. **auriculomedecine.** 1981,23,5 (fra). ref:8

[5.10 / 04.04- ]

239- gera: 5930/di/ra

**LES LOCALISATIONS NOUVELLES.** NOGIER. **auriculomedecine.** 1981,24,7 (fra). ref:8

[5.10 / - ]

240- gera: 5926/di/tt

**DE L'AURICULOTHERAPIE A L'AURICULOMEDECINE.** NOGIER PFM.

**maisonneuve,ste ruffine.** 1981,,230P (fra\*). ref:8

The basis of auriculotherapy and auriculomedicine is

discussed in this text. Accompanied by many drawings, it is suitable for the practitioner who wants to study auriculotherapy deeply. Of particular interest is Dr. Nogier's explanation of the experimentation and observation that lead to his historic use of a fetal image imposed upon the external ear as a diagnostic map. [Redwing Reviews, June, 1995]. [5.10 / am- ]

241- gera: 28581/nd/tt

**HANDBOOK TO AURICULOTHERAPY.** NOGIER PFM. **maisonneuve, moulins-les-metz.** 1981,,163P (eng). ref:8

Numerous charts help to illustrate the principles and techniques of Nogier's auriculotherapy. From this book alone, the practitioner can achieve positive therapeutic results using those points most frequently employed in routine clinical practice. Instructions are clear, to the point, and based on the considerable experience that has gone into this system. This as a reasonable first text for practitioners beginning to explore auriculotherapy. [Redwing Reviews, June, 1995]. [5.10 / - ]

242- gera: 980/di/ra

**REFLEXIONS SUR L'AURICULOMEDECINE.** PHAM QUANG CHAU. **mensuel du medecin acupuncteur.**

1981,78,317-9 (fra). ref:8

[5.10 / am- ]

243- gera: 5925/di/ra

**[APERCU DE SEMIOLOGIE AURICULAIRE].** SPONZILI O. **giornale italiano di agopuntura.**

1981,2(3),147-151 (ita). ref:0

Inspection, palpation, étude de la conductibilité électrique, examen de la sensibilité au froid et au chaud et étude du RAC. [4.04 / resistance- 05.10- ]

244- gera: 5931/nd/th

**L'AURICULOTHERAPIE.** WAHL D. **these medecine,strasbourg.** 1981,279, (fra). ref:0

[5.10 / - ]

245- gera: 1088/di/ra

**[VARIATIONS DE LA RESISTIVITE AURICULAIRE DANS L'ELECTROSTIMULATION CARDIAQUE ET ETUDE DE SON MECANISME].** ZHU YUANGEN ET AL. **chinese acupuncture and moxibustion.** 1981,1(3),31 (chi\*). ref:0

Durant la stimulation cardiaque chez le lapin, les variations de la résistance du point auriculaire et de l'activité sympathique sont enregistrées simultanément. Les modifications de la résistivité auriculaire, et l'augmentation de l'amplitude de la fréquence des décharges sympathiques sont contemporaines de la modification de l'ECG. La mise en place de l'électrode stimulatrice cardiaque entraîne une élévation de la résistivité qui après un pic diminue graduellement. Les réactions à l'électro-stimulation cardiaque sont plus nettes au niveau des nerfs de la carotide externe que ceux des reins. L'électro- stimulation directe des nerfs de la carotide externe entraîne également une augmentation de la résistance auriculaire avec une vaso-contriction. Cette expérience montre qu'il existe un réflexe cardio-auriculaire dans lequel le sympathique intervient. [4.04 / 05.10- paraneurale- ea- lapin- resistance- 07.01- ecg- ]

246- gera: 28742/nd/tt

**SYSTEMATIC UND PRAKTIKUM DER WISSENSCHAFTLICHEN OHRKUPUNKTUR FUR WEIT FORTGESCHRITTENE (AURIKULOMEDIZIN IV STUFE).** BAHR FR. **aho.** 1982,,58P (deu). ref:0

[5.10 / - ]

- 247- gera: 28543/nd/tt  
**ELEMENTS OF AURICULOTHERAPY.** BOURDIOL R.J. **maisonneuve, moulins-les metz.** 1982,,365P (eng). ref:0  
 [5.10 / - ]
- 248- gera: 976/di/ra  
**L'IMPORTANCE DES FOYERS.** BRAEMER C. **auriculomedecine.** 1982,26,19-21 (fra). ref:0  
 [5.10 / - ]
- 249- gera: 981/di/ra  
**DONNEES HISTORIQUES DE L'ACUPUNCTURE AURICULAIRE.** CHEN GONGSUNG. **mensuel du medecin acupuncteur.** 1982,88,709 (fra). ref:0  
 [5.10 / 01.02- ]
- 250- gera: 4979/di/ra  
**[LE SILLON DU LOBE DE L'OREILLE, HYPERCHOLESTEROLEMIE ET ANTIGENES LEUCOCYTAIRES HUMAINS, FACTEURS DE RISQUES DANS LA MALADIE \*].** CHEN WAN CHUN ET AL. **chinese medical journal.** 1982,11,839 (eng). ref:0  
 Durant une enquête sur le bilan lipidique de 729 membres du personnel hospitalier, le signe du sillon transverse du lobe de l'oreille est étudié sur 50 personnes porteuses du sillon ; 25 ont un taux de cholestérol supérieur à 220 mg. Les antigènes leucocytaires humains (HLA) sont étudiés chez 20 sujets porteurs du sillon avec cholestérol inférieur à 220 mg, 23 sujets non porteurs du sillon et avec cholestérol supérieur à 220 mg sont également étudiés. Il n'y a pas de corrélation entre le sillon du lobe de l'oreille et l'hypercholestérolémie. HLA bw54 est significativement plus fréquent chez les sujets porteurs du sillon. [4.04 / lcp- 05.10- 09.07- ]
- 251- gera: 28860/nd/tt  
**TROIS RIDES SUR LE FRONT... D'APRES LA PSYCHOLOGIE DES ORGANES-MERIDIENS DANS LA MEDECINE CHINOISE.** DE SURANY M. **maisnie-tredaniel.** 1982,,85P (fra). ref:0  
 [4.04 / - ]
- 252- gera: 4984/di/cg  
**LA SOMATOTOPIE TRADITIONNELLE DE L'OEIL, UNE INCONNUE.** DE TYMOWSKI JC. **congres national d'acupuncture,paris.** 1982,,77 (fra). ref:0  
 Les somatotopies sont des images de l'organisme interne et externe, situées souvent au niveau des organes des sens ou sur le revêtement cutané. Découvertes depuis des millénaires par raisonnement analogique et philosophique, elles ont été en partie confirmées par les travaux des neurophysiologistes modernes. Véritable "tableau de bord" de l'organisme, elles permettent de contrôler l'état de marche des organes internes difficiles d'accès à l'observation. Elles ont toutes un intérêt diagnostique et certaines sont thérapeutiques. Leur stimulation agit à distance sur les organes, des fonctions ou des membres. Beaucoup sont connues comme l'oreille, la langue, le nez. L'auteur a pensé intéressant de remettre à jour celle de l'oeil. [4.04 / iridologie- ]
- 253- gera: 5939/di/ra  
**QUATRE CAS.** DEJEAN-MASSIA. **auriculomedecine.** 1982,28,16-7 (fra). ref:0  
 Glossodynie, tabagie, névralgie cervicobrachiale, obstétrique. [5.10 / 20.02- 18.12- 11.10- 19.02- ]
- 254- gera: 987/di/ra  
**LES TRANSFERTS MELANIQUES.** DELPUECH JP. **auriculomedecine.** 1982,27,23 (fra). ref:0  
 [5.10 / am- melanine- ]
- 255- gera: 990/di/ra  
**AURICULOMEDECINE ET MALADIE PSYCHOSOMATIQUE.** DELPUECH JP. **auriculomedecine.** 1982,27,31 (fra). ref:0  
 [5.10 / psychosomatique- ]
- 256- gera: 5942/di/ra  
**LE FILTRE TUMORAL REACTIONS AURICULAIRES DE TERRAIN.** DELPUECH JP. **auriculomedecine.** 1982,28,27-8 (fra). ref:0  
 [5.10 / - ]
- 257- gera: 19598/di/ra  
**CAS CLINIQUE ET FILTRE TISSULAIRE.** DELPUECH JP. **auriculomedecine.** 1982,29,29 (fra). ref:0  
 [5.10 / - ]
- 258- gera: 22926/di/ra  
**CAS CLINIQUE ET FILTRE TISSULAIRE.** DELPUECH JP. **auriculomedecine.** 1982,29,29 (fra). ref:0  
 [5.10 / - ]
- 259- gera: 1685/nd/me  
**LESIONS CUTANEEES PONCTUELLES ET FOSSETTE NAVICULAIRE.** GORET O. **memoire d'acupuncture,oedea,paris.** 1982,, (fra). ref:0  
 [4.04 / 05.10- lcp- ]
- 260- gera: 4982/di/cg  
**INTRODUCTION AU CARACTERE VISIBLE DES POINTS ET MERIDIENS.** LAMBERT G. **congres national d'acupuncture,paris.** 1982,,225 (fra). ref:0  
 [4.04 / dermatose- lcp- ]
- 261- gera: 5944/di/ra  
**LES CINQ CAS.** LIMONAT DE KERMEL. **auriculomedecine.** 1982,29,21-2 (fra). ref:0  
 [5.10 / - ]
- 262- gera: 5945/di/ra  
**LES CINQ CAS.** MARIGNAN. **auriculomedecine.** 1982,29,13-9 (fra). ref:0  
 [5.10 / - ]
- 263- gera: 5936/di/ra  
**[PROFIL DE SANTE DETERMINE PAR LE VAS CRITERE DE DIAGNOSTIC EN AURICULOMEDECINE, ET MESURES BIOCHIMIQUES].** NAVACH JH. **rivista italiana di agopuntura.** 1982,45,16 (ita). ref:0  
 [5.10 / - ]
- 264- gera: 895/di/th  
**VALEUR SEMIOLOGIQUE DES LESIONS CUTANEEES PONCTUELLES AU NIVEAU DE LA ZONE RHINOFACIALE OVAIRE-TESTICULE.** NGUYEN DIEM CHI. **these medecine,montpellier.** 1982,,76P (fra). ref:0  
 Nous avons ainsi étudié la valeur sémiologique des LCP au niveau de la zone rhinofaciale ovaire-testicule : une LCP a été retrouvée au niveau de cette zone chez 87 consultants du centre d'acupuncture Nguyen van nghi. Chez 96,8 % des femmes et 91,1 % de ces 87 consultants, nous avons pu effectivement mettre en évidence des affections génitales, soit en cours, soit dans les antécédents. La comparaison de la fréquence des affections génitales chez les patients porteurs de la LCP et chez les patients non porteurs est très significative. Sur le plan dermatologique, nous avons retrouvé deux types essentiels de LCP : les angiomes

ponctiformes et les naevi. Nous n'avons pu mettre en évidence de valeur sémiologique propre à chacun de ces aspects dermatologiques. L'analyse de l'histoire naturelle des naevi et des angiomes ponctiformes nous a montré nombre de concordances : il s'agit sur le plan histologique de dysplasies cutanées circonscrites (cellules embryonnaires). Ces lésions sont absentes à la naissance et apparaissent progressivement à tout âge de la vie. Une influence des affections concomitantes est notée par divers auteurs tant pour leur apparition que pour leur évolution. Prédominance très nette enfin de leur localisation céphalique alors que l'extrémité céphalique ne constitue que 9 % de la surface corporelle. Tous ces éléments vont dans le sens de notre hypothèse des LCP rhinofaciales symptomatiques d'atteintes distales. Le problème qui se pose à l'heure actuelle est celui de la LCP-génèse. Nous avons émis l'hypothèse que naevus et angiome sont des tumeurs issues ou induites directement à partir de la structure histologique à déterminer du point d'acupuncture, qui serait alors susceptible de jouer un rôle dans la différenciation cellulaire. En conclusion, nous voulons souligner : 1) L'intérêt de l'analyse des classiques médicaux traditionnels et la nécessité d'un abord neuf, continué à la fois d'une curiosité scientifique et d'un respect d'une grande humilité envers une médecine que nous estimons avons tout clinique et expérimentale et dont la conception fausement ésotérique est un préjugé largement répandu dans les milieux scientifiques occidentaux. 2) L'intérêt éventuel d'une nouvelle technique diagnostique, l'idéal étant la constatation précoce de la LCP, donc au stade microscopique par d'autres moyens d'investigation. 3) Enfin, l'intérêt fondamental d'un élargissement de notre champ de recherche à partir d'une nouvelle approche du point d'acupuncture et de ses fonctions. [4.04 / 22.07- 11.01- facio- rhino- lcp- teint- ec- 05.11- ]

265- gera: 896/di/ra

**SEMILOGIE DES LCP AURICULAIRES.** NGUYEN J. **mensuel du medecin acupuncteur.** 1982,92,853-60 (fra). ref:47

Description de modifications morphologiques auriculaires (LCP, lésion cutanée ponctuelle) secondaires à une pathologie distale : follicules, naevi, angiomes ponctiformes, télangiectasies, angiomes stellaires, desquamations, comédons, nodules, chondroplasies, cicatrices. Discussion sur les théories de la MTC. [4.04 / 05.10- lcp- ec- ]

266- gera: 899/di/ra

**PROBLEMES DIAGNOSTIQUES DES LCP.** NGUYEN J. **mensuel du medecin acupuncteur.** 1982,94,953-4 (fra). ref:8

Rapport d'une observation avec notamment protusion du PA foie et télangiectasies du PA rein. [4.04 / 05.10- lcp- ec- ]

267- gera: 4981/di/ra

**NOTE SUR LA PILOSITE AURICULAIRE ET FACIALE.** NGUYEN J. **revue francaise de mtc.** 1982,95,37-9 (fra). ref:3

Il existe une relation entre la pilosité somatique et la pilosité facio-auriculaire dans le cadre des somatotopies de la MTC. Ceci suggère une identité susceptible d'implications dans la recherche sur la nature du point d'acupuncture. [4.04 / 05.11- lcp- 05.10- poil- ]

268- gera: 5935/di/ra

**L'UNITE AURICULO-FACIALE, APPROCHE DES SOMATOTOPIES DE LA MEDECINE TRADITIONNELLE CHINOISE.** NGUYEN J. **mensuel du medecin acupuncteur.** 1982,93,899-905 (fra). ref:4

1) Il y a une concordance entre les données cliniques de la topographie auriculaire chinoise et les données embryologiques. Ces données établies séparément vont dans

le sens de notre hypothèse de l'existence de deux systèmes de projection, maxillo-tragien et auriculaire. Ces deux systèmes homologues ont été découverts à 2 000 ans d'intervalle et indépendamment l'un de l'autre. Ceci a historiquement une grande importance dans la mesure où on peut imaginer des processus de découverte identiques, montrant bien la base clinique et expérimentale de l'acupuncture. 2) Partant des données embryologiques, la topographie auriculaire chinoise apparaît en définitive plus cohérente que celle de Nogier. L'isolement d'une auriculothérapie ou d'une auriculomédecine par rapport à l'acupuncture ne nous semble pas justifié. Au contraire, la somatotopie auriculaire semble s'intégrer dans un ensemble physiologique plus complexe conformément aux théories de la médecine traditionnelle chinoise. Mais il faut reconnaître l'importance de l'apport de l'école de Nogier, apport qui doit enrichir la MTC après un large débat. 3) Il faut souligner une nouvelle fois les liens étroits entre l'acupuncture et l'embryologie. Les points apparaissent comme intimement liés aux mouvements morphogénétiques du massif facial. Ceci va à notre avis dans le sens de la réalité anatomofonctionnelle périphérique du point d'acupuncture susceptible d'apparaître très précocement dans la phylogenèse et l'ontogénèse. [5.10 / embryologie- facio- 05.11- ]

269- gera: 4980/di/ra

**LCP NODULAIRE DE LA ZONE AURICULAIRE ABDOMEN. ANALYSE DE 40 OBSERVATIONS.**

NGUYEN J, NGUYEN G, CARTEAU Y ET LAMORTE J. **revue francaise de mtc.** 1982,95,40-5 (fra). ref:12

La valeur sémiologique des lésions cutanées ponctuelles (LCP) nodulaires de la zone auriculaire Abdomen est étudiée chez 40 patients. Les résultats suggèrent que la LCP est symptomatique d'une pathologie du Foie dans sa définition de la MTC. Dans la discussion est abordé le problème de la surface et des caractéristiques du point d'acupuncture. [4.04 / 02.06- f- lcp- ]

270- gera: 975/di/ra

**LOCALISATIONS NOUVELLES.** NOGIER P.

**auriculomedecine.** 1982,26,15 (fra). ref:13

[5.10 / - ]

271- gera: 985/di/ra

**CICATRICE D'EPISIOTOMIE.** NOGIER P.

**auriculomedecine.** 1982,27,17-8 (fra). ref:13

[5.10 / cicatrice- am- ]

272- gera: 5941/di/ra

**LA PERCEPTION DU SIGNAL DU POULS.** NOGIER P.

**auriculomedecine.** 1982,28,23-6 (fra). ref:13

[5.10 / - ]

273- gera: 5943/di/ra

**QUELQUES REMARQUES SUR CE QU'UN MEDECIN DOIT CONNAITRE ET RETENIR DE L'AURICULOTHERAPIE ET DE**

**L'AURICULOMEDECINE.** NOGIER P.

**auriculomedecine.** 1982,29,5 (fra). ref:13

[5.10 / - ]

274- gera: 5947/di/ra

**MISE EN EVIDENCE DE L'ENERGIE RETICULEE PAR LES TESTS A L'AVEUGLE.** NOGIER P.

**auriculomedecine.** 1982,29,25-7 (fra). ref:13

[5.10 / - ]

275- gera: 21788/di/ra

**IDENTIFICATION DE LA MALADIE AUX CENT**

**VISAGES.** NOGIER P. **auriculomedecine.** 1982,27,39-40

(fra). ref:13

- [5.10 / - ]
- 276- gera: 5948/nd/re  
**[NOUVELLE METHODE D'ACUPUNCTURE AURICULAIRE DANS LE TRAITEMENT DES MALADIES CHRONIQUES]**. PESIKOV IS. *terapeuticheskii arkhiv*. 1982,54(1),114-6 (rus). ref:13 [5.10 / - ]
- 277- gera: 989/di/ra  
**PHASES, TISSUS ET ENERGIES**. PIRO C. *auriculomedecine*. 1982,27,27-9 (fra). ref:13 [5.10 / am- ]
- 278- gera: 17275/di/re- num  
**CONSIDERZIONI PRELIMINARI SU ALTERAZIONI DI PIGMENTAZIONE, DI STRUTURA, DI VASCOLOLARIZZAZIONE DEL PADIGLIONE AURICOLARE\***. ROMOLI M. *minerva medica*. 1982,73(13),725-730 (ita). ref:13 [4.04 / lcp- ]
- 279- gera: 986/di/ra  
**A PROPOS DES OSCILLATIONS**. ROURENG JC. *auriculomedecine*. 1982,27,19-22 (fra). ref:5 [5.10 / am- ]
- 280- gera: 977/di/ra  
**LES FREQUENCES... COMMENT AGIR ?** ROUXEVILLE Y. *auriculomedecine*. 1982,26,27-9 (fra). ref:5 [5.10 / am- ]
- 281- gera: 5940/di/ra  
**MA PREMIERE EXPERIENCE D'AURICULOTHERAPIE**. ROUXEVILLE Y. *auriculomedecine*. 1982,28,19 (fra). ref:5 [5.10 / - ]
- 282- gera: 5946/di/ra  
**TROIS OBSERVATIONS**. ROUXEVILLE Y. *auriculomedecine*. 1982,29,23-4 (fra). ref:5 [5.10 / - ]
- 283- gera: 4983/di/tt  
**MANUEL PRATIQUE D'IRISCOPIE**. RUBIN M. *maisonneuve, st ruffine*. 1982,,193P (fra). ref:5 [4.04 / iridologie- ]
- 284- gera: 984/di/ra  
**LES BLOCAGES VERTEBRAUX SEQUENTIELS, ENTRETIENS DANS LA CONSULTATION DU DR NOGIER**. SANCHEZ ARAUJO. *auriculomedecine*. 1982,27,15 (fra). ref:5 [5.10 / am- ]
- 285- gera: 4978/di/ra  
**CHAMPS MAGNETIQUES POLARISES ET REPONSE THERMIQUE REFLEXE : UNE EVALUATION** SANCHEZ ARAUJO M ET AL. *auriculomedecine*. 1982,27,5-9 (fra). ref:5  
 L'objectif de cette étude a été la vérification expérimentale des effets produits sur la température du point réflexe du genou à l'oreille, par la projection de champs magnétiques simples et polarisés et d'un placebo sur les genoux d'individus sains et bien-portants. L'essai a porté sur dix sujets sains et seize malades du genou. L'application de telles stimulations à l'insu autant des individus que de l'observateur, n'a révélé aucune différence significative chez les sujets malades. Par contre, chez le bien-portant on a observé une tendance à une baisse thermique sous l'effet du magnétisme polarisé. La comparaison des moyennes de ce groupe et celle du placebo est très proche du seuil de signification statistique, mais insuffisante cependant par rapport à la taille réduite d'un tel échantillon. Ce fait semble justifier une nouvelle étude contrôlée portant exclusivement sur des sujets sains. [4.04 / 05.10- 18.18- temperature- ]
- 286- gera: 978/di/ra  
**LES DEUX POINTS**. SECONDY A. *auriculomedecine*. 1982,26,31 (fra). ref:14 [5.10 / am- ]
- 287- gera: 988/di/ra  
**AUDITION ET PRISE DES POULS**. SECONDY A. *auriculomedecine*. 1982,27,25-6 (fra). ref:14 [5.10 / 04.03- 16.02- ]
- 288- gera: 4985/di/ra  
**COMPTE RENDU DE TRAVAUX DE THERMOGRAPHIE EFFECTUES SUR LE PAVILLON DE L'OREILLE**. TARD-GEORGET. *auriculomedecine*. 1982,27,11-3 (fra). ref:14  
 Une stimulation thermique d'une zone somatique (main ou genou), n'entraîne pas de modifications particulière localisée à la thermographie de l'oreille. De même une stimulation magnétique de la zone genou auriculaire n'entraîne pas de modification thermographique au niveau du genou. [4.04 / 18.18- temperature- 18.08- thermographie- ]
- 289- gera: 5938/di/ra  
**CEPHALEES, CERVICALGIES ET CORPS-CALLEUX (5 CAS D'AURICULOTHERAPIE)**. TOURNIER B. *auriculomedecine*. 1982,28,13 (fra). ref:14 [5.10 / 18.12- 14.02- ]
- 290- gera: 5937/di/ra  
**PLAN DE L'ENSEIGNEMENT DE L'AURICULOTHERAPIE**. X. *auriculomedecine*. 1982,28,11-2 (fra). ref:14 [5.10 / enseignement- ]
- 291- gera: 982/di/ra- num  
**UNE ETUDE SUR L'ACUPUNCTURE AURICULAIRE**. XU RUIZHENG ET AL. *mensuel du medecin acupuncteur*. 1982,88,709 (fra). ref:14 [5.10 / - ]
- 292- gera: 28542/nd/tt  
**AURICULOSOMATOLOGY**. BOURDIOL RJ. *maisonneuve, moulins-les-metz*. 1983,,264P (eng). ref:0 [5.10 / - ]
- 293- gera: 9135/di/ra  
**[LES BORNES EN AURICULO-MEDICINE, ANESTHESIE PAR AURICULO-ELECTRO-STIMULATION (AESA)]**. BROEDERSDORFF CD. *auricular-medicine and acupuncture physician*. 1983,9(1),1-7 (eng). ref:0 [5.10 / 06.02- 05.12- ]
- 294- gera: 28806/nd/tt  
**REPERTORIUM DER IRISDIAGNOSE. EINE NACHSCHLAGWERK DER HAUFIGSTEN UND WICHTIGSTEN IRISDIAGNOSTISCHEN ZEICHEN**. BROY J. *marzell*. 1983,,647P (deu). ref:0 [4.04 / - ]
- 295- gera: 28743/nd/tt  
**PRAXIS DER FRANZOSISCHEN**

**OHRAKUPUNKTUR.** BUCHHOLZ W. **aurikulomedizin von munks az.** 1983,,129P (deu). ref:0  
[5.10 / - ]

296- gera: 5973/di/ra  
**[EXPLICATION DES DIFFERENCES ENTRE LES POINTS AURICULAIRES CHINOIS ET DE NOGIER (lettre)].** CONCON AA. **american journal of acupuncture.** 1983,11(4),388 (eng). ref:0  
[5.10 / - ]

297- gera: 5966/di/ra  
**CINQ CAS TRAITES PAR POLARTRONS UNIDIRECTIONNELS.** DAHOUT C. **auriculomedecine.** 1983,32,23-4 (fra). ref:0  
[5.10 / am- ]

298- gera: 22936/di/ra  
**OBSERVATIONS "A PROPOS DU POLARTRON".** DEGRAIX-ROUX A. **auriculomedecine.** 1983,32,21-2 (fra). ref:0  
[5.10 / - ]

299- gera: 3331/di/ra  
**[BASES PHYSIOLOGIQUES DES REFLEXES AURICULAIRES DES FONCTIONS VISCERO-ENDOCRINES].** DURINYAN RA. **acupuncture and electrotherapeutics research.** 1983,8(1),79-80 (eng). ref:0  
[5.10 / - ]

300- gera: 9134/di/ra- num  
**AN INTRODUCTION TO THE PHYSIOLOGY OF AURICULAR REFLEX THERAPY.** DURINYAN RA. **auricular-medicine and acupuncture physician.** 1983,11,7-12 (eng). ref:0  
[5.10 / am- ]

301- gera: 5968/di/ra  
**LANGAGE DE L'INCONSCIENT, AURICULOMEDECINE ET HOMEOPATHIE.** FAYETON. **auriculomedecine.** 1983,32,43 (fra). ref:13  
[5.10 / homeopathie- ]

302- gera: 5969/di/ra  
**UN POINT MAITRE DE L'EPIPHYSE.** FICHES G. **auriculomedecine.** 1983,32,55-7 (fra). ref:13  
[5.10 / - ]

303- gera: 5971/di/ra  
**DE QUELQUES CAS D'ECHEC EN ACUPUNCTURE.** FLAMENT. **auriculomedecine.** 1983,30,33-5 (fra). ref:13  
[5.10 / - ]

304- gera: 5963/di/ra  
**DEUX CAS ETONNANTS DE CORRECTION DE CICATRICE.** HAUBURSIN P. **auriculomedecine.** 1983,32,16 (fra). ref:13  
[5.10 / cicatrice- ]

305- gera: 5964/di/ra  
**CONTUSION ET POLARTRON.** HAUBURSIN P. **auriculomedecine.** 1983,32,17 (fra). ref:13  
[5.10 / 18.17- ]

306- gera: 5965/di/ra  
**BLOCAGE VERTEBRAL AIGU ET POLARTRON UNIDIRECTIONNEL.** HAUBURSIN P. **auriculomedecine.** 1983,32,19 (fra). ref:13  
[5.10 / 18.11- ]

307- gera: 22935/di/ra  
**ETUDE DU POLARTRON UNIDIRECTIONNEL. CONTRACTURES.** HAUBURSIN P. **auriculomedecine.** 1983,32,20 (fra). ref:13  
[5.10 / 18.07- ]

308- gera: 5960/di/tt  
**L'AURICULOMEDECINE EN CONSULTATION JOURNALIERE (TOME I).** KOVACS RJH. **maloine,paris.** 1983,,184P (fra). ref:13  
Brillante, efficace, non polluante, cette discipline qui utilise une zone de réflexothérapie locale (le pavillon de l'oreille) agit de façon globale sur l'ensemble de l'organisme. Elle est appliquée par des médecins formés depuis de nombreuses années par le Docteur René Kovacs. Ce dernier a coutume d'affirmer : "il faut d'abord être un bon médecin avant d'être un bon auriculomédecin !". Président de la Fondation René Kovacs, il a dispensé consultations, conférences et séminaires dans de nombreux pays d'Europe et dans les deux Amériques. Plus de 80 000 malades examinés et traités ! Ce premier tome, d'une série de trois est le résultat de l'expérience accumulée au cours d'innombrables heures de travail et d'investigations scientifiques. Pour bien montrer l'intérêt thérapeutique des techniques utilisées, chacun des chapitres de cet ouvrage, dédié principalement aux problèmes osseux et articulaires, sera précédé de la présentation des procédés thérapeutiques allopathiques les plus actuels : lorsque leurs ressources sont épuisées, le praticien averti doit savoir qu'il existe encore une possibilité de traitement pour son patient : l'auriculomédecine. Pour tout médecin conscient de l'importance de son rôle, rien n'est plus fondamental que de soigner l'homme malade quel qu'il soit, où qu'il soit, et ce, à deux conditions : innocuité du traitement, efficacité thérapeutique. L'auriculomédecine, entre des mains expertes, remplit parfaitement ces deux fonctions. [5.10 / - ]

309- gera: 4990/di/ra  
**ALGIE AURICULAIRE SPONTANEE EN RELATION AVEC UNE ALGIE SOMATIQUE.** LAMBERT G. **revue francaise de mtc.** 1983,100,330. (fra). ref:13  
L'observation de douleur provoquée au niveau des points auriculaires est banale, l'intérêt de ce cas clinique est une douleur spontanée ponctuelle rapportée par le patient. [4.04 / - ]

310- gera: 5950/di/ra  
**[AURICULO-MEDECINE, CONSIDERATIONS SUR LA PRISE DE VAS, ASPECTS D'ACTUALITE ET DONNEES PRATIQUES].** LENTZ A. **bulletin de l'association des medecins acupuncteurs de bourgogne franche-comte.** 1983,5,87-91 (fra). ref:6  
[5.10 / - ]

311- gera: 5951/di/ra  
**LE BLOCAGE DETERMINANT.** LENTZ A. **bulletin de l'association des medecins acupuncteurs de bourgogne franche-comte.** 1983,6,78-81 (fra). ref:6  
[5.10 / - ]

312- gera: 28811/nd/tt  
**AUGENDIAGNOSE AUF DER GRUNDLAGE DER CHINESISCHEN MEDIZIN. EINE ERANZUNG ZUR HERKOMMLICHEN AUGENDIAGNOSE.** LIESKE F. **marzell.** 1983,,129P (deu). ref:6  
[4.04 / - ]

313- gera: 5952/di/ra  
**LA AURICULOMEDICINA. UNA TECNICA MEDICA QUE INTENTA LA APROXIMACION AL HOMBRE TOTAL.** MARTINEZ V ET AL. **natura medicatrix.**

1983,0,24-29 (esp). ref:6  
[5.10 / - ]

314- gera: 28395/nd/tt  
**HERD UND STORFELDTTESTMETHODEN DER OHRKUPUNKTUR FÜR ZAHNÄRZTE UND ARZTE.** MASTALIER O. **vieweg, wiesbaden.** 1983,,52P (deu). ref:7  
[5.10 / - ]

315- gera: 4989/di/tt  
**YOUR FACE NEVER LIES, AN INTRODUCTION TO ORIENTAL DIAGNOSIS.** MICHIO KUSHI. **avery publishing group inc,wayne.** 1983,,82P (eng). ref:7  
[4.04 / iridologie- ]

316- gera: 4986/di/ra  
**LA NATURE DE LA LCP A-T-ELLE SA VALEUR SEMIOLOGIQUE PROPRE ?.** NGUYEN J. **revue française de mtc.** 1983,96,85-98 (fra). ref:7  
La nature de la LCP dépend-elle de la nature de la pathologie qui la détermine ? Pour les affections internes, il semble bien que l'on ne puisse mettre en évidence qu'une spécificité relative de la LCP, liée à la zone de projection et au caractère aigu ou chronique de l'affection. Par contre, pour les affections dermatologiques, l'auteur rapporte une série de cas où une haute spécificité est observée entre lésion cutanée somatique et LCP auriculaire. Cette haute spécificité peut comporter trois caractères : identité de la lésion, identité de la forme et identité de l'orientation. Les conséquences sur la nature du système physiologique traditionnel et sur la conception de certains mécanismes physiopathologiques sont [4.04 / 08.01- lcp- 05.10- ]

317- gera: 5955/di/ra  
**LE GRADIENT ÉNERGETIQUE.** NOGIER P. **auriculomedecine.** 1983,30,25-8 (fra). ref:15  
[5.10 / - ]

318- gera: 5956/di/ra  
**POINTS REACTIFS ET POINTS DE RESERVE.** NOGIER P. **auriculomedecine.** 1983,30,29-30 (fra). ref:15  
[5.10 / - ]

319- gera: 5961/di/ra  
**[FACE A FACE AVEC L'AURICULOTHERAPIE (lettre à l'éditeur)].** NOGIER P. **acupuncture and electrotherapeutics research.** 1983,8(1),99-100 (eng). ref:15  
[5.10 / - ]

320- gera: 5974/di/ra  
**[LES LOCALISATIONS EN AURICULOTHERAPIE].** NOGIER P. **akupunktur.** 1983,4,185 (deu). ref:2  
[5.10 / - ]

321- gera: 9136/di/ra  
**[RAC ET VAS].** NOGIER P. **auricular-medicine and acupuncture physician.** 1983,9(1),10-11 (eng). ref:2  
[5.10 / am- ]

322- gera: 9137/di/ra  
**[ENREGISTREMENT DU RAC].** NOGIER P ET AL. **auricular-medicine and acupuncture physician.** 1983,9(1),12 (eng). ref:2  
[5.10 / am- ]

323- gera: 28580/nd/tt  
**FROM AURICULOTHERAPY TO AURICULOMEDICINE.** NOGIER PFM. **maisonneuve, moulins-les-metz.** 1983,,231P (eng). ref:2

[5.10 / - ]

324- gera: 5970/di/ra  
**[COMPARAISON ENTRE LES POINTS D'ACUPUNCTURE AURICULAIRE CHINOIS ET DE NOGIER].** OLESON TD ET AL. **american journal of acupuncture.** 1983,11(3),205-23 (eng). ref:2  
Les deux systèmes sont comparés quant à leurs différences et similitudes sur le système musculosquelettique, les organes sensoriels, les organes internes et glandes endocrines, les systèmes nerveux centraux et périphériques. Les deux systèmes apparaissent identiques mais différent sur les localisations des lombes, jambes, coeur, rein, rate, surrénale et certaines parties du système nerveux. [5.10 / - ]

325- gera: 5976/di/ra  
**[UNE NOUVELLE NOMENCLATURE POUR IDENTIFIER LES POINTS D'ACUPUNCTURE AURICULAIRE DES CHINOIS ET DE NOGIER].** OLESON TD ET AL. **american journal of acupuncture.** 1983,11(4),325-44 (eng). ref:27  
Les deux somatotopies représentent un foetus inversé, mais il y a des discordances majeures. Une nouvelle nomenclature est utilisée à l'UCLA et est basée sur les subdivisions anatomiques de l'oreille. [5.10 / - ]

326- gera: 22933/di/ra  
**A PROPOS D'UN CAS DE CURARE.** PELLETIER A. **auriculomedecine.** 1983,31,33-6 (fra). ref:31  
[5.10 / 05.10- ]

327- gera: 9138/di/ra- num  
**THE EXPERIMENTAL FOUNDATION AND EXPERIENCE OF THE CLINICAL APPLICATION OF ELECTRO- PUNCTURE IN AURICULAR DIAGNOSTICS AND THERAPY.** PORTNOV RC. **auricular-medicine and acupuncture physician.** 1983,10(2),2-4 (eng). ref:31  
[5.10 / 04.04- 05.12- ]

328- gera: 5957/di/ra  
**ACTION DE LA LUMIÈRE TRAVERSANT UN FILTRE.** SCHNEIDER R. **auriculomedecine.** 1983,31,14 (fra). ref:0  
[5.10 / - ]

329- gera: 5958/di/ra  
**LE POINT R DE BOURDIOL.** SCHNEIDER R. **auriculomedecine.** 1983,31,17 (fra). ref:0  
[5.10 / - ]

330- gera: 5959/di/ra  
**UNE THÉRAPEUTIQUE IMPROVISÉE.** SCHNEIDER R. **auriculomedecine.** 1983,31,18 (fra). ref:0  
[5.10 / - ]

331- gera: 22927/di/ra  
**UN FOYER DENTAIRE.** SCHNEIDER R. **auriculomedecine.** 1983,30,16 (fra). ref:0  
[5.10 / - ]

332- gera: 5949/di/ra  
**[PHILOSOPHIE ANCIENNE ET SCIENCE MODERNE APPLIQUÉES À L'ACUPUNCTURE AURICULAIRE].** THOMPSON WH. **british journal of acupuncture.** 1983,6(2),37 (eng). ref:0  
[5.10 / - ]

333- gera: 5954/di/ra  
**[DE L'AURICULOTHERAPIE À L'AURICULO-**



**MEDECINE].** TSIANG CT. **acupuncture research quarterly.** 1983,25,23 (eng). ref:0  
[5.10 / - ]

334- gera: 4987/di/ra  
**[ETUDE EXPERIMENTALE SUR LES RELATIONS ENTRE LA RESISTIVITE DU POINT AURICULAIRE ET LES MODIFICATION PATHOLOGIQUES DES ORGANES \*].** WEN TAICAI. **chinese acupuncture and moxibustion.** 1983,3(2),33 (chi\*). ref:0  
L'étude chez 25 femmes montre : 1) Que la valeur de la résistivité au niveau des trois points auriculaires : Utérus, Ovaire et Endocrine est en relation avec le cycle menstruel. 2) Que la valeur de la résistivité des points auriculaires est en relation avec les modifications pathologiques de l'organisme.  
[4.04 / 11.03- 05.10- resistance- ]

335- gera: 28799/nd/tt  
**OHRAKUPUNKTUR FUR DIE PRAXIS.** WERTSCH GI. **wbv.** 1983,, (deu). ref:0  
[5.10 / - ]

336- gera: 5962/di/ra  
**LES CAS D'ANGELO FRANCHINA. X.** **auriculomedecine.** 1983,32,5-6 (fra). ref:0  
[5.10 / - ]

337- gera: 5967/di/ra  
**UN CAS DU DR FINALDI. X.** **auriculomedecine.** 1983,32,25-6 (fra). ref:0  
[5.10 / - ]

338- gera: 27845/di/re- num  
**L'AURICULOTHERAPIE : UN PLACEBO PAR L'OREILLE.** ANDRE M. **medical.** 1984,7,27-8 (fra). ref:0  
Commentaires sur un article de Melzack R et al, Jama, 1984,251(8). [5.10 / placebo- ]

339- gera: 5979/di/ra  
**[LES POINTS DES METAUX EN AURICULOPUNCTURE].** BAHR FR. **der akupunkturarzt aurikulotherapeut.** 1984,2,52 (deu). ref:0  
Localisation de points correspondant à divers métaux et servant au diagnostic de surdosage ou sous-dosage en thérapeutique. [5.10 / - ]

340- gera: 5987/di/ra  
**[LES FREQUENCES DIGITALES AU NIVEAU PROFOND, MOYEN ET SUPERFICIEL].** BAHR FR. **der akupunkturarzt aurikulotherapeut.** 1984,1,3-5 (deu). ref:0  
[5.10 / - ]

341- gera: 5983/di/ra  
**AURICULOTHERAPIE DEUX CAS A PROBLEMES.** DE SOUSA A. **auriculomedecine.** 1984,36,23-4 (fra). ref:0  
[5.10 / - ]

342- gera: 6002/di/ra  
**LES POINTS D'ADAPTATION SELON DEUX OBSERVATIONS.** DEGRAIX M. **auriculomedecine.** 1984,35,31-2 (fra). ref:0  
[5.10 / - ]

343- gera: 22943/di/ra  
**OBSERVATIONS DU DOCTEUR DELFAU.** DELFAU. **auriculomedecine.** 1984,37,18-21 (fra). ref:0  
[5.10 / - ]

344- gera: 22945/di/ra

**OBSERVATION D'AURICULOMEDECINE.** DELPUECH. **auriculomedecine.** 1984,37,25-7 (fra). ref:0  
[5.10 / - ]

345- gera: 5982/di/ra  
**QUATRE OBSERVATIONS D'AURICULOTHERAPIE.** DELPUECH JP. **auriculomedecine.** 1984,36,21-2 (fra). ref:0  
[5.10 / - ]

346- gera: 5980/di/ra  
**[PROGRES RECENTS DANS L'UTILISATION CLINIQUE DE L'AURICULO-ACUPUNCTURE].** DONG XIU QIN. **zhejiang journal of traditional chinese medicine.** 1984,19(11),524 (chi). ref:0  
[5.10 / rg- ]

347- gera: 5978/di/cg  
**[L'OREILLE EXTERNE : DIALOGUE EST-OUEST].** DUC MINH BUI. **acta medica viet americana,los angeles.** 1984,,303-9 (eng). ref:0  
L'oreille externe en médecine occidentale et auriculothérapie. [5.10 / - ]

348- gera: 5985/di/ra- num  
**BASES FISIOLÓGICAS DE LOS REFLEJOS AURICULARES CON LAS FUNCIONES VISCERO-ENDOCRINAS.** DURYNIAN RA. **natura medicatrix.** 1984,5,34-5 (esp). ref:0  
[5.10 / - ]

349- gera: 5993/di/ra  
**A PROPOS D'UNE ENQUETE, DEUX OBSERVATIONS.** FLAMENT C. **auriculomedecine.** 1984,34,35-6 (fra). ref:0  
[5.10 / - ]

350- gera: 5981/di/ra  
**VASCULAR AUTOMATIC SIGNAL, HYPOTHESE NEUROHUMORALE.** GONZALES-BOSCAN N. **auriculomedecine.** 1984,36,5-19 (fra). ref:0  
[5.10 / - ]

351- gera: 5007/di/ra  
**[COLORATION DES AURICULOPOINTS CHEZ LE LAPIN AVEC APPENDICITE EXPERIMENTALE, 5 JOURS APRES L'OPERATION].** GUAN ZHUNXIN. **revue de mtc du yunnan.** 1984,5(6),39 (chi). ref:25  
[4.04 / ea- 10.14- appendicite- 05.10- lcp- lapin- ]

352- gera: 5000/di/cg  
**[METHODE AUDIOVISUELLE DE RECHERCHE SUR LES INTER-RELATIONS ENTRE LES AURICULO-POINTS ET LES ZANG FU ET MEMBRES, LA COLORATION \*].** GUAN ZUNXIN. **second national symposium on acupuncture and moxibustion,beijing.** 1984,,304 (eng). ref:25  
Etude sur l'appendicite expérimentale chez le lapin. Avant l'opération on observe une coloration au niveau des zones 4 et 5 de l'oreille dans 7 et 14 %, après l'opération dans 96 et 35 %, la différence est significative dans les deux cas. [4.04 / 10.14- lcp- appendicite- ea- 05.10- lapin- ]

353- gera: 5006/di/ra  
**LE SECTEUR PULMONAIRE DE L'IRIS.** HOUDRET JC. **officiel des medecines naturelles.** 1984,17,8 (fra). ref:0  
[4.04 / iridologie- p- 17.01- ]

354- gera: 8979/di/ra  
**[DIAGNOSTIC AURICULAIRE TACTILE ET**

**SENSITIF (résumé)]. HURTADO GL. international journal of chinese medicine. 1984,1(3),46 (eng). ref:0**  
[4.04 / 05.10- ]

355- gera: 28810/nd/tt  
**ANGEWANDTE IRISKOPIE, MIT DIAGNOSTISCHEN ERGANZUNGEN UND THERAPIE. JOHANNSEN W. pfluger. 1984,,160P (deu). ref:0**  
[4.04 / - ]

356- gera: 28388/nd/tt  
**SYSTEMATIK DER OHRKUPUNTUR. KROPEJ H. haug, heidelberg. 1984,,101P (deu). ref:0**  
[5.10 / isbn:3- 7760- 5- ]

357- gera: 9124/di/ra  
**[EXPERIENCE CLINIQUE D'AURICULOTHERAPIE ET RELATION AVEC LES MERIDIENS ET MUSCLES SPECIFIQUES]. LAUBORG P. journal of the medical acupuncture society of new zealand. 1984,,5-7 (eng). ref:0**  
[5.10 / - ]

358- gera: 5989/di/ra  
**L'ENERGIE HUMAINE A TRAVERS L'OREILLE. LENTS A. auriculomedecine. 1984,37,29-38 (fra). ref:0**  
[5.10 / - ]

359- gera: 4999/di/cg  
**[182 CAS D'EXAMEN DE SANTE PAR COLORATION DES POINTS AURICULAIRES]. LI HUIFANG ET AL. second national symposium on acupuncture and moxibustion,beijing. 1984,329,304 (eng). ref:0**  
Etude de la valeur diagnostique de la coloration des points auriculaires d'après une technique décrite précédemment. La technique permet un diagnostic dans 90 % des cas. Le résultat est stable, facilement observable et enregistrable.  
[4.04 / 05.10- lcp- ]

360- gera: 4995/di/ra  
**[ANALYSE DE L'INSPECTION DE L'OEIL DANS LE JIN KUI YAO LUE]. LI RUNHONG. zhejiang journal of traditional chinese medicine. 1984,19(5),195 (chi). ref:0**  
[4.04 / jin kui yao lue- iridologie- ]

361- gera: 6000/di/ra  
**NOTE SUR LE DIAGNOSTIC ET LE TRAITEMENT DES PERTURBATIONS DES SUTURES CRANIENNES. LIMONANT DE KERMEL. auriculomedecine. 1984,35,15 (fra). ref:0**  
[5.10 / - ]

362- gera: 22941/di/ra  
**EVOLUTION DANS LE TRAITEMENT DES CICATRICES. LORENTE JM. auriculomedecine. 1984,36,31-5 (fra). ref:0**  
[5.10 / cicatrice- ]

363- gera: 5995/di/ra  
**LES COMMISSURES INTERHEMISPHERIQUES EN AURICULO-MEDEICINE. MALLARD A ET AL. auriculomedecine. 1984,34,5-9 (fra). ref:0**  
[5.10 / - ]

364- gera: 5999/di/ra  
**A PROPOS DES COMMISSURES INTERHEMISPHERIQUES. MALLARD A ET AL. auriculomedecine. 1984,35,11-4 (fra). ref:0**  
[5.10 / - ]

365- gera: 5992/di/ra  
**OBSERVATIONS D'AURICULOMEDECINE. MARIGNAN M. auriculomedecine. 1984,34,27-31 (fra). ref:0**  
[5.10 / - ]

366- gera: 4998/di/ra  
**[SEMILOGIE DE L'OEIL EN MEDECINE ORIENTALE]. MONTEFIORE I. rivista italiana di agopuntura. 1984,8,39 (ita). ref:0**  
[4.04 / iridologie- ]

367- gera: 5984/di/ra  
**SOBRE EL ORIGEN DE LA AURICULOTERAPIA. NGUYEN J. revista espanola de mtc. 1984,6,282-4 (esp). ref:0**  
[5.10 / - ]

368- gera: 5990/di/ra  
**SUR L'ORIGINE DE L'AURICULOTHERAPIE. NGUYEN J. revue francaise de mtc. 1984,105,592-3 (fra). ref:17**

Il apparaît que les Chinois connaissaient l'utilisation thérapeutique de l'oreille, connaissaient l'utilisation diagnostique, connaissaient l'idée d'une représentation somatotopique au niveau céphalique, mais ignoraient l'utilisation thérapeutique et diagnostique de l'oreille sur la base d'une représentation somatotopique. L'auriculothérapie est une découverte de Nogier, mais ceci n'implique pas une adhésion obligatoire aux conceptions développées par cet auteur. [5.10 / 01.02- ]

369- gera: 4992/di/ra- num  
**VALEUR SEMIOLOGIQUE DU SILLON DU LOBE DE L'OREILLE : REVUE GENERALE ET DISCUSSION. NGUYEN J ET AL. revue francaise de mtc. 1984,103,467-70 (fra). ref:17**

Le signe du sillon du lobe l'oreille semble en corrélation avec la maladie coronaire. Les auteurs effectuent une revue générale des publications dont les résultats apparaissent pour certains comme discordants. Ce signe peut être considéré comme un équivalent des LCP, illustrant la théorie traditionnelle selon laquelle l'énergie du coeur se manifeste au visage. Ces études montrent de grosses difficultés méthodologiques qui relativisent les données de l'auriculothérapie. La MTC ne pourra progresser que par une adhésion totale à une méthodologie scientifique, clinique et expérimentale. [4.04 / lcp- 07.03- 05.10- ]

370- gera: 5008/di/ra  
**VALOR SEMIOLOGICO DEL SURCO DEL LOBULO DE LA OREJA : RECAPITULACION GENERAL Y NGUYEN J ET AL. revista espanola de mtc. 1984,4,159-62 (esp). ref:18**  
Traduction espagnole de la ref. (4992). [4.04 / lcp- 05.10- 07.03- ]

371- gera: 4997/di/ra  
**VALEUR SEMIOLOGIQUE DE LA SEGMENTATION DE LA CONQUE CYMBA : ETUDE CLINIQUE ET HYPOTHESES SUR LA LCP GENESE. NGUYEN J,LAMBERT G ET NGUYEN TRONG KHANH. revue francaise de mtc. 1984,105,594-7 (fra). ref:18**

Les auteurs étudient la valeur sémiologique de la segmentation de la conque cymba qui est zone de projection des reins dans la somatotopie auriculaire. La fréquence des antécédents urologiques apparaît comme significativement plus élevée chez les patients porteurs du signe et classés LCP (+) que chez les patients non porteurs classés LCP (-). La

genèse de la segmentation pourrait impliquer un système de régulation de la croissance cellulaire comme les chalcones avec en corollaire une base cellulaire de l'acupuncture et de son mode d'organisation. [4.04 / 22.01- 05.10- lcp- ]

372- gera: 5988/di/ra

**TROUBLES NERVEUX ET PRECISION NECESSAIRE DANS LA THERAPEUTIQUE AURICULAIRE.** NOGIER P. *auriculomedecine*.

1984,37,5-6 (fra). ref:8

[5.10 / - ]

373- gera: 5991/di/ra

**PRISES DE POULS ET FILTRE "ST"**, NOGIER P. *auriculomedecine*. 1984,34,23-5 (fra). ref:8

[5.10 / - ]

374- gera: 5986/di/ra

**RECHERCHE D'EVENTUELLES MODIFICATIONS DE LA TRANSMISSION D'INFLUX SOMESTHESIQUES SOUS L'EFFET D'UNE STIMULATION DU PAVILLON \***, NOGIER P ET AL. *auriculomedecine*. 1984,37,8-11 (fra). ref:8

L'ensemble des données de cette étude tend à la conclusion que l'application d'un champ magnétique (pôle Sud) seul ou polarisé (lévogyre ou surtout dextrogyre), au niveau du pavillon de l'oreille, engendre une inhibition partielle de la conduction nerveuse le long des voies sensitives au sein du SNC. En effet, les réponses évoquées au niveau des noyaux VPL du thalamus ou au niveau du cortex pariétal, par stimulation du mollet, chez le lapin vigile, sont réduites en amplitude, avec un maximum entre 3 et 15 minutes, après application d'un champ magnétique au niveau du pavillon de l'oreille homo-latéral à la stimulation sensorielle ; cet effet inhibiteur est net en présence d'un champ magnétique Sud ; l'effet est encore plus durable en présence de polaroids dextrogyres. [5.10 / 05.13- lapin- 25.09- lateralite- ]

375- gera: 5996/di/ra

**RECHERCHE D'EVENTUELLES MODIFICATIONS DE LA TRANSMISSION D'INFLUX SOMESTHESIQUES SOUS L'EFFET D'UNE STIMULATION DE LA PEAU CHEZ \***, NOGIER P ET AL. *auriculomedecine*. 1984,34,11-20 (fra). ref:8

[5.10 / - ]

376- gera: 5009/di/ra

**UNA EVALUACION EXPERIMENTAL DE LA DIAGNOSIS AURICULAR.** OLESON TD ET AL. *natura medicatrix*. 1984,6,23-30 (esp). ref:3

[4.04 / ec- ]

377- gera: 9139/di/ra

**ELECTROPUNCTURE REFLEX THERAPY.** PORTNOV FG ET AL. *auricular-medicine and acupuncture physician*. 1984,12,5-6 (eng). ref:40

[5.10 / 05.12- ]

378- gera: 4991/di/ra

**L'EXAMEN VISUEL EN AURICULOTHERAPIE.** ROULLET C. *medecine biotique*. 1984,, (fra). ref:40

[4.04 / lcp- 05.10- ]

379- gera: 5977/di/el

**AURICULOTHERAPIE.** ROUSTAN C. *in traite d'acupuncture, masson, paris*. 1984,3,119-145 (eng). ref:40

[5.10 / - ]

380- gera: 6001/di/ra

**THERAMAGNETIC ET FONCTIONS CEREBRALES.**

ROUXEVILLE Y. *auriculomedecine*. 1984,35,27-9 (fra).

ref:0

[5.10 / - ]

381- gera: 5994/di/ra

**STRESS ET AURICULOMEDECINE.** ROUXEVILLE-LORIENT Y. *auriculomedecine*. 1984,34,39-40 (fra). ref:0

[5.10 / stress- ]

382- gera: 5998/di/ra

**LA PYRAMIDE DE LA MALADIE.** SAGNE R. *auriculomedecine*. 1984,35,5-9 (fra). ref:0

[5.10 / - ]

383- gera: 22944/di/ra

**OBSERVATIONS DE RICHARD SCHNEIDER.** SCHNEIDER R. *auriculomedecine*. 1984,37,23 (fra). ref:0

[5.10 / - ]

384- gera: 9142/di/re- num

**VALEUR DIAGNOSTIQUE ET THERAPEUTIQUE DE L'ACUPUNCTURE AU PAVILLON DE L'OREILLE.** TRAN THUY ET AL. *revue medicale*.

1984,,5-17 (fra\*). ref:0

Une étude entreprise sur plus de 1000 malades atteints de maladies différentes et soumis à l'acupuncture au pavillon de l'oreille, a donné des résultats encourageants. La méthode est simple et efficace, on peut l'appliquer dans les maladies aiguës et chroniques. [5.10 / 04.04- ]

385- gera: 22940/di/ra

**A PROPOS DU POLARTRON UNIDIRECTIONNEL.** VIGUE R. *auriculomedecine*. 1984,34,45-50 (fra). ref:0

[5.10 / - ]

386- gera: 19599/di/ra

**A PROPOS DU POLARTRON UNIDIRECTIONNEL.** VIGUIE R. *auriculomedecine*. 1984,34,45 (fra). ref:0

[5.10 / - ]

387- gera: 5001/di/cg

**[ETUDE EXPERIMENTALE SUR LES RELATIONS ENTRE LA RESISTIVITE DES POINTS AURICULAIRES ET LES MODIFICATIONS VISCERALES PATHOLOGIQUES].** WENG TAILAI ET AL. *second national symposium on acupuncture and moxibustion, beijing*. 1984,,307 (eng). ref:0

Etude des variations après stimulation des points Shu chez 25 femmes adultes . [4.04 / resistance- ]

388- gera: 4996/di/ra

**[DIAGNOSTIC DE L'ANTHRACO-SILICOSE PAR INSPECTION DE L'OREILLE].** XIANG JIALUN ET AL. *chinese acupuncture and moxibustion*. 1984,4(4),28 (chi\*). ref:0

Les signes positifs apparaissent au niveau de la zone Poumon ou Foie chez 73,5 % des sujets avec silicose contre 14,2 % dans le groupe de contrôle (p < 0,01). [4.04 / 05.10- lcp- silicose- 17.03- ]

389- gera: 4994/di/ra

**[OBSERVATIONS SUR LA QUANTITE ELECTRIQUE AU NIVEAU DE LA FOSSETTE TRIANGULAIRE AURICULAIRE CHEZ LA FEMME].** YANG YUNBI ET AL. *revue de mtc du yunnan*.

1984,5(2),195 (chi). ref:0

[4.04 / resistance- 11.01- 05.10- ]

390- gera: 5002/di/cg

**[OBSERVATIONS SUR LES MODIFICATIONS**

**SPECIFIQUES DE LA RESISTIVITE AURICULAIRE CHEZ LE LAPIN AVEC MALADIES**

**EXPERIMENTALES]. ZHU YUANGEN ET AL. second national symposium on acupuncture and moxibustion,beijing. 1984,,308 (eng). ref:0**

Etude de la résistivité des points auriculaires au cours de la péritonite et de la péricardite expérimentale : 1) On observe une élévation progressive du nombre de points de moindre résistivité. 2) Le nombre régresse ensuite avec la régression des symptômes. 3) La localisation des points est relativement spécifique, zone abdominale en cas de péritonite et zone thoracique en cas de péricardite. [4.04 / 07.02- resistance- ea-10.14- lapin- ]

391- gera: 5003/di/cg

**[EFFETS DE L'ELECTROACUPUNCTURE DU 6MC SUR LA REPOSE AURICULAIRE A LA STIMULATION CARDIAQUE CHEZ LE LAPIN]. ZHU YUANGEN ET AL. second national symposium on acupuncture and moxibustion,beijing. 1984,335,308 (eng). ref:0**

Une électrostimulation du coeur par deux électrodes pré et rétro-cardiaques entraîne des lésions myocardiques enregistrées à l'ECG. On observe parallèlement une élévation du nombre de points de moindre résistivité avec une distribution relativement spécifique : 1) Zone abdomen au contact de la zone thorax. 2) Zone centrale du thorax. 3) Zone supérieure du thorax. L'électro-stimulation du 6MC entraîne des modifications moindres de l'ECG et une élévation moindre du nombre de points. [4.04 / resistance- ecg- lapin-6mc- ]

392- gera: 5004/di/cg

**[EFFETS DE L'ELECTRO-ACUPUNCTURE DU 36E, SUR LA REPOSE AURICULAIRE A LA STIMULATION DE LA BRANCHE GASTRIQUE DU VAGUE]. ZHU YUANGEN ET AL. second national symposium on acupuncture and moxibustion,beijing. 1984,336,308 (eng). ref:0**

La stimulation de la branche gastrique du vague entraîne une élévation du nombre de points de basse résistivité principalement au niveau de la zone abdomen, l'électro-acupuncture du 36E inhibe cet effet. [4.04 / 25.02- 36e- resistance- ]

393- gera: 6005/di/ra

**[LA LATERALITE D'UN POINT DE VUE ANATOMIQUE, MORPHOLOGIQUE ET FONCTIONNEL]. EDER R. der akupunkturartz aurikulothapeut. 1985,2,31-7 (deu). ref:0 [5.10 / lateralite- ]**

394- gera: 8980/di/ra

**[ETUDE SUR LES INTER RELATIONS ENTRE LA COLORATION DES AURICULO-POINTS ET LA PATHOLOGIE VISCERALE]. GUAN ZUNXIN. revue de mtc du yunnan. 1985,6(1),4 (chi). ref:0 [4.04 / lcp- ]**

395- gera: 28403/nd/tt

**ATLAS UND PRAXIS DER OHRKUPUNKTUR. JAP HG,ET JAP E. otto spatz, wiesbaden. 1985,,59P (deu). ref:0 [5.10 / - ]**

396- gera: 28710/nd/tt

**PRAXIS UND THEORIE DER NEUEN CHINESISCHEN AKUPUNKTUR. DI 3. OHRKUPUNKTUR ZIE II-14 : OORACUPUNCTUR. KONIG G ET WANCURA I. maudrich. 1985,, (deu). ref:0 [5.10 / - ]**

397- gera: 28798/nd/tt

**AKUPUNKTUR DER OHRMUSCHEL. DIAGNOSTIK UND THERAPIE. LANGE G. wbv. 1985,,246P (deu). ref:0 [5.10 / - ]**

398- gera: 6008/di/ra

**L'ENERGIE HUMAINE A TRAVERS L'OREILLE. LENTZ A. bulletin de l'association des medecins acupuncteurs de bourgogne franche-comte. 1985,45-60, (fra). ref:0**

Ce travail nous permet : 1) De comprendre que nos détections se font dans un plan alors qu'il nous faut concevoir l'image énergétique de l'homme dans l'espace, que nos mesures peuvent être comprises en utilisant les lois de la physique classique, qu'il y a une unité électromagnétique de tout l'organisme et que cette énergie n'est pas différente de ce qui est connu, que la complexité des mesures de l'oreille, la difficulté que nous avons à développer des raisonnements logiques à partir de nos mesures et l'intrication des phases sur chaque oreille. 2) D'élaborer un schéma des voies énergétiques de l'oreille qui coordonne toutes nos mesures. 3) De retrouver la direction de l'onde électromagnétique de chaque plage, difficilement mesurable par ailleurs car elle se trouve dans le plan de l'oreille. 4) De concevoir l'analogie entre l'image de l'A.D.N. et les voies énergétiques. [5.10 / - ]

399- gera: 5010/di/ra

**IRIDOLOGIE ET INSUFFISANCE HEPATIQUE. LIBOTTE R. officiel des medecines naturelles. 1985,18,5 (fra). ref:0 [4.04 / 10.10- iridologie- ]**

400- gera: 28812/nd/tt

**NATURAL THERAPEUTICS. IRISDIAGNOSIS. LINDLAHR H. daniel. 1985,,281P (eng). ref:0 [4.04 / - ]**

401- gera: 6007/di/ra

**[ETUDE DE QUELQUES POINTS AURICULAIRES AU MOYEN DES POTENTIELS EVOQUES CORTICAUX]. LUPARELLO V. rivista italiana di medicina orientale. 1985,6(2),13-25 (ita\*). ref:0**

Etude des points auriculaires oeil, poignet et cheville sur les potentiels évoqués visuels et somatosensoriels. [5.10 / specificite- 25.09- pe- 15.01- ]

402- gera: 8981/di/ra

**DIAGNOSTIC DIATHESIQUE IRIEN INN-YANG. MONNERET M. medecine biotique. 1985,,37-9 (fra). ref:0 [4.04 / 04.08- ]**

403- gera: 26778/di/ra

**EINE NEUE THEORIE ERKLART DIE OHRKUPUNKTURPUNKTE. OVERBYE BJ. deutsche zeitschrift fur akupunktur. 1985,5,112-115 (deu). ref:0 [Une théorie nouvelle explique l'auriculopuncture]. [5.10 / - ]**

404- gera: 80401/di/

**EINE NEUE THEORIE ERKLART DIE OHRKUPUNKTURPUNKTE. OVERBYE BJ. deutsche zeitschrift fur akupunktur. 1985,5,112-5 (deu\*). ref:0 [Une théorie nouvelle explique l'auriculopuncture]. [5.10 / embryologie- ]**

405- gera: 16635/di/ra

**QU'EST CE QUE L'AURICULOGIE. PAGANI M. quaderni di agopuntura tradizionale. 1985,7(3),13-4 (ita). ref:0**

- [5.10 / - ]
- 406- gera: 29482/nd/tt  
**AURICULOTERAPIA HOY.** PUGUET-XAN. **obelisco,barcelona.** 1985,, (esp). ref:0  
[5.10 / - ]
- 407- gera: 6003/di/ra  
**AURICULOTHERAPIE FONDAMENTALE.** ROULLET C. **mains libres.** 1985,5,21 (fra). ref:0  
[5.10 / - ]
- 408- gera: 6004/di/ra  
**L'AURICULOTHERAPIE CHINOISE.** ROULLET C. **mains libres.** 1985,5,22 (fra). ref:0  
[5.10 / - ]
- 409- gera: 16600/nd/re  
**DIAGNOSTIC USEFULNESS OF AURICULAR ACUPUNCTURE IN INTERNAL DISEASES AND SKIN DISEASES OF THE DOG.** STILL J ET AL. **kleintier praxis.** 1985,30,295-302 (deu). ref:0  
[4.04 / 24.02- ]
- 410- gera: 19683/di/ra  
**UTILISATION DIAGNOSTIQUE DE L'ACUPUNCTURE DE L'OREILLE POUR LES MALADIES INTERNES ET LES MALADIES DE PEAU DU CHIEN.** STILL J ET AL. **revue d'acupuncture veterinaire.** 1985,23-24,67-80 (fra\*). ref:0  
Un diagnostic d'acupuncture auriculaire a été testé comme méthode d'examen chez 295 chiens mâles et femelles, d'âges et de races différents, qui souffraient d'états et de processus pathologiques dans des organes des cavités thoraciques, abdominales et du bassin, ainsi que de la peau et de la conjonctivite. Des localisations pouvant être obtenues sur la base de modifications électrique et de réactions à la douleur sur la surface interne des conduits auriculaires externes du chien. Ces zones de projections conditionnées par réflexe n'ont pas été mises en évidence chez 60 chiens cliniquement sains. Des points actifs ont été plus rares lors d'inflammations chroniques, de processus dégénératifs compensés et de néoformations. La race, le sexe et l'âge des animaux n'ont pas eu d'influence marquée sur le résultat du diagnostic auriculaire. Les résultats ont correspondu en principe avec ceux du diagnostic auriculaire en médecine humaine. [4.04 / 24.02- resistance- ]
- 411- gera: 8982/di/ra  
**[UNE NOUVELLE METHODE D'ACUPUNCTURE : LE DIAGNOSTIC FACIAL ET THERAPEUTIQUE CYBERNETIQUE].** TRAN VAN SEN. **american journal of acupuncture.** 1985,13(4),305-17 (eng). ref:13  
[4.04 / - ]
- 412- gera: 5011/di/ra  
**SOBRE LA RELACION DE LA ASTROLOGIA CON EL IRIS HUMANO.** VERDU F. **medicina tradicional china.** 1985,5,34-45 (esp). ref:4  
[4.04 / iridologie- astrologie- ]
- 413- gera: 6006/di/ra  
**L'AURICULOTHERAPIE, L'HOMME DANS SON OREILLE.** X. **medecines nouvelles.** 1985,002,33-45 (fra). ref:15  
[5.10 / - ]
- 414- gera: 21684/di/ra  
**NUOVE ACQUISIZIONI IN AURICOLOGIA.** X. **rivista italiana di agopuntura.** 1985,54,21-25 (ita). ref:15
- [5.10 / - ]
- 415- gera: 5012/di/ra  
**[OBSERVATIONS SUR LA TEMPERATURE AURICULAIRES ET SOMATIQUES CHEZ LES PATIENTS AVEC MALADIE CORONAIRE].** YAN ZHIQIANG ET AL. **journal of traditional chinese medicine.** 1985,26(1),51 (chi). ref:0  
[4.04 / temperature- 07.03- ]
- 416- gera: 28392/nd/tt  
**DIE VORBEREITUNG AUF DAS A-DIPLOM IN AURIKULOMEDIZIN.** BAHR F. **vieweg, wiesbaden.** 1986,,163P (deu). ref:0  
[5.10 / - ]
- 417- gera: 28741/nd/tt  
**SYSTEMATIK UND PRAKTIKUM DER WISSENSCHAFTLICHEN OHRKUPUNKTUR FUR FORTGESCHRITTENE (AURIKULOMEDIZIN III STUFE).** BAHR FR. **aho.** 1986,,61P (deu). ref:0  
[5.10 / - ]
- 418- gera: 20569/di/ra  
**[OBSERVATION ON THE EAR POINTS IN 86 CASES CHRONIC GASTRITIS].** BAI ZHELUN ET AL. **chinese acupuncture and moxibustion.** 1986,6(6),23 (chi\*). ref:0  
Examen de l'oreille droite de 86 patients avec gastrite chronique diagnostiquée par endoscopie et biopsie. On retrouve protusion, pâleur, congestion, diminution de la résistivité. Les modifications électriques et morphologiques au niveau de la zone gastrique III sont considérées comme les plus caractéristiques. [4.04 / lcp- 10.05- resistance- 05.10- ]
- 419- gera: 17880/di/el  
**ADRENERGIC NERVE FIBERS, THE CHIEF FACTOR AFFECTING CHANGES OF ELECTRIC RESISTANCE OF RABBIT PINNA IN EXPERIMENTAL PEPTIC ULCER.** BEIJING MEDICAL COLLEGE. **in research on acupuncture,moxibustion and acupuncture anesthesia,beijing.** 1986,,577-587 (eng). ref:0  
[4.04 / 10.05- ea- lapin- 25.02- ]
- 420- gera: 28805/nd/tt  
**IRIDOLOGIE IN DE PRAKTIJK. HANDBOEK DER OOGDIAGNOSTIEK.** BOS N. **de driehoek.** 1986,,152P (ned). ref:0  
[4.04 / - ]
- 421- gera: 8985/di/ra  
**LA OBSERVATION DEL ROSTRO DEL ENFERMO.** GAURIER T. **biociencias.** 1986,3-4,135-46 (esp). ref:0  
[4.04 / - ]
- 422- gera: 80496/di/  
**DAS PUNKT-PHANOMEN IN DER TRIGGER-PUNKT-THERAPIE UND IN DER AKUPUNKTUR.** GLEDITSCH J. **akupunktur theorie und praxis.** 1986,1,10-4 (deu\*). ref:0  
[4.04 / - ]
- 423- gera: 9141/di/tt  
**TRAITE D'ACUPUNCTURE AURICULAIRE.** GROBLAS A ET LEVY J. **maloine,paris.** 1986,,230P (fra). ref:12  
[5.10 / - ]
- 424- gera: 24686/di/ra  
**A GENERAL INTRODUCTION TO EAR**

- ACUPUNCTURE.** HSING-YUN YANG. **acupuncture research quarterly.** 1986,10(2),37-45 (eng). ref:12 [5.10 / - ]
- 425- gera: 82963/nd/tt  
**VADMECUM DE AURICULOTERAPIA.** INSTITUTO HISPANICO DE ACUPUNTURA. **miraguano,madrid.** 1986,, (esp). ref:7 [5.10 / - ]
- 426- gera: 28809/nd/tt  
**OPHTHALMOTROPE PHANOMENOLOGIE.** JAROSZYK G. x. 1986,, (deu). ref:7 [4.04 / - ]
- 427- gera: 8987/di/ra  
**[DIAGNOSTIC DE LITHIASE BILIAIRE PAR LA METHODE DE COLORATION DES POINTS AURICULAIRES].** LIU WEIZHOU ET AL. **chinese acupuncture and moxibustion.** 1986,6(2),25 (chi\*). ref:7  
Etude chez 42 sujets dont 108 sujets avec lithiase biliaire et 34 sujets sains (avec échographie). Une réaction positive est observée chez 93 % des sujets avec lithiase contre seulement 43 % des sujets sans lithiase. Chez les sujets avec lithiase on observe un groupe de points positifs contre un points isolé chez les sujets sains positifs. [4.04 / 10.11- 05.10- lcp- ]
- 428- gera: 31906/di/ra  
**[CLINICAL ANALYSIS OF 1000 CASES OF "SANGEN VENA" PATTERNS (VENA AROUND THE AUCPOINT YINTANG) ON CHILDREN'S FACES].** NAO HONGXIAO. **liaoning journal of tcm.** 1986,10(12),11 (chi). ref:7 [4.04 / 23.11- ]
- 429- gera: 5005/di/ra  
**LCP AURICULAIRE ET RHUMATISMES METABOLIQUES : LA RELATION AURICULO-SOMATIQUE IMPLIQUE UNE BASE CELLULAIRE ?.** NGUYEN J ET LAMBERT G. **revue francaise de mtc.** 1986,106-107,652-5 (fra). ref:7  
Les manifestations de la goutte (tophus) et de l'ochronose (pigmentation et calcification) ont une localisation somatique et auriculaire. Leur distribution n'est pas aléatoire, mais est relativement spécifique. Les auteurs montrent qu'il existe une relation entre distribution somatique et distribution auriculaire dans le cadre de la somatotopie de la médecine traditionnelle chinoise. Ceci suggère une base cellulaire commune entre zone somatique et zone auriculaire. [4.04 / lcp- 05.10- ]
- 430- gera: 28320/nd/tt  
**INTRODUCTION A L'IRIDOLOGIE.** ROUX A. **dangles,st jean de braye.** 1986,,162P (fra). ref:13 [4.04 / 6- 7033- isbn:2- ]
- 431- gera: 9143/di/ra  
**[ETUDE DES PARAMETRES ELECTRIQUES DES POINTS AURICULAIRES ET UTILISATION CLINIQUE].** TAN XIANWEI ET AL. **chinese acupuncture and moxibustion.** 1986,6(1),32 (chi\*). ref:13 [4.04 / resistance- ]
- 432- gera: 28744/nd/tt  
**STRATEGIEEN IN DE OORACUPUNCTUUR. DL2.** VAN GELDER A. . 1986,,92P (ned). ref:13 [5.10 / - ]
- 433- gera: 28796/nd/tt  
**SRATEGIEEN IN DE OORACUPUNCTUUR. DLI.** VAN GELDER A. **chine ooracupunctuur a8.** 1986,,72P (ned). ref:13 [5.10 / - ]
- 434- gera: 22441/di/ra  
**[THE EAR POINT PROBE IN GENERAL SURVERY FOR SILICOSIS AND COAL SILICOSIS].** WANG YINHUI. **chinese acupuncture and moxibustion.** 1986,6(4),28-30 (chi\*). ref:13  
Etude de la valeur sémiologique de la coloration des points auriculaires dans la silicose. 1131 cas sont observés : 731 avec risque professionnel et 400 sujets de contrôle. 82,5 à 95,5% de sujets avec silicose présentent un signe positif contre 2,5% chez les sujets sains. Le signe est positif dans 16,5% des cas de tuberculose. [4.04 / 17.03- lcp- ]
- 435- gera: 17881/di/el  
**EXPERIMENTAL STUDY OF THE AFFERENT PATHWAY IN FORMATION OF LOW-RESISTANCE POINTS ON THE AURICULAE OF RABBIT.** YIN HUIZHEN ET AL. **in research on acupuncture,moxibustion and acupuncture anesthesia,beijing.** 1986,,588-596 (eng). ref:13 [4.04 / lapin- ea- 25.02- ]
- 436- gera: 22493/di/ra  
**[THE EFFECT OF ELECTROACUPUNCTURE ON VISCERAL-AURICULAR POINT RESPONSE IN RABBITS].** ZHU YUANGEN ET AL. **acupuncture research.** 1986,11(3),234-41 (chi\*). ref:0 [5.10 / lapin- 25.01- ea- ]
- 437- gera: 28740/nd/tt  
**SYSTEMATIK UND PRAKTIKUM DER WISSENSCHAFTLICHEN OHRKUPUNKTUR FUR MASSIG FORTGESCHRITTENE (AURIKULOMEDIZIN II STUFE).** BAHR FR. **aho.** 1987,,53P (deu). ref:0 [5.10 / - ]
- 438- gera: 24404/di/ra- num  
**DIAGNOSIS OF HYPERTROPHIC SPONDYLITIS BY INSPECTION OF EAR POINTS.** BAO GUOQING ET AL. **international conference on tcm and pharmacology,shanghai.** 1987,,809-10 (eng). ref:0 [4.04 / lcp- 18.12- ]
- 439- gera: 21625/di/ra  
**LA METHODE EXPERIMENTALE ET SES APPLICATIONS POSSIBLES ET SOUHAITABLES A LA RECHERCHE EN IRIDOLOGIE.** BOUGUES R. **epidaure.** 1987,1,15-6 (fra). ref:0  
La méthode expérimentale est le fondement de toute démarche scientifique, elle se caractérise par la recherche de la répétitivité des phénomènes constatés. L'iridologie est une méthode simple permettant de faire des bilans de santé, de faire le point sur la vitalité générale de l'organisme et sur l'état organique. Pourtant, cette méthode en est encore aujourd'hui au stade empirique. Des recherches sérieuses et approfondies seraient nécessaires pour pouvoir en tirer le maximum. [4.04 / iridologie- ]
- 440- gera: 26764/di/ra  
**BEHANDLUNGSBEISPIELE IN DER OHRKUPUNKTUR FUR ANFANGER UND MAIJ FORTGESCHRITTENE.** BROX G. **der akupunkturarzt-aurikulotherapie.** 1987,5-6,100-110 (deu). ref:0  
[Examples of treatment in the auricula acupuncture for beginners and fairly advanced students]. [5.10 / - ]

- 441- gera: 21281/di/cg  
**ON THE DIFFERENCES BETWEEN "CHINESE EAR ACUPUNCTURE" AND "FRENCH EAR ACUPUNCTURE"**. CHENG GONGSUN. **in compilation of the abstracts of acupuncture and moxibustion papers, beijing**. 1987,,237 (eng). ref:0  
 [5.10 / - ]
- 442- gera: 24801/di/el  
**EAR ACUPUNCTURE THERAPY**. CHENG XINNONG. **in chinese acupuncture and moxibustion, foreign languages press, \***. 1987,,491 (eng). ref:0  
 [5.10 / - ]
- 443- gera: 24990/di/cg  
**ON THE DIFFERENCES BETWEEN "CHINESE EAR ACUPUNCTURE" AND "FRENCH EAR ACUPUNCTURE"**. CHON GONGSUN. **selections from article abstracts on acupuncture and moxibustion, beijing**. 1987,,272 (eng). ref:0  
 La tradition médicale chinoise décrit le traitement de 14 types d'affections par puncture des points auriculaires. Il y a 100 ans, la distribution des 5 organes au niveau des oreilles a été décrite. Mais la systématisation de l'auriculopuncture est l'oeuvre de Nogier. Les divergences entre l'auriculopuncture chinoise et française semblent liées à la méconnaissance actuelle des mécanismes physiologiques et physiopathologiques réels. Une standardisation est nécessaire par l'intermédiaire de l'OMS et de la Fédération Mondiale d'Acupuncture. [5.10 / nomenclature- oms- ]
- 444- gera: 21624/di/ra  
**LA TECHNIQUE PHOTOGRAPHIQUE EN PRATIQUE IRIDOLOGIQUE**. DEMAISON B. **epidaure**. 1987,3,44-6 (fra). ref:0  
 [4.04 / iridologie- ]
- 445- gera: 27195/di/ra  
**DIE PROJEKTION DES LEBER-MERIDIANS AUF DIE OHRMUSCHEL**. ERBE G. **der akupunkturarzt/aurikulothérapeut**. 1987,7-8,131-133 (deu). ref:0  
 [Projection of the liver-meridian in the auricula]. [5.10 / - ]
- 446- gera: 27198/di/ra  
**ZUR BEDEUTUNG DER DIAGONALEN OHLAPPCHENFALTE**. FAH L. **der akupunkturarzt/aurikulothérapeut**. 1987,7-8,156-162 (deu). ref:0  
 [Our significance of diagonal crease in the lobe]. [4.04 / - ]
- 447- gera: 20181/di/  
**AURICULAR DIAGNOSIS**. GONGSUN C ET AL. **journal of chinese medicine**. 1987,25,10-4 (eng). ref:0  
 [4.04 / - ]
- 448- gera: 24407/di/ra- num  
**HISTOLOGICAL BASIS OF AURICULAR POINTS IN DIAGNOSIS AND TREATMENT OF DISEASES**. GUAN ZUNXIN ET AL. **international conference on tcm and pharmacology,shanghai**. 1987,,815-7 (eng). ref:0  
 [4.04 / 05.10- histologie- 02.06- lcp- ]
- 449- gera: 28797/nd/tt  
**PRAXIS UND THEORIE DER NEUEN CHINESISCHEN AKUPUNKTUR. DI 3 : OHRAKUPUNKTUR**. KONIG G ET WANCURA I. **maudrich**. 1987,,400P (deu). ref:0  
 [5.10 / - ]
- 450- gera: 80505/di/  
**UBER EIN SEKUNDENPHANOMENEN IN AKUPUNKTUR UND AURIKULOTHERAPIE UND DER VERSUCH EINER ERKLARUNG MITTELS DES GRUNDSYSTEMS NACH PISCHINGER**. KRAACK PJ. **der akupunkturarzt-aurikulothérapeut**. 1987,3(4),58-0 (deu\*). ref:0  
 [About a second phenomenon in acupuncture and auricular therapy and the trial of an explanation with the help of fundamental system according to pischinger]. [5.10 / - ]
- 451- gera: 27197/di/ra  
**UBERLEGUNGEN ZUM STORFELD IN DER AURIKULOMEDIZIN**. KRADOLFER F. **der akupunkturarzt/aurikulothérapeut**. 1987,7-8,152-156 (deu). ref:0  
 [Thoughts on focus in auricular-medicine]. [5.10 / - ]
- 452- gera: 22119/di/cg  
**APPLICATION OF DIAGNOSIS AND TREATMENT IN THE CLINIC WITH EAR POINT**. LI DONGSHENG. **in selections from article abstracts on acupuncture and moxibustion, beijing**. 1987,,268 (eng). ref:0  
 [5.10 / 05.10- ]
- 453- gera: 24986/di/cg  
**APPLICATION OF DIAGNOSIS AND TREATMENT IN THE CLINIC WITH EAR POINT**. LI DONGSHENG. **selections from article abstracts on acupuncture and moxibustion, beijing**. 1987,,268 (eng). ref:0  
 Rapport sommaire sur le traitement par auriculopuncture de 500 cas (hypertension, impuissance, épaule douloureuse, hoquet, lumbago, sciatique etc...). 95,8% d'amélioration. [4.04 / 18.10- 22.07- 07.05- 18.12- 18.16- 05.10- ]
- 454- gera: 22113/di/cg  
**RE-FINDINGS REPORT ON YIN JIAO NODULE**. LIU HONG. **in selections from article abstracts on acupuncture and moxibustion, beijing**. 1987,,261 (eng). ref:0  
 [4.04 / 28vg- 10.09- lcp- ]
- 455- gera: 22122/di/cg  
**OBSERVATION ON THE CORRELATION PHENOMENON OF THE AURICULAR POINTS**. LIU WEIZHOU ET AL. **in selections from article abstracts on acupuncture and moxibustion, beijing**. 1987,,271 (eng). ref:0  
 [4.04 / psc- ]
- 456- gera: 24989/di/cg- num  
**OBSERVATION ON THE CORRELATION PHENOMENON OF THE AURICULAR POINTS**. LIU WEIZHOU ET AL. **selections from article abstracts on acupuncture and moxibustion, beijing**. 1987,,271 (eng). ref:0  
 [5.10 / - ]
- 457- gera: 22711/di/ra  
**PHYSIOGNOMONIE CHINOISE**. MILSKY C. **revue française d'acupuncture**. 1987,52,25-34 (fra). ref:0  
 La physiognomonie chinoise est une science qui possède une base philosophique identique à celle de la médecine chinoise, et tout un système. C'est pourquoi on retrouve dans l'étude du visage les cinq types d'hommes correspondant aux cinq éléments, les douze palais, les cinq montagnes et les quatre fleuves, les cinq planètes et les six astres, les correspondances en fonction de l'âge de la personne, etc... A noter également l'importance du teint dont l'observation est extrêmement difficile. [4.04 / teint- 04.08- inspection- ]

- 458- gera: 32953/di/ra  
**[BRIEFING IN STUDY OF EYE-DIAGNOSIS]**. PENG QING-HUA. *zhejiang journal of traditional chinese medicine*. 1987,22(8),337 (chi). ref:3  
 [4.04 / iridologie- ]
- 459- gera: 24301/di/ra- num  
**AURICULO-POINT DIAGNOSIS OF CERVICAL SPONDYLOPATHIES**. QONF YITONG ET AL. *international conference on tcm and pharmacology,shanghai*. 1987,,571 (eng). ref:3  
 [4.04 / 18.12- 05.10- ]
- 460- gera: 24679/di/cg  
**DES COULEURS DU VISAGE... A PROPOS DU CHAPITRE 49 DU LING SHU**. RIVAILLER J. *actes du 2eme congres d'acupuncture afera, nimes*. 1987,,277-304 (fra). ref:0  
 Corroborée par la lecture du Su Wen, et l'analyse sémiologique des différents syndromes, l'étude du chapitre 49 du Ling Shu nous démontre, avec beaucoup de richesses et de précisions, l'intérêt primordial de la connaissance du teint dans l'approche diagnostique du malade. [4.04 / teint- ling shu- ]
- 461- gera: 21618/di/ra  
**LE BILAN DE SANTE PAR L'IRIDOLOGIE**. ROUS A. *epidaure*. 1987,2,9-11 (fra). ref:10  
 [4.04 / iridologie- ]
- 462- gera: 22199/di/ra  
**LA OREJA EN LA MEDICINA TRADICIONAL CHINA**. SANCHEZ MORALES M. *medicina tradicional china*. 1987,29,1-4 (esp). ref:0  
 [5.10 / 05.10- ]
- 463- gera: 26763/di/ra  
**DIE PROJEKTION DES MERIDIANS KREISLAUF-SEXUALITAT AUF DIE OHRMUSCHEL**. SINNING M. *der akupunkturarzt-aurikulothérapeut*. 1987,5-6,96-99 (deu). ref:0  
 [Projection of the pericard-meridian in the auricula]. [5.10 / 02.05- ]
- 464- gera: 24987/di/cg- num  
**THE CLINICAL STUDY OF THE AURICULO-POINTS DIAGNOSIS OF THE CERVICAL SPONDYLOPATHIES**. SONG YITONG ET AL. *selections from article abstracts on acupuncture and moxibustion, beijing*. 1987,,269 (eng). ref:0  
 Etude de la valeur sémiologique des modifications morphologiques (nodule, protusion, erythème...) de la zone de projection cervicale (1/3 inférieur de l'anthélix). 84,3% des 115 patients avec spondylopathie cervicale présentent des modifications morphologiques (soit 97 patients : 80 modifications bilatérales et 17 unilatérales). Sur 32 patients de contrôle, seuls 5 sont positifs. [4.04 / 18.12- lcp- ]
- 465- gera: 31597/di/ra  
**[FACIAL OBSERVATION AND ITS RELATION WITH ACUPOINTS IN FACE]**. SONG ZHIXING. *shaanxi journal of tcm*. 1987,8(1),32 (chi). ref:0  
 [4.04 / - ]
- 466- gera: 24342/di/ra- num  
**CLINICAL ANALYSIS OF COMPLEXION OF NASAL RADICUS IN YOUNG CHILDREN**. SONG ZHIXING ET AL. *international conference on tcm and pharmacology,shanghai*. 1987,,668-70 (eng). ref:0  
 [4.04 / teint- 23.11- ]
- 467- gera: 20108/di/ra  
**AURICULODIAGNOSTIC POINTS IN THE DOG : RELATIONSHIP TO DISORDERS OF THE NERVOUS AND LOCOMOTOR SYSTEMS**. STILL J. *american journal of acupuncture*. 1987,15(3),261-8 (eng). ref:0  
 [4.04 / 14.01- 24.02- resistance- 18.01- ]
- 468- gera: 20097/di/ra  
**DIAGNOSTIC EAR ACUPUNCTURE IN THE DOG : THE RELATIONSHIP BETWEEN ACTIVE POINTS AND INTERNAL AND SKIN DISEASES**. STILL J ET AL. *american journal of acupuncture*. 1987,15(1),53-60 (eng). ref:14  
 [4.04 / 08.01- resistance- 24.02- ]
- 469- gera: 32604/di/ra  
**[A PRELIMINARY DISCUSSION ON THE INSPECTION OF AURICLE IN CHILDREN]**. TAN FENGHAU. *yunnan journal of tcm*. 1987,8(4),12 (chi). ref:14  
 [4.04 / 23.11- ]
- 470- gera: 22090/di/cg  
**THE CLINICAL USE OF BLEEDING THERAPY APPLIED TO THE CAPILLARIES ON THE DORSUM OF EAR**. TIANJIN COLLEGE OF TCM. *in selections from article abstracts on acupuncture and moxibustion, beijing*. 1987,,236 (eng). ref:14  
 Saignée du bord supéro-externe de l'oreille à l'aide d'un petit scalpé, après massage pour bien faire apparaître les capillaires. Saignée d'environ 1 ml. Résultats sur 50 cas de convulsions de l'enfant, 30 cas d'épilepsie et 40 cas de céphalées. La saignée disperse l'énergie perverse de tous les méridiens yang et entraîne analgésie, relaxation et sédation. [5.10 / 23.11- 14.02- 05.07- 14.05- ]
- 471- gera: 22399/cg/cg  
**MORPHOPSYCHOLOGIE DU VISAGE**. VALENTINI JP ET AL. *16eme congres national d'acupuncture,paris*. 1987,,18-24 (fra). ref:14  
 Le visage est divisé en trois étages (selon Lejoyeux) : étage supérieur (cérébral), étage moyen (sensoriel), étage inférieur (instructif). Chaque étage est à son tour divisé en trois parties : supérieure, moyenne et inférieure. On attribue à chacune de ce neuf parties, selon leur forme, leur développement, leur importance, certaines qualités psychiques, sensorielles, affectives ou instinctives. [4.04 / 04.08- ]
- 472- gera: 20754/di/ra  
**LA SEMEIOTICA DEL VISO NEL NEI JING SOWEN. TEST DIAGNOSTICO SPERIMENTALE**. VIGGIANI BRUNO ET AL. *rivista italiana di agopuntura*. 1987,60,7 (ita). ref:1  
 [4.04 / su wen- ]
- 473- gera: 30473/di/ra  
**[EXPERIMENTAL OBSERVATION OF DIAGNOSE CORONARY HEART DISEASE WITH STAIN METHOD ON EAR POINT]**. WANG MIN JI. *henan traditional chinese medicine*. 1987,7(4),39P (chi). ref:0  
 [4.04 / 07.03- 05.10- lcp- ]
- 474- gera: 25133/di/cg  
**AN OBJECTIVE STUDY ON THE CORRELATION BETWEEN EAR ACUPOINT, STIMULATION AREA OF HEAD ACUPUNCTURE, BODY ACUPOINT AND VISCERA**. WANG YIZHONG ET AL. *selections from article abstracts on acupuncture and moxibustion,*



- beijing. 1987,,444 (eng). ref:0  
[4.04 / 04.05- cranio- 05.10- ]
- 475- gera: 32957/di/ra  
[ON NOSE-DIAGNOSIS]. XU TIAN-DE. zhejiang  
journal of traditional chinese medicine. 1987,22(8),356  
(chi). ref:0  
[4.04 / rhino- 05.11- ]
- 476- gera: 25000/di/cg  
STUDY ON THE LOCATION OF CHEEKS ON THE  
AURICULAR LOBE. ZHANG SHANGWU. selections  
from article abstracts on acupuncture and moxibustion,  
beijing. 1987,,282 (eng). ref:0  
Recherche de la localisation de la projection des joues au  
niveau du lobe de l'oreille. Etude des points positifs chez 31  
patients avec diverses pathologies. Chez les patients avec  
paralysie faciale, on observe 86,65% à droite et 64,74% à  
gauche de points positifs au niveau des zones 5 et 6. Dans le  
groupe de contrôle, la fréquence est respectivement de  
12,90% à droite et 9,60% à gauche. Ceci montre que les joues  
se projettent effectivement au niveau des zones 5 et 6 du  
lobe. [5.10 / 16.08- 16.07- 04.04- 02.06- localisation- ]
- 477- gera: 25132/di/cg  
OBSERVATION ON THE INTENSITY AND TIME OF  
THE RESPONSE OF THE VISCERA-AURICULAR  
POINT. ZHU YUANGEN ET AL. selections from article  
abstracts on acupuncture and moxibustion, beijing.  
1987,,443 (eng). ref:0  
[4.04 / - ]
- 478- gera: 109403/di/ra  
LES INTOLERANCES AU LAITAGE CHEZ  
L'ADULTE. (DOCTEUR RAPHAEL NOGIER). groupe  
lyonnais d ' etude medicales. 1988,1,24 (fra). ref:0  
L'auteur étudie l'incidence du laser infra -rouge fréquentiel à  
l'échelle ultramicroscopique sur le tissu conjonctif. Cette  
étude a été faite dans le cadre hospitalier (hôpital  
DEBROUSSE de Lyon, service du Professeur AJACQUE)  
sur 14 malades de pédiatrie présentant une gingivite  
chronique. Les prélèvements étudiés au microscope  
électronique ont été effectués avant et après irradiation laser.  
Ils ont été interprétés par un enseignant du C.N.R.S. , sans  
connaître leur chronologie par rapport à l'irradiation. Les  
résultats annoncés sont statistiquement probants : le laser  
infrarouge agit, grâce à certaines fréquences, sur les  
fibroblastes. Ces cellules étant présentes dans tous les tissus  
de l'organisme, les indications de ce type de laser semblent  
nombreuses. [5.10 / - ]
- 479- gera: 109405/di/ra  
AURICULOTHERAPIE- AURICULOMEDECINE  
REPNSE A VOS QUESTIONS. (DOCTEUR YVES  
ROUXEVILLE). groupe lyonnais d ' etude medicales.  
1988,1,32 (fra). ref:0  
[5.10 / - ]
- 480- gera: 53655/di/ra  
[OBSERVATION OF VERTEBRAL SICKNESS  
REACTED ON CONTRA HELIX]. BAO GUOQING ET  
AL. shanghai journal of traditional chinese medicine.  
1988,4,23-5 (chi). ref:0  
[4.04 / - ]
- 481- gera: 53553/di/ra  
[SUPERFICIAL VIEW OF TAKING CHANNEL  
POINTS IN EAR EXAMINATION]. BU ZHI YUN.  
shanxi journal of traditional chinese medicine.  
1988,4(5),46. (chi). ref:0
- [4.04 / - ]
- 482- gera: 25804/di/ra  
CARTOGRAPHIE AURICOLARI CINESE E  
OCCIDENTALI CORRELAZIONI E DISCORDANZE.  
CONTI L. rivista italiana di agopuntura. 1988,62,47-54  
(ita). ref:0  
[5.10 / - ]
- 483- gera: 48466/di/ra  
[THE DISCUSSION ON THE FUNCTION SERVED BY  
HEART IN WATER METABOLISM]. FU YAN LING.  
liaoning journal of traditional chinese medicine.  
1988,12(9),7 (chi). ref:7  
[4.04 / 2.04+c- liquide- ]
- 484- gera: 23597/di/ra  
[OBSERVATION OF THE THERAPEUTIC EFFECT  
ON 872 CASES OF DIFFERENT DISEASE BY  
PRESSING AURICLE POINTS]. GE XIAOCHUN.  
chinese acupuncture and moxibustion. 1988,8(4),26-7  
(chi\*). ref:7  
[5.10 / acupression- ]
- 485- gera: 51704/di/ra  
[THE DIAGNOSIS AND TREATMENT OF DISEASES  
ON HISTOLOGIC BASIS BY EAR ACUPOINTS.  
GUANG ZUN XIN ET AL. yunnan journal of traditional  
chinese medicine. 1988,9(1),18-32 (chi). ref:7  
[4.04 / histologie- 05.10- ]
- 486- gera: 51728/di/ra  
[A COMPARATIVE STUDY ON DIAGNOSIS OF  
EARPOINT STAINING BETWEEN 339 CASES OF  
CHOLELITHIASIS AND 67 CASES OF  
GASTRODUODENAL DISEASE. GUANG ZUNXIN ET  
AL. yunnan journal of traditional chinese medicine.  
1988,9(6),10-4 (chi). ref:7  
[4.04 / lcp- 10.05- 10.11- ]
- 487- gera: 80209/di/ra  
AURICULOTERAPIA Y AURICULOMEDICINA (II).  
HAYES W. medicina holistica. 1988,14,14-22 (esp). ref:7  
[5.10 / am- ]
- 488- gera: 26865/di/ra  
REPORT ON AURICULAR ACUPUNCTURE  
SECTION OF ANNUAL IVAS CONFERENCE.  
HOLMES C. veterinary acupuncture newsletter.  
1988,14(3),12 (eng). ref:7  
[5.10 / congres- 24.01- ]
- 489- gera: 51809/di/ra  
[CLINICAL APPLICATION OF AURICULAR  
PLASTER THERAPY. KE MENG BI ET AL. zhejiang  
journal of traditional chinese medicine. 1988,23(8),350-64  
(chi). ref:0  
[5.10 / - ]
- 490- gera: 51719/di/ra  
[RECENT RESEARCH ON CLINICAL USE BY  
PRESSING EAR ACUPUNCTURE POINTS. KE  
MENG BI ET AL. yunnan journal of traditional chinese  
medicine. 1988,9(4),45. (chi). ref:0  
[5.10 / - ]
- 491- gera: 24714/di/ra  
TEINTS DE LA FACE EN PEDIATRIE. NGUYEN VAN  
NGHI ET AL. revue francaise de medecine traditionnelle  
chinoise. 1988,131,267-9 (fra). ref:0

- [4.04 / 23.11- ]
- 492- gera: 21732/di/ra  
**QUAND LA MALADIE MONTRE LE BOUT DE L'OREILLE**. NOGIER P. *medecines nouvelles*. 1988,35,69-75 (fra). ref:0  
 Le docteur Paul Nogier a créé, il y a une trentaine d'années une médecine nouvelle où l'on soigne les patients à partir de leur oreille. [5.10 / - ]
- 493- gera: 21733/di/ra  
**AURICULOMEDECINE. LES TRAITEMENTS** NOGIER P. *medecines nouvelles*. 1988,35,76-89 (fra). ref:0  
 Le docteur Nogier indique comment il envisage la maladie et les traitements énergétiques dans la thérapeutique qu'il a élaborée. [5.10 / - ]
- 494- gera: 23955/di/ra  
**EAR ACUPUNCTURE USING SEMI-PERMANENT NEEDLES : ACCEPTABILITY, PROSPECTS AND PROBLEMS IN NIGERIA**. UMEH B. *american journal of chinese medicine*. 1988,16(1-2),67-70 (eng). ref:0  
 [5.10 / 05.06- nigeria- ]
- 495- gera: 23848/di/ra  
**THE THIRD WHO REGIONAL WORKSHOP ON THE STANDARDIZATION OF ACUPUNCTURE** WANG DESHEN. *journal of traditional chinese medicine*. 1988,8(3),221-28 (eng). ref:9  
 Nomenclature des points auriculaires proposée par l'OMS (Pacifique Ouest) 90 points sont envisagés : code fonction de la situation auriculaire (défini seulement pour 43 points), dénomination Pinyin et dénomination anglaise. [5.10 / oms-nomenclature- 02.06- ]
- 496- gera: 24504/di/ra  
**[THE SURVERY OF APPLICATION AND RESEARCH OF EAR-ACUPUNCTURE THERAPY]**. WANG JIE. *chinese acupuncture and moxibustion*. 1988,8(5),45 (chi\*). ref:0  
 This article has briefly summarized the application and research work of ear acupuncture in recent years, including: 1) observing method on ear acupuncture with naked eyes; 2) detecting tender points; 3) detecting ear points with electronic devices; 4) colouring method on the auricle; 5) reflection of sunshine on ear points for making diagnosis; 6) needle biopsy at ear points; and 7) other methods. In general, it is held in the article that ear acupoints are used as diagnostic means in clinic, for ear points are connected closely with all the organs of the body. [5.10 / - ]
- 497- gera: 52938/di/ra  
**[INTERNATIONAL STANDARD NOMENCLATURE OF EAR-ACUPUNCTURE POINTS CHINA ASSOCIATION OF ACUPUNCTURE AND MOXIBUSTION]**. X. *journal of traditional chinese medicine*. 1988,29(6),75. (chi). ref:0  
 [5.10 / nomenclature- ]
- 498- gera: 53362/di/ra  
**[ON LOCATION METHOD OF EAR POINTS AND ARCAS]**. YAN QINGRUI. *shaanxi traditional chinese medicine*. 1988,9(5),225-26 (chi). ref:0  
 [5.10 / - ]
- 499- gera: 53628/di/ra  
**[DIAGNOSTIC VALUE OF WORM PLAQUE ON FACE. MICROSCOPIC ANALYSIS OF 557 STOOL SAMPLES]**. ZHANG AO'QING ET AL. *shanghai journal of traditional chinese medicine*. 1988,2,22-5 (chi). ref:0
- [4.04 / - ]
- 500- gera: 51723/di/ra  
**[EXPLORATION THE MECHANISM OF EAR POINT STAINING BY DETERMING THE CHANGES OF SOME CHEMICAL ELEMENTS]**. ZHAO QIN ET AL. *yunnan journal of traditional chinese medicine*. 1988,9(5),27-9 (chi). ref:0  
 [4.04 / 05.10- lcp- ]
- 501- gera: 51756/di/ra  
**[CHARACTERISTIC OF LIP-DIAGNOSIS DESCRIBED IN "ZHU BING YUAN HOU LUN"]**. ZHENG JIN. *zhejiang journal of traditional chinese medicine*. 1988,23(3),123-25 (chi). ref:0  
 [4.04 / zhu bing yuan hou lo- ]
- 502- gera: 48467/di/ra  
**[THE CLINICAL OBSERVATION ON WRINKLES ON EARLOBE FOR DIAGNOSIS OF CORONARY HEART DISEASE]**. ZHOU SHI ZHANG ET AL. *liaoning journal of traditional chinese medicine*. 1988,12(9),11 (chi). ref:0  
 [4.04 / lcp- 07.03- ]
- 503- gera: 53218/di/ra  
**[THE CLINICAL OBSERVATION ON WRINKLES ON EARLOBE FOR DIAGNOSIS OF CORONARY HEART DISEASE]**. ZHOU SHI ZHANG ET AL. *liaoning journal of traditional chinese medicine*. 1988,12(10),11. (chi). ref:0  
 [4.04 / 07.03- lcp- ]
- 504- gera: 27232/nd/re  
**[STUDY OF BIOLOGICALLY ACTIVE CURRENTS OF THE EXTERNAL EAR IN ENDAURAL PHARMAPHYSICAL INTERVENTION]**. ASLAMAZOVA VI ET AL. *vestn otorinolaringol*. 1989,(2),17-20 (rus\*). ref:0  
 [4.04 / 16.02- ]
- 505- gera: 27188/di/ra  
**PROJEKTION DES 3-ERWARMERMERIDIANS AUF DIE OHRMUSCHEL**. BAHR F. *der akupunkturarzt/aurikulotherapeut*. 1989,1/2,03-04 (deu). ref:0  
 [Projection of the three heater meridian on the auricle]. [5.10 / tr- ]
- 506- gera: 27189/di/ra  
**KARDINALPUNKTE DER OHRKUPUNKTUR**. BAHR F. *der akupunkturarzt/aurikulotherapeut*. 1989,1/2,04-07 (deu). ref:0  
 [Confluent points of eraacupuncture]. [5.10 / - ]
- 507- gera: 29712/di/cg  
**OBSERVATION ON THE EAR POINTS OF THE PATIENTS WITH ANGINA PECTORIS DUE TO MYOCARDIAL INFARCTION**. BAI ZHELUN ET AL. *international symposium on diagnosis and treatment with auricular points, beijing*. 1989,,106-7 (eng). ref:0  
 [4.04 / 07.03- ]
- 508- gera: 29733/di/cg  
**DYNAMIC OBSERVATION ON THE EAR ACUPOINTS OF THE PATIENTS WITH ACUTE MYOCARDIAL INFARCTION**. BAI ZHELUN ET AL. *international symposium on diagnosis and treatment with auricular points, beijing*. 1989,,130-1 (eng). ref:0  
 [4.04 / 07.03- ]

- 509- gera: 81080/di/ra  
**L'UTILISATION DU REFLEXE AURICULO CARDIAQUE DANS LE DIAGNOSTIC EN ACUPUNCTURE.** BANOS A. *Annales de la société d'acupuncture d'aquitaine.* 1989,5,1-6 (fra). ref:0  
 L'auteur expose succinctement la relation Energie-Mouvement, l'explication et la méthode de perception du "réflexe auriculo-cardiaque" et quelques applications possibles dans le diagnostic en Acupuncture. [5.10 / - ]
- 510- gera: 29729/di/cg  
**CLINICAL OBSERVATION OF COMPARISON BETWEEN THE EAR POINT SCLEROMA AND DYEING** BAO GUOQING ET AL. *international symposium on diagnosis and treatment with auricular points, beijing.* 1989,,126-7 (eng). ref:0  
 [4.04 / lcp- ]
- 511- gera: 29735/di/cg  
**AN ANALYTICAL REPORT ON SERIES DIAGNOSIS OF AURICULO-ACUPOINT IN 60 PATIENTS WITH** BAO ZHIYUN ET AL. *international symposium on diagnosis and treatment with auricular points, beijing.* 1989,,131-2 (eng). ref:0  
 [4.04 / 17.03- ]
- 512- gera: 29730/di/cg  
**OBSERVATION ON THE EAR POINTS OF 86 CASES OF PATIENTS WITH CHRONIC GASTRITIS.** BEI ZHELUN ET AL. *international symposium on diagnosis and treatment with auricular points, beijing.* 1989,,127-8 (eng). ref:0  
 [4.04 / 10.05- ]
- 513- gera: 80026/di/ra  
**THE EAR,MIRROR OF THE SOUL.** BILEN A. *british journal of acupuncture.* 1989,12(2),15-9 (eng). ref:0  
 [5.10 / - ]
- 514- gera: 25412/di/tt  
**SOIGNEZ-VOUS PAR L'OREILLE. L'AURICULOTHERAPIE.** BUTTIGIEG C. *ma éditions,paris.* 1989,,126P (fra). ref:8  
 Cette pratique médicale de la Chine ancienne, dérivée de l'acupuncture, démontre que tous les organes de notre corps sont inscrits dans notre oreille comme sur une carte. En stimulant chacun des points qui leur correspondent, nous pouvons agir sur les maux dont ils sont atteints. Le docteur Charles Buttigieg, qui a été l'un des premiers médecins hospitaliers de l'Assistance publique à pratiquer l'acupuncture et l'homéopathie, nous livre ici les secrets de l'auriculothérapie, qu'il a appris en parcourant la Chine. [5.10 / - ]
- 515- gera: 70012/nd/tt  
**AURICULOTERAPIA.** CASPANI F. *ibis,madrid.* 1989,,232P (esp). ref:0  
 [5.10 / - ]
- 516- gera: 29752/di/cg  
**THE STUDY ON CHROMOMEDICAL OF AURICULAR POINTS.** CHANG YANHUA ET AL. *international symposium on diagnosis and treatment with auricular points, beijing.* 1989,,146-7 (eng). ref:0  
 [5.10 / 03.01- ]
- 517- gera: 29725/di/cg  
**ADVANCES ON EAR ACUPOINTS RESEARCH.** CHEN GONGSUN. *international symposium on diagnosis and treatment with auricular points, beijing.* 1989,,122-3 (eng). ref:0  
 [5.10 / rg- ]
- 518- gera: 29726/di/cg  
**RECENT DEVELOPMENTS IN AURICULO-ACUPUNCTURE RESEARCH OUTSIDE CHINA.** CUI MONG. *international symposium on diagnosis and treatment with auricular points, beijing.* 1989,,123-4 (eng). ref:0  
 [5.10 / rg- ]
- 519- gera: 109945/di/ra  
**RECHERCHE CLINIQUE : HISTOIRE DU COLLIER.** DASSONVILLE G. *glem.* 1989,1,11 (fra). ref:0  
 [5.10 / - ]
- 520- gera: 109401/di/ra  
**DROIT DE REPONSE: UNE HIRONDELLE NE FAIT PAS LE PRINTEMPS.** DOCTEUR A. PELLETIER. *groupe lyonnais d ' etude medicales.* 1989,2,18 (fra). ref:0  
 [5.10 / - ]
- 521- gera: 109398/di/ra  
**LE TRAITEMENT DES "BARRAGES" PAR HOMEOPATHIE.** DOCTEUR ALAIN BRICARD.. *groupe lyonnais d ' etude medicales.* 1989,2,13 (fra). ref:0  
 [5.10 / - ]
- 522- gera: 109399/di/ra  
**VACCINATION PAR LE BCG ET TERRAIN TUBERCULINIQUE.** DOCTEUR ALAIN MARGINAN. *groupe lyonnais d ' etude medicales.* 1989,2,15 (fra). ref:0  
 [5.10 / - ]
- 523- gera: 109395/di/ra  
**COMMENT METTRE EN PRATIQUE CERTAINES ACQUISITIONS DE L'AURICULOMEDECINE EN AURICULOTHERAPIE.** DOCTEUR MICHEL MARGINAN. *groupe lyonnais d ' etude medicales.* 1989,2,8 (fra). ref:0  
 [5.10 / - ]
- 524- gera: 109393/di/ra  
**RECHERCHE CLINIQUE : HISTOIRE DU COLLIER.** DR. GUY DASSONVILLE. *sciences et medecines nouvelles.* 1989,1,11 (fra\*). ref:0  
 [5.10 / - ]
- 525- gera: 27192/di/ra  
**ERFAHRUNGEN MIT OHRKUPUNKTUR IN DER ALLGEMEINPRAXIS.** FISCHER H. *der akupunkturarzt/aurikulotherapeut.* 1989,1/2,17-28 (deu). ref:0  
 [Experience with earacupuncture in general practice]. [5.10 / - ]
- 526- gera: 29724/di/cg  
**SOME ASSUMPTIONS ON FURTHER REGIONALIZATION IN "A PROJECT OF STANDARDIZATION OF AURICULAR ACUPOINTS".** GU LI. *international symposium on diagnosis and treatment with auricular points, beijing.* 1989,,120-2 (eng). ref:0  
 [5.10 / nomenclature- ]
- 527- gera: 50638/di/ra  
**[THE EXPLORATION OF DIAGNOSTIC VALUE OF AUDIO FREQUENCY-CURRENT EXAMINATION ON AURICULAR POINTS].** GUAN XIAORONG ET AL.

**shanghai journal of acupuncture and moxibustion.**

1989,8(4),18-9 (chi). ref:0

[4.04 / 05.10- ]

528- gera: 29719/di/cg

**RESEARCH ON ACTIVITY OF PHOSPHATASE IN THE AURICULAR ACUPOINT OF RABBITS WHICH CORRESPONDS TO EXPERIMENTAL ACUTE APPENDICITIS AND GASTRIC ULCER.** GUAN ZUNXIN ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,114-5 (eng). ref:0

[4.04 / 10.05- 10.14- lcp- ]

529- gera: 29721/di/cg

**EAR ACUPOINT DETECTOR AND ITS CLINICAL VALUE.** HUA XINGBANG. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,116-8 (eng). ref:0

[5.10 / 04.04- ]

530- gera: 35036/di/ra

**[THE DISCUSSION OF THE CLINICAL DIAGNOSIS OF DISEASE BY THE EXPRESSION OF THE SURFACE OF EYE TAKEN FROM THE "YELLOW" EMPEROR'S\*].** HUANG JIAN HONG. **liaoning journal of traditional chinese medicine.** 1989,13(3),12-4 (chi). ref:0

[4.04 / su wen- iridologie- ]

531- gera: 29692/di/cg

**A STUDY ON THE RELATIONSHIP AMONG EAR ACUPOINTS AND ZANGFU IN CLINIC.** HUANG LICHUN ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,110-1 (eng). ref:0

[5.10 / - ]

532- gera: 29739/di/cg

**PRIMARY EFFECT OF EAR ACUPOINTS DETECTION WITH ELECTROTHERMAL NEEDLE ON DIAGNOSIS.** JIN XIUZHEN. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,135-6 (eng). ref:0

[4.04 / - ]

533- gera: 29782/di/cg- num

**STUDIES OF THE TEMPERATURE OF THE AURICULAR ACUPOINTS DURING VERSION BY MOXIBUSTION.** LI GUANRONG ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,175-6 (eng). ref:0

[4.04 / 11.10- version- temperature- 05.09- ]

534- gera: 29786/di/cg

**ON AURICULAR PHYSIOLOGICAL REACTION POINTS.** LI TAO. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,179-80 (eng). ref:0

[4.04 / - ]

535- gera: 29728/di/cg

**AURICULAR DIAGNOSIS OF 64 CASES OF CANCERS AND 49 CASES OF HEPATITIS.** LI YANHEN ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,125-6 (eng). ref:0

[4.04 / 10.10- 23.04- ]

536- gera: 29795/di/cg

**ON EAR ACUPOINTS AND EAR ACUPUNCTURE.** LI

YUQIN. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,188. (eng). ref:0

[5.10 / - ]

537- gera: 29734/di/cg

**A FURTHER STUDY ON PLEURA AREA OF AURICLE.** LIU FUXIN. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,131. (eng). ref:0

[5.10 / - ]

538- gera: 35448/di/ra

**[CLINIC OBSERVATION OF PULMONARY REGION LOCATION DIAGNOSE IN PULMONARY TUBERCULOSIS PATIENT'S AURICLE].** LIU FUXIN. **shaanxi traditional chinese medicine.** 1989,10(10),469-470 (chi). ref:0

[4.04 / 17.06- 05.10- ]

539- gera: 29722/di/cg

**A BIBLIOMETRIC ANALYSIS OF AURICULAR ACUPUNCTURE BASED ON ACULARS.** LIU JING ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,118-9 (eng). ref:0

[5.10 / 01.07- ]

540- gera: 29717/di/cg

**AN APPROACHE TO MECHANISM OF FUNCTION OF AURICULAR POINT.** LIU WEIZHOU ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,112-3 (eng). ref:0

[5.10 / - ]

541- gera: 29715/di/cg

**THE EXPERIMENTAL STUDY OF THE RELATIONSHIP BETWEEN THE HUMAN EAR POINTS ELECTRIC RESISTANCE AND THE WEATHER.** LU MINGZHUANG ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,109-10 (eng). ref:0

[4.04 / resistance- 03.02- ]

542- gera: 80833/di/el

**AURICULOPUNCTURE.** NGUYEN J. **encyclopédie des médecines naturelles, paris.** 1989,II-2,16P (fra). ref:0

[5.10 / - ]

543- gera: 26652/di/ra

**[PROGRESS OF RESEARCH OF DIAGNOSIS FROM AURICLE STATE].** PENG QINGHUA. **journal of shandong tcm college.** 1989,13(2),53-62 (chi). ref:92

[4.04 / - ]

544- gera: 27199/di/ra

**DIE PROJEKTION DES NIEREN-MERIDIANS AUF DIE OHRMUSCHEL.** REIS A. **der akupunkturarzt/aurikulotherapeut.** 1989,3/4,49-51 (deu). ref:92

[Projection of the kidney meridian on the auricle]. [5.10 / - ]

545- gera: 80108/di/ra

**[LOCALISATIONS OF HIDDEN POINTS IN ERACUPUNCTURE].** REIS A. **der akupunkturarzt aurikulotherapeut.** 1989,7/8,141-5 (deu). ref:0

[5.10 / - ]

546- gera: 80116/di/ra

**OHRAKUPUNKTUR IN DER TAGLICHEN PRAXIS.** SAMLERT H. **deutsch zeitschrift fuer akupunktur.**

- 1989,5,99-100 (deu\*). ref:0  
[5.10 / - ]
- 547- gera: 27190/di/ra  
**ZANGENTECHNICK. STRITTMATTER B. der akupunkturarzt/aurikulothérapeut.** 1989,1/2,07-08 (deu). ref:0  
[Forceps technique]. [5.10 / - ]
- 548- gera: 26526/di/ra  
**[PRELIMINARY OBSERVATION ON 100 CASES WITH EARLY TIME PREGNANT REACTION].** SUN YU ET AL. **chinese acupuncture and moxibustion.** 1989,9(2),13-14 (chi\*). ref:0  
The form, color skin resistance of womb ovary, internal secretion, kidney, liver and spleen were surveyed in Ear-Point surveying and treating, instrument and compared with too cases of non-pregnant and found so difference. So the author put forward that it can be used for referent material of clinical diagnosis and had a primary discussion about theory. [4.04 / 11.10- ]
- 549- gera: 29780/di/cg  
**EXPERIMENTAL RESEARCH ON THE RELATIONSHIP BETWEEN THE AURICLE AND SYSTEM (1) COLORING TO LOCATE THE THORAX-LUNG REGION ON THE AURICLE OF THE RABITS WITH EXPERIMENTAL** TANG JIE ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,173-4 (eng). ref:0  
[4.04 / ea- lapin- 17.07- lcp- ]
- 550- gera: 50327/di/ra  
**[THE EXPERIMENTAL STUDY OF THE RELATIONSHIP BETWEEN AURICULAR POINTS AND VISCERA].** TANG JIE ET AL. **yunnan journal of traditional chinese medicine.** 1989,10(1),40. (chi). ref:0  
[4.04 / 05.10- ]
- 551- gera: 29723/di/cg  
**BRIEF INTRODUCTION OF STANDARD NOMENCLATURE OF AURICULAR POINTS.** WANG DESHEN. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,119-20 (eng). ref:0  
[5.10 / nomenclature- ]
- 552- gera: 29792/di/cg  
**BASIC RESEARCH ON PSYCHOLOGICAL FACTORS IN AURICULAR ACUPUNCTURE.** WANG YANQING. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,185-6 (eng). ref:0  
[5.10 / psychisme- ]
- 553- gera: 29788/di/cg  
**AN APPROACH TO THE FUNCTION OF AURICULAR ACUPOINTS HELIX 4, 5 AND 6.** WANG ZHAOHAO ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,181-2 (eng). ref:0  
[5.10 / 02.06- ]
- 554- gera: 34495/di/ra  
**[CLINIC OBSERVATION OF TAWNI SPOT CURED BY EAR-PRESS THERAPY].** WEI D ET AL. **shaanxi traditional chinese medicine.** 1989,10(5),274-269 (chi). ref:0  
[5.10 / acupression- ]
- 555- gera: 29783/di/cg  
**EXPERIMENTAL STUDY ON THE RELATION PHYSIOLOGICAL AND PATHOLOGICAL CHANGES OF ZANG FU ORGAN AND ELECTRIC MEASURE OF EAR ACUPOINT.** WENG TAILAI ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,176-7 (eng). ref:0  
[4.04 / resistance- ]
- 556- gera: 108626/di/ra  
**[AN INTRODUCTION TO O-RING TEST].** WU DINGZONG.. **shanghai journal of acupuncture and moxibustion.** 1989,8(1),29 (chi). ref:0  
[4.04 / - ]
- 557- gera: 28900/di/tt  
**INTERNATIONAL SYMPOSIUM ON DIAGNOSIS AND TREATMENT WITH AURICULAR POINTS (OCT 16-19, X. china association of zhenjiu,beijing.** 1989,,190P (eng). ref:0  
[5.10 / - ]
- 558- gera: 29731/di/cg  
**A NEW STUDY ON AURICULAR DIAGNOSIS.** XIANG XIANDE. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,128-9 (eng). ref:0  
[4.04 / - ]
- 559- gera: 26949/di/ra  
**[PRESSING ON EAR POINTS USED IN THE CLINIC].** YAN QIANLIN. **chinese acupuncture and moxibustion.** 1989,9(3),47-49 (chi\*). ref:0  
[5.10 / acupression- ]
- 560- gera: 108628/di/ra  
**[THE NEURAL DISTRIBUTION OF AURICULO POINTS AND THE CONSTITUTION OF EAR].** YAN ZHENGUO, ET AL.. **shanghai journal of acupuncture and moxibustion.** 1989,8(1),45 (chi). ref:0  
[5.10 / - ]
- 561- gera: 27780/di/ra  
**COMPARISON BETWEEN THE EFFECTS OF RELATIVELY HIGH FREQUENCY (50-100 PULSES/SEC.) AND VERY LOW FREQUENCY (1-3 PULSES/SEC.) OF ELECTRICAL STIMULATION APPLIED ON BOTH EARS FOR THE TREATMENT \* (abstract).** YOSHIAKI OMURA. **acupuncture and electrotherapeutics research.** 1989,14(3/4),304. (eng). ref:0  
[5.10 / parametre- 05.12- ]
- 562- gera: 29787/di/cg  
**A CLINICAL STUDY ON THE SPECIFICITY OF TWO-DIRECTIONAL REGULATION OF EAR ACUPOINT.** YU PENG ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,180-1 (eng). ref:0  
[5.10 / - ]
- 563- gera: 29794/di/cg  
**COMPARISON OF CHINESE AND NOGIER'S EAR POINTS SYSTEMS.** YUAN SHUO ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,187-8 (eng). ref:0  
[5.10 / - ]
- 564- gera: 29791/di/cg  
**PRIMARY STUDY ON RETROAURICULAR "FIVE ZANG" POINTS.** ZHAO LAN ET AL. **international**

- 564- gera: 83271/di/ra  
**EXPERIENCES OF THE AURICULOPUNCTURE THERAPY.** FONG KIA TONG ET AL. **chinese journal of acupuncture and moxibustion.** 1990,3(3),183-4 (eng). ref:0 [5.10 / - ]
- 565- gera: 29718/di/cg  
**EXPLANATION ON DYEING MECHANISM OF AURICULAR ACUPOINTS BY MEASURING THE CHANGES OF SOME CHEMICAL ELEMENTS.** ZHAO QIN ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,113-4 (eng). ref:0 [4.04 / lcp- ]
- 566- gera: 29793/di/cg  
**APPLICATION OF BIOHOLOGRAPHIC LAW ON AURICULAR ACUPUNCTURE SCIENCE.** ZHAO SHUNHUA ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,186-7 (eng). ref:0 [5.10 / 05.11- holisme- ]
- 567- gera: 29693/di/cg  
**THE ORIGIN AND DEVELOPMENT OF AURICULAR ACUPOINT DIAGNOSIS AND TREATMENT.** ZHOU LIQUN. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,87-8 (eng). ref:0 [5.10 / - ]
- 568- gera: 29716/di/cg- num  
**VISCERA-AURICULAR POINT RESPONSE IN YANG-DEFICIENCY SYNDROME.** ZHU YUANGEN ET AL. **international symposium on diagnosis and treatment with auricular points, beijing.** 1989,,111-2 (eng). ref:0 [5.10 / yang- vide- 04.04- 04.07- ]
- 569- gera: 62257/di/ra  
**[ANALYTICAL REPORT ON 60 CASES OF AURICULOPOINT SERIAL DIAGNOSIS ON SILICOTIC].** BO ZHIYUN ET AL. **shanxi journal of traditional chinese medicine.** 1990,6(1),35 (chi). ref:0 [4.04 / 05.10- 17.01- ]
- 570- gera: 81438/di/ra  
**WESTERN MEDICINE LOOKS AT IRIDOLOGY AGAIN.** CARADONNA B. **iridology review.** 1990,4,13-4 (eng). ref:0 [4.04 / iridologie- ]
- 571- gera: 81359/di/ra  
**THE EFFECT OF BENZODIAZEPINE ADMINISTRATION ON AURICULAR SYMPTOMATOLOGICAL EVIDENCE.** CECCHERELLI F ET AL. **acupuncture and electrotherapeutics research.** 1990,15(2),95-106 (eng). ref:2 [5.10 / medication- 04.04- ]
- 572- gera: 82068/di/cg  
**ON THE STANDARDIZATION OF EAR POINTS.** CHEN GONGSUN. **2eme congres mondial d'acupuncture et moxibustion, paris.** 1990,,40. (eng). ref:27 [5.10 / nomenclature- ]
- 573- gera: 81439/di/ra  
**IRIS DIAGNOSIS. A PERSPECTIVE.** CLOUTIER P. **iridology review.** 1990,4,18-9 (eng). ref:27 [4.04 / iridologie- ]
- 574- gera: 61189/di/ra  
**[BASIC RESEARCH OF AURICULAR ACUPUNCTURE].** HU RUZHEN ET AL. **chinese journal of integrated traditional and western medicine.** 1990,10(6), (chi). ref:0 [5.10 / - ]
- 575- gera: 61140/di/ra  
**[A HISTORICAL REVIEW OF FONTANELLE DIAGNOSIS].** JIN SHI YING. **chinese journal of medical history.** 1990,20(1),36-9 (chi\*). ref:0 [4.04 / 23.11- 01.02- ]
- 576- gera: 29815/nd/tt  
**OHRAKUPUNKTUR-TAFEL.** KÖNIG G ET WANCURA I. **haug verlag,heidelberg.** 1990,, (deu). ref:0 [5.10 / - ]
- 577- gera: 29026/di/cg  
**CENTRAL HETEROCHROMY IN THE IRIS-DIAGNOSTIC POSSIBILITY FOR PREVENTIVE MEDICINE ?.** KRASIMIR KIRILOV VAZHAROV. **proceedings of the fifth international congress of chinese medicine,berkeley.** 1990,,24. (eng). ref:0 [4.04 / iridology- ]
- 578- gera: 81345/di/ra  
**PROJEKTION DES GALLENBLASENMERIDIANS.** LENGGENHAGER U ET AL. **akupunkturarzt/aurikulotherapie.** 1990,5/6,108-10 (deu\*). ref:0 [Reflex-localisation of the gallbladder meridian]. [5.10 / vb- 02.05- ]
- 579- gera: 81309/di/ra  
**ABSTRACTS OF THE ACADEMIC PAPERS PRESENTED AT THE INTERNATIONAL SYMPOSIUM ON DIAGNOSIS AND TREATMENT WITH AURICULAR POINTS.** LI GUANRONG ET AL. **journal of tcm.** 1990,10(2),156-59 (eng). ref:0 [5.10 / 04.04- ]
- 580- gera: 28156/nd/tt  
**MANUAL DE AURICULOTERAPIA.** LIPSZYC M. **kier,buenos aires.** 1990,,190P (esp). ref:0 [5.10 / - ]
- 581- gera: 81648/di/ra  
**[AN APPROACH TO MECHANISM OF FUNCTION OF AURICULAR POINT].** LIU WEIZHOU ET AL. **acupuncture research.** 1990,15(3),187-90 (chi\*). ref:0 [5.10 / 04.04- ]
- 582- gera: 80760/di/ra  
**ABSTRACTS OF THE ACADEMIC PAPERS PRESENTED AT THE INTERNATIONAL SYMPOSIUM ON DIAGNOSIS AND TREATMENT WITH AURICULAR POINTS.** PAN JIHUA. **journal of traditional chinese medicine.** 1990,10(1),74-9 (eng). ref:0 [5.10 / 04.04- congres- ]
- 583- gera: 82644/di/ra  
**ESTRATTI DEGLI ATTI PRESENTATI AL SIMPOSIO INTERNAZIONALE SULLA DIAGNOSI E**

**TRATTAMENTO CON I PUNTI AURICOLARI.** PAN JIHUA ET AL. *rivista italiana di medicina tradizionale cinese*. 1990,4,53-7 (ita). ref:0  
[5.10 / 04.04- congres- ]

585- gera: 83949/di/ra  
**RESUMENES DE LAS PUBLICACIONES ACADEMICAS PRESENTADAS EN EL SIMPOSIUM INTERNACIONAL SOBRE DIAGNOSIS Y TRATAMIENTO CON PUNTOS AURICULARES.** PANG JIHUA ET AL. *revista de la medicina tradicional china*. 1990,1(1),29 (esp). ref:0  
[5.10 / 04.04- congres- ]

586- gera: 81437/di/ra  
**IRIDOLOGICAL CRITERIA OF CLINICAL HEALTH.** PAVLOV R. *iridology review*. 1990,4,11-2 (eng). ref:0  
[4.04 / iridologie- ]

587- gera: 82067/di/cg  
**ELECTRO-AURICULO-PUNCTURE DIAGNOSIS AND THERAPY.** PORTNOV FG. *2eme congres mondial d'acupuncture et moxibustion, paris*. 1990,,39. (eng). ref:9  
[5.10 / - ]

588- gera: 29361/di/ra  
**OSSERVAZIONI SULL'EFFICACIA TERAPEUTICA DELL'AURICULOPUNTURA.** PULCRI F. *orientamenti mtc*. 1990,7(4),261-64 (ita). ref:9  
[5.10 / 05.10- ]

589- gera: 81346/di/ra  
**UNTERSUCHUNGSGANG OHRKUPUNKTUR STUFE II (MABIG FORTGESCHRITTENE).** STRITTMATTER B. *akupunkturarzt/aurikulotherapeut*. 1990,5/6,111-33 (deu\*). ref:9  
[Procedure of examination in ear-acupuncture for moderately advanced]. [5.10 / 04.04- ]

590- gera: 83303/di/ra  
**PROJEKTION DES MILZ-PANKREAS MERIDIANS.** SUWANDA S ET AL. *akupunkturarzt aurikulotherapeut*. 1990,3-4,51-2 (deu\*). ref:0  
By means of the resonance phenomén the localisation of any chinese meridian can be fixed with the frequency 5 of the double laser. The spleen-pancreas meridian shows geometrical lines, which change their direction twice. [5.10 / rte- 02.05- ]

591- gera: 83203/di/ra  
**LASER AND ELECTRODIAGNOSTIC TECHNIQUES FOR THE ISOLATION AND TREATMENT OF ODONTOGENOUS FOCI.** TUCKER D. *american journal of acupuncture*. 1990,18(4),345-54 (eng). ref:0  
The author introduces a synthesis of cold laser technology and electrodiagnostic techniques which can be used to effectively isolate, evaluate and treat a major category of dental foci that may be instrumental in the successful treatment of the affected patient. Included is a brief review of theoretical precedents for the concept of "odontogenous foci" and selected case histories that illustrate the effect that accurate diagnosis and treatment can have on the therapy resistant patient. Preliminary results of laser therapy for chronic mastoiditis, another relatively common cranial focus, is also [4.04 / 05.11- 05.14- 19.05- ]

592- gera: 82063/di/cg  
**THE APPEARANCE OF DYED AREAS ON AURICLES OF THE RABBITS WITH ACUTE**

**PLEURISY AND THE CHANGES OF SOME CHEMICAL ELEMENTS IN THEIR BODIES.** WEI SHUJUN ET AL. *2eme congres mondial d'acupuncture et moxibustion, paris*. 1990,,38. (eng). ref:46  
[4.04 / lapin- ea- 05.10- 17.01- ]

593- gera: 83975/di/ra  
**RESUMENES DE LAS COMUNICACIONES ACADEMICAS PRESENTADAS EN EL "SIMPOSIUM INTERNACIONAL DE DIAGNOSTICO Y TRATAMIENTO CON LOS PUNTOS AURICULARES "(II). X. revista de la medicina tradicional china.** 1990,1(2),30-36 (esp). ref:46  
[5.10 / congres- 04.04- ]

594- gera: 82066/di/cg  
**CLINICAL APPLICATION OF AURICULOTHERAPY USING MEDICATED PELLETS.** YANG CANGLIANG ET AL. *2eme congres mondial d'acupuncture et moxibustion, paris*. 1990,,39. (eng). ref:46  
[5.10 / 05.15- ]

595- gera: 61523/di/ra  
**[RELATION BETWEEN CENTRAL NUCLEAR GROUP AND LOW AURICULAR RESISTANCE].** ZHANG LIYING ET AL. *shanghai journal of traditional chinese medicine*. 1990,9,1-3 (chi). ref:46  
[5.10 / 04.04- resistance- 25.01- ]

596- gera: 62077/di/ra  
**[A STUDY ON INSPECTION OF THE EYE IN "TREATISE ON FEBRILE DISEASE"].** ZHAO YU. *liaoning journal of traditional chinese medicine*. 1990,14(2),12-8 (chi). ref:46  
[4.04 / shang han lun- ]

597- gera: 82069/di/cg  
**THERAPY OF PRESSING ON AURICLE-POINTS USED IN THE CLINIC.** ZHOU JIAN. *2eme congres mondial d'acupuncture et moxibustion, paris*. 1990,,40. (eng). ref:46  
[5.10 / acupression- ]

598- gera: 81617/di/ra  
**EFFECTS OF HUMORAL FACTORS IN VISCERA-AURICULOPOINT RESPONSE IN RABBITS.** ZHU YUANGEN ET AL. *acupuncture research*. 1990,15(4),306-09 (eng ). ref:46  
[4.04 / 25.02- lapin- ea- ]

599- gera: 109385/di/ra  
**LES NEUROMEDIATEURS EN AURICULOMEDECINE.** ANDRE LENTZ. *sciences et medecines nouvelles*. 1991,2(1),6 (fra\*). ref:5  
[5.10 / - ]

600- gera: 82632/di/ra  
**BERICHT ÜBER DIE NOMENKLATURKOMMISSION DES FACHBEREICHS OHRKUPUNKTUR IN LYON.** BAHR F. *der akupunkturarzt aurikulotherapeut*. 1991,1,30-2 (deu\*). ref:5  
[Report about the commission of nomenclature of ear-acupuncture at lyon]. [5.10 / nomenclature- ]

601- gera: 82826/di/ra  
**DIE PROJEKTION DES MAGENMERIDIANS AUF DIE OHRMUSCHEL.** BAHR F ET AL. *akupunkturarzt aurikulotherapeut*. 1991,2,3-4 (deu\*). ref:0  
[The projection of the stomach meridian in the ear]. By

means of the resonance phenomenon the localisation of any chinese meridian can be fixed with the frequency 5 of the double laser. The stomache meridian shows a elongated line with only one change of direction. [5.10 / 2.05+e- ]

602- gera: 83325/di/ra

**DIE PROJEKTION DES BLASENMERIDIANS AUF DIE OHRMUSCHEL.** BAHR F ET AL. **der**

**akupunkturarzt aurikulothérapeut.** 1991,3,3-4 (deu). ref:0

By means of the resonance phenomenon the localisation of any chinese meridian can be fixed with the frequency 5 of the double laser. The urinary bladder meridian shows a elongated line, starting from the middle of the lobulus. The meridian follows a path upwards. With a change of direction it touches the tragus. It also marks a line on the backside of the ear.

[5.10 / 2.06+v- 05.14- ]

603- gera: 109388/di/ra

**ETAT ET CONCLUSIONS DES RECHERCHES SUR LE VAS EN 1979.** BERNARD BRICOT. **sciences et**

**medecines nouvelles.** 1991,2(1),14 (fra\*). ref:0

[5.10 / - ]

604- gera: 83615/di/ra

**ADVANCES IN RESEARCHES ON AURICULO-ACUPOINTS.** CHEN GONGSUN. **journal of traditional**

**chinese medicine.** 1991,11(3),216-23 (eng). ref:0

[5.10 / rg- ]

605- gera: 35806/di/tt

**HANDBOOK TO CHINESE AURICULAR THERAPY.**

CHEN KEN ET CUI YONGQIANG. **foreign languages press,beijing.** 1991,,238P (eng). ref:31

[5.10 / - ]

606- gera: 84640/di/tt

**HANDBOOK TO CHINESE AURICULAR THERAPY.**

CHEN KEN ET CUI YONGQIANG. **foreign languages press,beijing.** 1991,,238P (eng). ref:0

[5.10 / 119- isbn7- ]

607- gera: 64946/di/ra

**[AN OBSERVATION OF INFRARED CHART ON FACE OF NORMAL HUMAN BEING].** CHEN

ZHENXIANG ET AL. **acta medica sinica.** 1991,6(4),8 (chi). ref:0

[4.04 / thermographie- ]

608- gera: 82899/di/ra

**ZONES OF BASAL STRESS ON THE AURICLE**

**(ABSTRACT).** DEBEF J. **akupunktur.** 1991,2,134. (eng).

ref:0

[4.04 / stress- 03.02- 05.10- ]

609- gera: 109387/di/ra

**ETAT ACTUEL DE L'AVANCEMENT DES TRAVAUX SUR L'ENREGISTREMENT DU VAS.**

HMICHEL MARIIGNAN. **sciences et medecines nouvelles.** 1991,2(1),10 (fra\*). ref:0

Cet article fait la synthèse critique des moyens et méthodes actuellement en développement concernant l' enregistrement du V.A.S. [5.10 / - ]

610- gera: 66289/di/ra

**[THE THERAPEUTIC EFFECT OF AURICULAR "HEART" POINT ON BLOOD STASIS DUE TO**

**DEFICIENCY OF YIN IN AN EXPERIMENTAL ANIMAL MODEL].** HUANG HEQING. **jiangsu journal**

**of traditional chinese medicine.** 1991,12(8),19 (chi). ref:0

[5.10 / ea- 04.07- stagnation+vide+yin- ]

611- gera: 65903/di/ra

**[DISCUSSION ON DIAGNOSIS WITH EYES IN THE INTERNAL CLASSIC AND ITS CLINICAL**

**FUNCTION].** JIN RENYAN. **journal of zhejiang college of traditional chinese medicine.** 1991,15(2),6 (chi). ref:0

[4.04 / su wen- ]

612- gera: 84153/di/ra

**THE USE PERMANENT PROSTHESES IN**

**AURICULAR THERAPY.** JOHNSTON G. **new zealand**

**journal of acupuncture.** 1991,,16-26 (eng). ref:0

[5.10 / 05.06- ]

613- gera: 83693/di/ra

**DEVELOPMENT OF THE LOW IMPEDANCE**

**POINTS IN THE AURICULAR SKIN OF**

**EXPERIMENTAL PERITONITIS RATS.** KAWAKITA

K ET AL. **american journal of chinese medicine.**

1991,19(3-4),199-205 (eng). ref:0

Electrical impedance of the auricular skin was measured in experimental peritonitis rats. Constant voltage pulses (10ms,4V) were applied to the skin, then the impedance was estimated. Low impedance points were gradually increased after the operation for 7-14 days then they returned to the control level. The pseudo-sweating responses accompanied by the development of peritonitis were also observed. Histological study could not find any sweat glands in the auricular skin. These results suggest that the activation of the sweat glands is not the major cause of the formation of the low impedance points. Other possibilities of these phenomena were discussed. [4.04 / 10.14- 2.06+resistance- eaa- rat- ]

614- gera: 65888/di/ra

**[EXPLORATION OF DIAGNOSING MALIGNANT TUMOR COMBINED WITH F 8836 INFORMATION**

**OF BODY'S EARS].** LI RONGXIAN ET AL. **practical journal of integrating chinese with modern medicine.**

1991,4(4),195 (chi). ref:16

[4.04 / 05.10- 23.04- ]

615- gera: 64237/di/ra

**[ANALYSIS ON EAR-ACUPUNCTURE UTILIZED AS**

**THE DIAGNOSTIC METHOD FOR 332 CASES OF OCCUPATION DISORDERS].** LI ZHANYUA ET AL.

**chinese acupuncture and moxibustion.** 1991,11(4),32

(chi\*). ref:16

The article presents the computerized ear-acupoint information diagnostic apparatus that was employed to make diagnosis using the electric-detection on ear-acupoints for 332 preoperative or pre-gastroscopic in patients from surgery and gynecology departments in the authors' hospital. Moreover, this diagnostic method was compared with the diagnosis made by the pathological measures. The pathology diagnostic methods diagnosed 174 cases as malignant tumour and the ear- point diagnosis was identical with the pathology in 146 cases, making up 83.9%. The article also depicts 6 ear-points to confirm the benignancy or malignancy of the tumours and illustrate them with pictures, and meanwhile elaborates the criterion of diagnosis made by ear-acupoint.

This method is very simple and easy to do, thus certain clinical value in the preliminary mass screening of tumour and determination of the nature of tumours. Nevertheless, the definite mechanism of the method needs further research. [4.04 / 23.01- 23.04- ]

616- gera: 64830/di/ra

**[JIE YAN PASS THROUGH EAR-PRESSURE**

**THERAPY].** LIU FUXIN. **shaanxi traditional chinese**



**medicine.** 1991,12(7),514 (chi). ref:16  
[5.10 / acupression- ]

617- gera: 83674/di/ra

**DIE OHRDETEKTION. EINE MÖGLICHKEIT ZUR GANZHEITSERFASSUNG UND HERD-STÖRFELD-TESTUNG.** MASTALIER O. **deutsche zeitschrift für akupunktur.** 1991,34(6),129-33 (deu\*). ref:16

[Detection on the auricle. A possible holistic approach and testing for foci]. There is an increasing tendency, in the sense of holistic medicine, to combine conventional medical diagnosis and therapy with complementary methods. Acupuncture became one of the pillars of antique Chinese medicine, but it was never considered as an isolated method. The patient was always viewed as a whole and his personality and his physical and psychological states were all considered as having effects on both his health and illness. Ear acupuncture is a similar holistic approach. It is one of the latest forms of acupuncture. Ear acupuncture or auricular medicine offers considerable possibilities for diagnosis and for including specific individual aspects of constitution as well as the somatogenic and mental states. Therefore, detection on the auricle as a means to a holistic approach has already proved itself successful as a complementary method. The information which may be obtained by this method and its value for diagnosis has been increased by means of ongoing research and experience as well as through successful therapies. Working hypotheses and dogma which frequently coincide with conventional medicine have developed this form of acupuncture to an auricular medical method which includes diagnosis. The diagnostic indications are not only important for ear acupuncture therapy. They are particularly of value for comprehending complicated cases of multiple diseases. Detection on the auricle has also proved helpful as an additive to conventional medical diagnosis in the search for foci and fields of disturbance where other tests did not give conclusive results. The procedures for detection on the auricle including the use of a frequential laser apparatus are discussed. [4.04 / - ]

618- gera: 109386/di/ra

**NOTES DU COMITE DE LECTURE SUR L'ARTICLE " LES NEUROMEDIATEURS .** MICHEI MARIIGNAN. **sciences et medecines nouvelles.** 1991,2(1),9 (fra). ref:8  
L 'auteur propose un modèle de /a circulation d' énergie-basé sur l ' étude de l ' interaction des neuromédiateurs entre eux il retrouve le modèle proposé an acupuncture tout an l' adaptant et an le faisant évoluer il explique comment concevoir /a globalité énergétique an ouriculomédecine. [5.10 / - ]

619- gera: 35731/di/ra

**REUNION DU GROUPE DE TRAVAIL SUR LA NOMENCLATURE DES POINTS D'ACUPUNCTURE AURICULAIRE.** ORGANISATION MONDIALE DE LA SANTE. **revue francaise de medecine traditionnelle chinoise.** 1991,144,37-40 (fra). ref:8  
[5.10 / nomenclature- ]

620- gera: 84507/di/ra- num

**REUNION DU GROUPE DE TRAVAIL SUR LA NOMENCLATURE DES POINTS D'ACUPUNCTURE AURICULAIRE.** ORGANISATION MONDIALE DE LA SANTE. **revue francaise de medecine traditionnelle chinoise.** 1991,144,37-40 (fra). ref:0  
[5.10 / nomenclature- ]

621- gera: 16954/di/ra

**SINTESIS INTEGRADORA EN AURICULOPUNTURA.** PEREZ L ET AL. **medicina energetica.** 1991,10,12-23 (esp). ref:0

[5.10 / - ]

622- gera: 82934/di/ra

**ELECTROPUNCTURE AURICULAR DIAGNOSIS AND THERAPY (ABSTRACT).** PORTNOV FG. **akupunktur.** 1991,2,143-4 (eng). ref:7  
[4.04 / 05.10- ]

623- gera: 82630/di/ra

**GRUNDSÄTZLICHES ZUR OHRAKUPUNKTUR BEI LINKSHÄNDERN.** STRITTMATTER B. **der akupunkturarzt aurikulotherapeut.** 1991,1,6-14 (deu\*). ref:0  
[The fundamental differences in the treatment of lefthanded patients by ear-acupuncture]. The fundamental differences in the treatment of right-handed and left-handed patients by acupuncture of the ear are demonstrated. [5.10 / lateralite- ]

624- gera: 83678/di/ra

**LOKALISATIONEN AUF DER OHRMUSCHEL.** STRITTMATTER B. **der akupunkturarzt aurikulotherapeut.** 1991,17(4),1-7 (deu\*). ref:0  
[Reflex-localisations on the auricle]. [5.10 / - ]

625- gera: 83326/di/ra

**PUNKTEKOMBINATIONEN ZUR THERAPIE MIT NAH- UND FERNPUNKTEN.** SUWANDA S. **der akupunkturarzt aurikulotherapeut.** 1991,3,5-9 (deu\*). ref:0  
[point combinations with nearby and distant points for therapy]. In the following article, the possibilities of acupuncture with nearby and distant points are discussed. [5.10 / - ]

626- gera: 83327/di/ra

**LOKALIZATIONEN AUF DER OHRMUSCHEL.** VON STRITTMATTER B. **der akupunkturarzt aurikulotherapeut.** 1991,3,10-24 (deu\*). ref:0  
The locations of the ear are presented in detail. [5.10 / - ]

627- gera: 82727/di/tt

**PRATIQUE DE L'ACUPUNCTURE AURICULAIRE.** WANG ZHAOHAO ET AL. **librairie you feng, paris.** 1991,,238P (fra). ref:0  
[5.10 / - ]

628- gera: 70020/di/tt

**ACUPUNTURA AURICULAR.** YAMAMURA Y. **center ao, sao paulo.** 1991,,78P (por). ref:0  
[5.10 / - ]

629- gera: 64550/di/ra

**[CLINICAL APPLICATION OF PRESSING AURICULO-ACUPUNCTURE POINTS (REVIEW)].** YU XUE-FENG. **shanxi journal of traditional chinese medicine.** 1991,7(3),28 (chi). ref:0  
[5.10 / acupression- ]

630- gera: 29389/di/ra

**ADVANCES IN AURICULAR PRESSURE POINT THERAPY.** ZHOU JIAN. **british journal of acupuncture.** 1991,14 (1),11-2 (eng). ref:0  
[5.10 / acupression- rg- ]

631- gera: 35610/di/ra

**DIE PROJEKTION DES LENKERGEFÄßES AUF DIE OHRMUSCHEL.** BAHR F. **der akupunkturarzt aurikulotherapeut.** 1992,18(1),3 (deu\*). ref:0  
[The projection of the governor vessel on the auricle]. [5.10 / 2.05+vg- 05.14- ]

- 632- gera: 84547/di/ra  
**OHROKALISATIONEN IM CAVUM CONCHAE.**  
 BAHR F. *der akupunkturarzt aurikulotherapeut.*  
 1992,18(2),3-6 (deu). ref:0  
 [Earlocalisations in the cavum conchae]. [5.10 / - ]
- 633- gera: 36249/di/ra  
**LE REFLEXE AURICULO-CARDIAQUE COMME MOYEN DE DIAGNOSTIC DANS LA PATHOLOGIE**  
 BANOS A. *Annales de la Societe d'acupuncture d'Aquitaine.* 1992,13,37-42 (fra). ref:0  
 [4.04 / 10.10- ]
- 634- gera: 39725/di/ra  
**[DIAGNOSTIC OF PNEUMOCONIOSIS USING AURICULO-POINT, REPORT OF 462 CASES ANALYSIS],** BO ZHI-YUN ET AL. *shanxi journal of traditional chinese medicine.* 1992,8(2),38 (chi\*). ref:0  
 [4.04 / lcp- 17.03- ]
- 635- gera: 37579/di/ra  
**SHORT NOTES ON EAR ACUPUNCTURE.**  
 BROUGHAM P. *acupuncture in medicine.* 1992,10(1),32-5 (eng). ref:0  
 [5.10 / - ]
- 636- gera: 36968/di/ra  
**COMO RESALTAR LA EFICACIA TERAPEUTICA DEL METODO DE PRESION EN PUNTOS DE AURICULOPUNTURA PARA EL TRATAMIENTO DE LA COLELIATISIS.** CHEN GONGSUN. *revista de la medicina tradicional china.* 1992,3,34-40 (esp). ref:0  
 [5.10 / acupression- ]
- 637- gera: 84328/di/ra  
**AVANCES EN LA INVESTIGACION SOBRE PUNTOS AURICULARES.** CHEN GONGSUN. *revista de la medicina tradicional china.* 1992,2(2),19-24 (esp). ref:0  
 [5.10 / rg- ]
- 638- gera: 36313/di/ra  
**AURICULOACUPUNCTURE THERAPY - A TRADITIONAL CHINESE METHOD OF TREATMENT.** CHEN KANGMEI ET AL. *journal of traditional chinese medicine.* 1992,12(3),233-5 (eng). ref:31  
 [5.10 / - ]
- 639- gera: 36463/di/ra  
**AURICULOACUPUNCTURE THERAPY - A TRADITIONAL CHINESE METHOD OF TREATMENT (CONTINUED).** CHEN KANGMEI ET AL. *journal of traditional chinese medicine.* 1992,12(4),308-10 (eng). ref:0  
 [5.10 / - ]
- 640- gera: 43645/di/ra  
**[EFFECT ON SKIN TEMPERATURE OF AURICLE BY EAR POINT PRESSURE].** CHEN YOUXIN. *shanghai journal of acupuncture and moxibustion.* 1992,11(3),16 (chi). ref:0  
 [5.10 / temperature- acupression- ]
- 641- gera: 35972/di/ra  
**INTRODUCTION TO THEORY AND PRACTICE OF AURICULAR ACUPUNCTURE AND ADVANCED CLINICAL APPLICATIONS.** GRAF M. *american academy of medical acupuncture review.* 1992,4(1),22. (eng). ref:0  
 [5.10 / - ]
- 642- gera: 37649/di/ra  
**THE HISTORY AND DEVELOPMENT OF AURICULOTHERAPY.** HSU E. *acupuncture in medicine.* 1992,10,109-18 (eng). ref:5  
 [5.10 / - ]
- 643- gera: 45036/di/ra  
**[DETERMINATION OF QUANTITATIVE AND LOCATION FOR FACIAL COLOUR AND LUSTRE OF FIVE ZANG DISEASES].** HU PILI. *china journal of traditional chinese medicine and pharmacy.* 1992,7(5),18 (chi\*). ref:5  
 The facial colour of 60 cases of normal person and 217 cases of patients had been determinate with chromatograph, which proved that there were a certain differences between groups of Five Zang diseases and normal group. Of which the group of liver disease had a most apparent difference which the main cause was the L value decreasing leading to dim complexion  $\Delta E = 3.79NBS$ ). For the main cause of the group of heart disease was the A value increasing leading to approximate red complexion  $\Delta E = 1.54NBS$ ). For the cause of group of spleen disease was the B Value increasing leading to approximate yellow complexion ( $\Delta E = 1.16NBS$ ). And the facial colour of kidney disease group and lung disease group had also different changes. The Five Zang Distributional theory of face recorded in "Suwen Cire" had been explored by the determination and analysis of the different facial colour value. [4.04 / - ]
- 644- gera: 14338/di/tt  
**DIAGNOSTICO SENSITIVO TACTIL.** HURTADO GL. *x, mexico.* 1992,,204P (esp). ref:5  
 [5.10 / - ]
- 645- gera: 37596/nd/tt  
**IRIDOLOGY : A GUIDE TO IRIS ANALYSIS AND PREVENTIVE HEALTH CARE.** JACKSON A. *optima.* 1992,,224P (eng). ref:5  
 [4.04 / 21314- isbn : 0- 356- ]
- 646- gera: 39043/di/ra  
**[PATHOLOGIC DIAGNOSIS IMITATED WITH WANG ZHEN STOMACHAL AREA OF EAR-POINT].** JIA MENGHUI ET AL. *shaanxi traditional chinese medicine.* 1992,13(1),32 (chi). ref:5  
 [4.04 / 05.10- 10.05- lcp- ]
- 647- gera: 36377/di/ra  
**ORGAN REPRESENTATION IN TEETH : MICRO ACUPUNCTURE SYSTEM (ABSTRACT).** KACHERSKI S ET AL. *acupuncture and electrotherapeutics research.* 1992,17(4),340. (eng). ref:5  
 [4.04 / 4.04+dent- ]
- 648- gera: 39933/di/ra  
**[DEVELOPMENT OF A DIAGRAM OF ACUPOINTS IN GUINEA PIGS].** LI CHIRONG ET AL. *shanghai journal of acupuncture and moxibustion.* 1992,2,27 (chi). ref:5  
 [5.10 / atlas- eaa- cobaye- nomenclature- ]
- 649- gera: 36031/di/ra  
**DAS HERD-/STÖRFELDPROBLEM ALS DIAGNOSTIK-UND THERAPIE-HINDERNIS DER AKUPUNKTUR.** MASTALIER O. *akupunktur theorie und praxis.* 1992,20(3),145-50 (deu). ref:5  
 [5.10 / - ]
- 650- gera: 36446/di/ra

**DIE BEDEUTUNG DER OHLÄPPCHENFALTE IN DER KLINIK\* (1 TEIL).** ROMOLI M. *deutsche zeitschrift für akupunktur.* 1992,35(6),127-31 (deu\*). ref:16

[The clinical importance of the ear-lobe crease (part 1)]. The diagonal ear-lobe crease is still accepted as a sign of coronary heart disease risk. The cardiologists all over the world have done many observations on this topic. One of the most complete and interesting study has been performed by a German anthropologist, who demonstrated, many years before ear-acupuncture has become a reality, an association between habitus somaticus, cause of death and outer ear-shape. In our study we examined the data of that report and made some statistical evaluations. [4.04 / lcp- ]

651- gera: 36468/di/ra

**ZAHNKORRESPONDENZLOKALISATIONEN AN OHR-UND KÖRPERAKUPUNKTURPUNKTEN - NEUE ERKENNTNISSE.** SCHMID HD ET AL. *der akupunkturarzt aurikulothérapeut.* 1992,18(4),17-23 (deu\*). ref:16

[Reflex-connections between teeth and their corresponding acupuncture area of ear and body - new aspects]. [4.04 / 4.04+dent- ]

652- gera: 37447/nd/ra

**DIAGNOSTIK ÜBER DAS OHR ?.** TAUBERT K. *z arztl forbild.* 1992,86(19),945-6 (deu). ref:0 [4.04 / - ]

653- gera: 35613/di/ra

**KLINISCHE ANWENDUNG : DER LEHRREICHE FALL. X.** *der akupunkturarzt aurikulothérapeut.* 1992,18(1),34-42 (deu\*). ref:0

[Clinical applications : the instructive case]. [5.10 / - ]

654- gera: 36470/di/ra

**PATIENTENMERKBLATT ZUR LATERALITÄTSINSTABILITÄT. X.** *der akupunkturarzt aurikulothérapeut.* 1992,18(4),31-2 (deu\*). ref:0

[Leaflet for patients - instable laterality]. [5.10 / lateralite- ]

655- gera: 36472/di/ra

**KLINISCHE ANWENDUNG : DER LEHRREICHE FALL. X.** *der akupunkturarzt aurikulothérapeut.* 1992,18(4),42-5 (deu\*). ref:0

[Clinical applications : the instructive case]. [5.10 / - ]

656- gera: 84350/di/ra

**KLINISCHE ANWENDUNG : DER LEHRREICHE FALL. X.** *der akupunkturarzt aurikulothérapeut.* 1992,18(1),34-42 (deu). ref:0

[Clinical applications : the instructive case]. [5.10 / - ]

657- gera: 84382/di/ra

**A DIALOGUE ON EAR ACUPUNCTURE. X.** *international journal of clinical acupuncture.* 1992,3(1),73-7 (eng). ref:0

[5.10 / - ]

658- gera: 36255/di/ra

**AURICULAR ACUPUNCTURE. ITS MECHANISM AND APPLICATION.** YIZHEN J. *british journal of acupuncture.* 1992,15(2),3-7 (eng). ref:0

[5.10 / - ]

659- gera: 44127/di/ra

**[CHANGES OF CONTENT OF SEVERAL CHEMICAL ELEMENTS IN BODY AND STAINING**

**ON AURICULAR POINTS ON TOXIC HEPATITIS OF RABBITS].** ZHAO QIN ET AL. *yunnan journal of traditional chinese medicine.* 1992,13(5),37 (chi). ref:4 [4.04 / 10.10- eaa+lapin- lcp- ]

660- gera: 43872/di/ra

**[SOME SUPPLEMENTARY IDEA ON THE PROGRAMME OF "STANDARDIZATION OF AURICULAR POINT"].** ZHOU LIQUN. *journal of traditional chinese medicine.* 1992,33(10),48 (chi). ref:4 [5.10 / nomenclature- ]

661- gera: 43499/di/ra- num

**[VISCERA AURICULOPOINT RESPONSE IN YANG-DEFICIENCY SYNDROME].** ZHU YUANGEN ET AL. *chinese acupuncture and moxibustion.* 1992,12(3),39 (chi\*). ref:4

In this study, two experimental models of yang-deficiency syndrome produced with injection of hydrocortisone and reserpine respectively in rats were employed to determine whether the manifestations of the viscera-auricular point response is identical in Yang-deficiency syndrome caused by different reasons. The results indicated that auricular point response induced by stimulating electrical heart may be reduced and delayed in condition of Yang-deficiency caused by two reasons. Further more, clinical study was made to determine the relationship between Yang-deficiency syndrome and resistance of the auricular points. The results showed that the mean value of resistance of auricular point is obviously lower in non-Yang-deficiency patients than in Yang-deficiency patients, and it is medium in slight-Yang-deficiency group. It is demonstrate that the auricular point response of Yang-deficiency patients is weaker. The auricular point response may be used as an objective index for diagnosis of Yang-deficiency syndrome. [4.04 / vide+yang-ea+rat- 2.06+resistance- ]

662- gera: 38807/di/ra

**DIE PROJEKTION DES KONZEPTIONSGEFÄßES AUF DIE OHRMUSCHEL.** BAHR F. *der akupunkturarzt aurikulothérapeut.* 1993,19(1),4-5 (deu). ref:4

[The projection of the conception vessel on the auricle]. [5.10 / - ]

663- gera: 38809/di/ra

**ENTSPRECHUNGSPUNKTE IN DER KÖRPER-UND OHRAKUPUNKTUR.** BAHR F. *der akupunkturarzt aurikulothérapeut.* 1993,19(1),12-3 (deu). ref:4

[Corresponding acupuncture points in ear-and body-acupuncture]. [5.10 / - ]

664- gera: 57453/di/ra

**RESONANZPUNKTE EINIGER BACHBLÜTEN AM OHR.** BAHR F. *der akupunkturarzt-aurikulothérapeut.* 1993,3,3-5 (deu). ref:0

[THE CORRESPONDING POINTS OF SOME BACH FLOWERS ON THE EAR] The corresponding points of some interesting Bach flowers on the ear are presented. [5.10 / - ]

665- gera: 7322/di/cg

**THE RELATION BETWEEN TCM DIAGNOSIS AND IRIDOLOGY.** BURSENS P. *the third world conference on acupuncture.* 1993,,301. (eng). ref:5 [4.04 / iridologie- ]

666- gera: 20023/di/ra

**EXAMINATION OF THE BACK.** CAMP V. *acupuncture in medicine.* 1993,11(1),36-41 (eng). ref:0

[4.04 / - ]

667- gera: 49047/di/ra

**PRELIMINARY OBSERVATION ON THE SHIFT OF AURICULAR TENDERNESS POINTS.** CHEN GONGSUN ET AL. **world journal of acupuncture-moxibustion.** 1993,3(2),35-6 (eng). ref:0  
[4.04 / 05.10- ]

668- gera: 45497/nd/ra

**RECENT STUDIES ON AURICULOACUPUNCTURE AND ITS MECHANISM.** CHEN H. **journal of traditional chinese medicine.** 1993,13(2),129-43 (eng). ref:0

This article is based on the review of more than eighty references involving clinical treatment, analgesia, auriculoacupoint for diagnosis and its mechanism. In the first part, selection of acupoints, methods of manipulation, therapeutic effects and related experience in 56 kinds of respiratory, circulatory, digestive, urological, gynaecological, obstetrical, pediatric, otolaryngologic and ophthalmologic, dermatologic diseases and diseases of the nervous systems, as well as treatment of acute abdominal diseases, reduction of body weight, abstinence from smoking and drinking, etc. are discussed. A variety of stimulation methods, such as auriculoacupuncture with filiform needles, needle embedding therapy, point injection, bloodletting, laser irradiation, auricular plaster and pressing therapy, etc are also introduced. In the second part, experiences of surgical operation and endoscopy under auriculoacupuncture anesthesia are described. The third part deals with diagnosis using auriculoacupoints. Also described in this part is the clinical application of auricular acupoints in the diagnosis of cancers, coronary diseases, cholelithiasis, hepatitis, tertian malaria, etc. The correlation between the morphology and function of auricular acupoints, i. e. the relationship between auricular acupoints and visceral function, and main development in clinical therapy, diagnosis and mechanism of auriculoacupuncture are introduced in the fourth part, including the results of investigations of reactions of auriculoacupoints during disorders of the body and viscerae, reactions of viscerae during stimulation of auriculoacupoints and their transmission routes. Based on the analysis of the history and current status of research on auriculoacupuncture, the author emphasizes the necessity of attaching importance at the same time to prophylaxis and treatment of serious diseases and standardization of nomenclature. Suggestions in this connexion are also made. [5.10 / - ]

669- gera: 45495/nd/ra

**CLINICAL APPLICATION OF TRADITIONAL AURICULOACUPOINT THERAPY.** CHEN K ET AL. **journal of traditional chinese medicine.** 1993,13(2),152-4, C (eng). ref:0  
[5.10 / - ]

670- gera: 38784/di/ra

**TERAPIA CON AURICOLOPUNTURA. UN METODO TRADIZIONALE CINESE DI CURA.** CHEN KANGMEI ET AL. **rivista italiana di medicina tradizionale cinese.** 1993,50(2),92-3 (ita). ref:0  
[5.10 / - ]

671- gera: 48760/di/tt

**SCHEMA STANDARD DES POINTS AURICULAIRES. (CHINOIS-FRANCAIS).** DENG LIANIGYUE. **maison d'edition de medecine-medicaments traditionnels chinois,beijing.** 1993,,27P (fra). ref:0  
[5.10 / 246- isbn 7- 8/r.247- 80089- ]

672- gera: 37013/di/ra

**PUNTOS AURICULARES SEGUN EL ZHEN JIU XUE DE SHANGHAI Y RELACIONES CON LA NUMERACION DE NGUYEN VAN NGHI.** EMBID A. **medicina holistica.** 1993,32,34-42 (esp). ref:0  
[5.10 / - ]

673- gera: 8166/di/cg

**ON THE PRINCIPLE OF AURICULAR POINTS IN DIAGNOSIS AND TREATMENT OF DISEASES.** GUAN ZUN XIN. **third world conference on acupuncture.** 1993,,366. (eng). ref:87  
[5.10 / - ]

674- gera: 48678/di/ra

**MORPHOLOGIE DER OHRKUPUNKTURPUNKTE.** HEINE H. **deutsche zeitschrift für akupunktur.** 1993,36(5),99-103 (deu). ref:0

[The morphology of ear acupuncture points]. The ear represents a somatotopy of the whole body. On its approximately 70 of the known 200 ear acupuncture points are used both for diagnosis and therapy. Although the complex nerve supply of the ear is known (trigeminal nerve, facial nerve, glossopharyngeal nerve, vagus nerve, and also the lesser occipital nerve, and greater auricular nerve) little is known about the morphological structures of the auricular acupuncture points. The aim of this study was to determine their morphological structures by investigating different regions of the ear. Egg-shaped networks of collagen (maximum diameter 0,1 mm) which are surrounded sensory sympathetic and parasympathetic axons and minute vessels were detected. Up to 5 such collagen bodies were found per mm<sup>2</sup> of the cutis of the auricle. There were marked differences between left and right ears. The ear is linked to all nuclei of the brain stem via its nervous innervation through branches of all branchial nerves as well as the spinal nerves of the sensory cervical plexus. The piezoelectric collagen fibres with their electronegative PG/GAG sheaths and surrounding web of terminal axons seemingly permit the collagen bodies of the ear acupuncture points to function like special biosensoria. [5.10 / 2.06+histologie- ]

675- gera: 14575/di/ra

**TERAPIA CON AURICOLOPUNTURA METODO TRADIZIONALE CINESE DI TRATTAMENTO (CONTINUA).** KANGMEI C ET AL. **rivista italiana di medicina tradizionale cinese.** 1993,53(5),77-8 (ita). ref:22  
[5.10 / - ]

676- gera: 17470/di/ra

**AURICULOPUNTURA, UN METODO TRADIZIONALE CHINO DE TRATAMIENTO.** KANGMEI C ET AL. **revista de la medicina tradicional china.** 1993,3(3),43-4 (esp). ref:0  
[5.10 / - ]

677- gera: 48677/di/ra

**L'AURICULOTHERAPIE : ETAT ACTUEL DES TRAVAUX DE STANDARDISATION DE L'ORGANISATION MONDIALE DE LA SANTE.** MARGINAN M. **asclepios.** 1993,6(2),29-40 (fra). ref:0  
Depuis 1982, l'organisation Mondiale de la Santé (World Health Organization) coordonne des actions concertées afin d'aboutir à un consensus international sur un langage commun en acupuncture, dans le but de faciliter l'enseignement, la recherche et la pratique clinique de celle-ci, autrement dit d'établir une nomenclature standard de l'acupuncture. Ces efforts ont consisté en groupes de travail et en diverses consultations régionales convoquées par l'office Régional de l'organisation Mondiale de la Santé pour le Pacifique ouest, et les réunions d'un Groupe Scientifique de

l'organisation Mondiale de la Santé. A l'issue de cette dernière réunion, il a été adopté à l'unanimité de proposer une Nomenclature Standard en Acupuncture pour l'usage international. Les grands traits de cette proposition sont l'utilisation de la traduction anglaise du nom de chaque méridien et d'un code alphanumérique dérivé des noms anglais, l'utilisation des noms de l'alphabet phonétique Chinois (Pinyin) ainsi que les caractères Han pour les noms des points et des méridiens d'acupuncture. L'une des recommandations faite par le Groupe Scientifique de l'organisation Mondiale de la Santé avait été de compléter cette standardisation de l'acupuncture par celle des points d'acupuncture de l'oreille (ou auriculothérapie) de valeur thérapeutique reconnue et dont la localisation anatomique soit généralement acceptée. Ceci imposait la nécessité de constituer un groupe de travail réunissant les spécialistes mondiaux dans le domaine de l'auriculothérapie. Celui-ci a tenu sa première séance à Lyon les 28, 29 et 30 Novembre 1990. En voici le compte-rendu résumé. [5.10 / oms-nomenclature- rg- ]

678- gera: 19744/nd/re  
**AURIKULOMEDIZIN GERADE BEI PROBLEMPATIENTEN OBT DIE LOSUNG !.**  
 MASTALIER O. *natura med.* 1993,8(3),141-7 (deu). ref:6  
 [5.10 / - ]

679- gera: 8327/di/cg  
**A CLINIC STUDY OF THE MALIGNANT TUMOR DIAGNOSIS BY CHANGES OF AURICLE.** MING-ZHUANG L. *third world conference on acupuncture.* 1993,,378. (eng). ref:6  
 [4.04 / 23.02- lcp- ]

680- gera: 17380/di/ra  
**APLICACIONES TERAPEUTICAS DE LA AURICULOTERAPIA.** NGUYEN J. *medicina holistica.* 1993,32,31-42 (esp). ref:0  
 Este trabajo expone en detalle las principales consideraciones practicas sobre : la eleccion de puntos del tratamiento, las diversas técnicas de estimulación y los protocolos de tratamiento, para terminar con algunos ejemplos de estudios clinicos publicados. Para su elaboracion el autor ha consultado los 87 trabajos de la literatura internacional que a su juicio eran mas importantes. [5.10 / rg- ]

681- gera: 7327/di/cg  
**THE STUDY FOR "VISUAL DIAGNOSIS" IN CHINESE MEDICINE- SKIN COLOR IN THE FIVE SEASONS.** NISHIMURA K ET AL. *the third world conference on acupuncture.* 1993,,302. (eng). ref:87  
 [4.04 / - ]

682- gera: 38815/di/ra  
**OHRLÄPPCHENFALTE UND LATERALITÄT. (2. TEIL).** ROMOLI M. *deutsche zeitschrift für akupunktur.* 1993,36(1),6-12 (deu). ref:0  
 [The ear-lobe crease and laterality (part 2)]. [5.10 / lateralite- ]

683- gera: 45955/nd/re  
**CHARACTERISTICS OF REACTIVE ELECTROPERMEABLE POINTS ON THE AURICLES OF CORONARY HEART DISEASE PATIENTS.** SAKU K ET AL. *clin cardiol.* 1993,16(5),415-9 (eng). ref:29  
 In oriental medicine there is a hypothesis related to acupuncture that the auricle is a projection of the functional anatomy of the whole human body. In this study reactive electropermeable points (REPP), that is, points on the skin

with low electrical resistance, on the auricle were measured on patients with coronary heart disease using a neurometer LC-M. Our findings correlated positively with the particular points (heart I (shin) and heart II (shinzo)\*) named by the Chinese group as being related to the functional anatomy of the heart. The incidence of positive REPP test results at the shin and shinzo points for subjects with acute myocardial infarction (AMI) were extremely high, and positive test results for patients with old myocardial infarction (OMI) and angina pectoris (AP) were also significant. There was no significant difference in the incidence rates of REPP at the shin and shinzo points between the OMI and AP groups. High incidence of positive REPP test results at the lung and heart III (shinyu) points occurred only in the AMI group, and this was significantly high when compared with the control group. [4.04 / resistance- 07.03- ]

684- gera: 57454/di/ra  
**LOKALISATION DER ÜBERGEORDNETEN PUNKTE AUF DER OHRMUSCHEL. STRITTMATTER B. der akupunkturarzt-aurikulotherapeut.** 1993,3,6-30 (deu ). ref:29  
 [THE LOCATION OF THE SUPERIOR ACUPUNCTURE-POINTS ON THE EAR] The locations of the superior acupuncture-points on the ear are presented in detail. [5.10 / - ]

685- gera: 57456/di/ra  
**UNTERSTÜTZUNG DER OHR-AKUPUNKTUR DURCH PUTENS.** THOENEMANN K. *der akupunkturarzt-aurikulotherapeut.* 1993,3,37-43 (deu ). ref:5  
 [THE SUPPORT OF EAR-ACUPUNCTURE BY PUTENS] The possibilities of supporting the ear-acupuncture by punctate application of transcutaneous nerve stimulation (PuTENS) are demonstrated. [5.10 / - ]

686- gera: 46122/nd/re  
**[THE FUNCTIONAL PROPERTIES OF THE COCHLEAR-VESTIBULAR ACUPUNCTURE POINTS OF THE EXTERNAL AUDITORY CANAL].** TROSHIN OV . *fiziol zh im i m sechenova.* 1993,79(3),47-53 (rus\*). ref:2  
 Endaural acupuncture points were studied in 60 healthy subjects. The points were found to have obvious advantages as compared with the commonly accepted points of the ear. [5.10 / - ]

687- gera: 57444/di/ra  
**HILFSLIN IEN IN DER OHRKUPUNKTUR.** VON STRITTMATTER BS. *der akupunkturarzt-aurikulotherapeut.* 1993,4,9-23 (deu ). ref:2  
 [AUXILIARY LINES IN EAR-ACUPUNCTURE] On the surface of the ear several lines can be constructed, which are useful in finding some important acupuncture-points on the ear. These lines are presented in detail. [5.10 / - ]

688- gera: 46398/di/ra  
**[ON THE CLINICAL APPLICATION OF OTOPOINT FOR DIAGNOSING DISEASES].** YAN SHENGXIU. *hubei journal of traditional chinese medicine.* 1993,3,41 (chi). ref:3  
 [4.04 / 05.10- ]

689- gera: 8246/di/cg  
**DIAGNOSTIC AND THERAPEUTIC EXPERIENCE IN CHINESE AURICULAR THERAPY : PRELIMINARY ISSUE ON 452 CASES.** ZAMPIERI F ET AL. *third world conference on acupuncture.* 1993,,374. (eng). ref:3

[5.10 / - ]

690- gera: 109422/di/cg

**REFLEXIONS SUR LA REPONSE AUTONOME CIRCULATOIRE (OU RAC). A. DE-SOUSA. annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,41 (fra\*). ref:0

The vascular autonomic signal (VAS) is discussed with respect to its theoretical aspects. The classical "standing wave" theory, cannot, in our view, provide a suitable explanation for perception of the vascular response, due to the fact that it considers the phenomenon in terms of space instead of time. On the basis of experimental data, a simple hemodynamic model is proposed. We argue that the notion of displacement applies not to standing waves themselves, but to the existence of a gradient of dynamic pulse curves which characterizes the arterial system. [5.10 / - ]

691- gera: 109413/di/cg

**APPORTS DU V.A.S. A LA MEDECINE CONTEMPORAIRE A. SANCHEZ-ARAUJO. annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,19 (fra). ref:0

A standardised nomenclature for identifying the location of auricular acupuncture points was developed in order to allow for international communication about clinical research in auriculotherapy. The auricle was divided into distinct zones, based upon the anatomically defined region of the external ear and a numbering system. Each zone was given a two letter label, such as "HX" for "Helix", and a number, such as "HX I" for a Helix region near Point Zero. This nomenclature system utilises curved zones conforming to the shape of the ear, rather than a square grid system of X and Y axis perpendicular to each other. A separate numbering system was developed to identify each area of the body, which could then be located on the ear by the zone system. An earlier version of this zone system was previously presented at a World Health Organisation meeting in Lyon, France, in 1990. [5.10 / - ]

692- gera: 109447/di/cg

**L'INTRODUCTION A FAYCRONTO : DIAGNOSTIC ET THERAPEUTIQUE. A. VAN DEN BOS. annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,87 (fra\*). ref:0

Research and medical practice during 20 years with over 16.000 patients led to the system AYCRRONTO for the diagnosis and therapy. The method comes from a comparative study of Traditional Chinese Medicine, electroacupuncture according to Voll, Homeopathy as it is practised in Germany and the auricular medicine of NOGIER. With the aid of NOGIER' s pulse, a complete holistic approach of the etheric body, the astral body, the mental body, the lunar/hormonal body and the regulation systems is analysed in this method. In this introduction, primary observations are discussed leading to a different and systematic approach of auricular medicine. The primary observations are explained in a very practical way. [5.10 / - ]

693- gera: 109426/di/cg

**UN LOGICIEL INFORMATIQUE EN AURICULOTHERAPIE. A.LENTZ,. annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,48 (fra\*). ref:0

Software Auriculotherapy GES-AURIMED , color 4D , 10MO. Mac compatible. Required RAM memory 4MO. Application; 800 KO. Runtime ; 1,5 MO. Deposited A.C.I. No work relating to Auriculotherapy had been carried out so far in the field of computer software. This software can tremendously help teachers, experienced practitioners,

beginners as well as everyone who is interested in this yet unconventional therapy. A simple keyboard or mouse operation will enable the user to obtain all ear zones with all three phases, in four languages (French, English, German, Spanish), with World Health Organisation equivalence. Printouts, research from one phase as well as numerous visual representations shedding light on the subject will also be available. [5.10 / - ]

694- gera: 109425/di/cg

**THE IMPORTANCE OF IDENTIFYING FOOD/SUBSTANCE INTOLERANCE IN AURICULOMEDICINE. B. LECLERC. annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,47 (eng\*). ref:0

The object of this paper is to demonstrate the method and necessity of identifying and treating food and substance intolerance in patients as a routine protocol in Auriculomedicine. The author's clinical research of the last seven years shows that Auriculomedicine is highly accurate in identifying patients' food or substance intolerances and that identification of such leads to clear results in the treatment of a wide variety of disorders encountered in general practice. Method : By analysis of key cases in the last seven years, the author demonstrates how to identify patients' intolerance to food, medications or other substances, how treating those through Auriculomedicine and ancillary modalities is essential in breaking the cycle of chronic pain, migraines, mood swings, menstrual disorders, arthrosis , sinus, ear and throat infections or various syndromes of skin affections. Attention is also paid to children disorders such as: HyperActive disorders (HA), Considered Minimally Brain injured (MBI) and Attention Deficit Disorders (ADD) and Dyslexia. The tedious work of identifying individual foods is greatly minimized by testing patients for phenolic intolerance. Based on the ground- breaking work of Drs. GARDNER and REMINGTON (Brigham Young University) phenolics testing can be performed through Auriculomedicine and used to desensitize patients to a wide range of intolerances over a short period of time. The advantage of identification and rapid desensitization is to prevent relapse of conditions and allow quicker repair of ailing tissues and functions. Food intolerance testing also makes it easier to establish causal chain reactions in the patient, thus it helps in setting clear diagnosis, prognosis and treatment. Conclusion : In approximately 15.000 treatments performed on patients over a seven-year period, systematic food intolerance testing was shown to help determining causal chain factors of disorders, it has proven useful in preventing relapse. Finally, it has shown to be useful in bringing patients out of their chronic states into remission for most complaints encountered in primary health care. [5.10 / - ]

695- gera: 109433/di/cg

**SELECTICE HERD-UND STORFEDTESMETHODEN UBER DIE OHRREFLEXZONEN. B. STRITTMATTER. annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,61 (deu\*). ref:0

[5.10 / - ]

696- gera: 109419/di/cg

**INTERET DE L' AURICULO-DIAGNOSTIC DANS LA CORRECTION DES TROUBLES DU SYSTEME POSTURAL. B.BRICOT. annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,32 (fra\*). ref:0

L'auteur se sert de l'étude de la face postérieure de l'oreille pour retrouver grâce au Réflexe Auriculo-Cardiaque de

NOGIER, les causes profondes des troubles de la statique vertébrale intervenant dans la genèse des malformations et déformations de la colonne mais également dans les algies rachidiennes ou d'origine rachidienne. [5.10 / - ]

697- gera: 58178/di/ra

**A DEMONSTRATION OF EAR ACUPUNCTURE, (VIDEO). (ABSTRACT) BROUGHAM P. acupuncture in medicine.** 1994,12(1),62 (eng ). ref:0  
[5.10 / - ]

698- gera: 73226/nd/tt

**LEHRBUCH DER OHRAKUPUNKTUR.** BUCEK R. **karl f haug verlag/huthig gmbh, heidelberg.** 1994,,249P (deu). ref:0  
Die Ohrakupunktur beruht, anders als die klassische Korperakupunktur, auf der Erkenntnis des französischen Arztes Paul Nogier, wobei die Ohrmuschel eine Somatotopie, also eine landkartenartige Darstellung des menschlichen Körpers enthält, und zwar etwa in Form eines auf dem Kopf stehenden Embryos. ISBN: 3 7760 1334 6. [5.10 / - ]

699- gera: 109435/di/cg

**MISE EN EVIDENCE DU SIGNAL VASCULAIRE.** C. VULLIEZ. **annales du premier symposium international d ' auriculotherapie et d' auriculomedecin.** 1994,,65 (fra). ref:0  
[5.10 / - ]

700- gera: 55687/di/ra- num

**APLICACION CLINICA DE LA AURICULOPUNTURA.** CHEN KANGMEI ET AL. **revista de la medicina tradicional china.** 1994,4(3),18-20 (esp). ref:0  
[5.10 / - ]

701- gera: 55487/di/ra

**MON OPINION SUR L'AURICULO-ACUPUNCTURE CHINOISE.** CUI YONG QIANG. **meridiens.** 1994,103,169-78 (fra\*). ref:0  
Résumé. - L'auriculo-acupuncture est une technique maintenant bien intégrée à la Médecine Traditionnelle Chinoise. Si on trouve des textes mentionnant des points auriculaires (1888) et si deux médecins chinois ont employé des points de l'oreille pour traiter une amygdalite aiguë deux ans avant que Paul Nogier ne publie son - "Traité d'Auriculotherapie ", c'est bien à ce médecin français que revient le mérite du développement de cette discipline. Il existe des différences dans la cartographie des points, dans la compréhension des mécanismes physiopathologiques et dans les méthodes de traitement (graines de *vaccaria segetalis* et billes magnétiques). Des exemples de traitement sont donnés pour l'obésité et l'accoutumance au tabac, [5.10 / 01.02- ]

702- gera: 109417/di/cg

**LE HALO VITAL -HYPOTHESES CHRONOBIOLOGIQUES.** D. ALIM. **annales du premier symposium international d ' auriculotherapie et d' auriculomedecin.** 1994,,27 (fra\*). ref:0  
(VH) is considered as an energizing entity. Clinical observations noticed that the VH has a chronogram comparable with the one of cortisol for diurnal activity. These observations initiated an hypothesis supposing that VH might follow the course of a biological rhythm. This study analyzes in 12 healthy persons the changes of quantified EEG maps, before and after exposure to an energizing source (here a quartz wrist-watch). The results, which are statistically significant, support the hypothesis. The neurophysiological tool used, the biological significance of the signals studied and the interferential source used, need further studies. A

comparative analysis showed that both biological rhythm measured by EEG and VH have the same coloured frequency references, an atomical references, and similar homeostatic finality. Neurophysiological tools becoming more and more performing, this original work may open an interesting research track in order to deepen the knowledge of VH. [5.10 / - ]

703- gera: 109441/di/cg

**AURICULOMEDECINE, YI-KING ET CODE GENETIQUE.** D. KASTNER. **annales du premier symposium international d ' auriculotherapie et d' auriculomedecin.** 1994,,77 (fra\*). ref:0

Auriculomedicine , YI-KING and the genetic code  
The genetic code included in the DNA macromolecule is represented by the four purine and pyrimidine bases. It serves as template for the process of transcription to produce RNA. The base sequences of the RNA are translated into proteins on the ribosomes where three subsequent bases (tripled-codons) form a code for each amino acid. Only 61 of the 64 possible codons are used by the cell for protein biosynthesis , whereas 3 give rise to a "STOP" signal. The four to five thousand years old Chinese model of YI-KING consists of 64 symbols in the form of "hexagrams", and this similarity of numbers (64) inspired the German Dr. SCHONBERGER to convert the 64 "three letter words" of the genetic code into hexagrams. To do this, he attributed the four Chinese bigram signs of old resp. young YIN and YANG to the four bases contained in RNA (A/C/G/U) in a tentative way. The author's purpose here is to verify this connection, using NOGIER' s "Vascular Autonomical Signal" (VAS). Results of this verification are presented and possible applications for diagnosis and therapy in Auriculomedicine are discussed. [5.10 / - ]

704- gera: 109443/di/cg

**DETECTION DU GEOSTRESS AU CABINET MEDICAL EN RAPPORT AVEC LE SYSTEME NEURO-** D. OHLMANN. **annales du premier symposium international d ' auriculotherapie et d' auriculomedecin.** 1994,,80 (fra). ref:0

With supporting evidence, we demonstrate that the functioning of auricular medicine cannot be explained by mere neurologic process. We also illustrate that it is the energetic "bubble" that underlies the entire system of auricular medicine, including V.A.S.. It then becomes possible to posit the existence of a unified complex [Organic/Psychic/ Energetic (0-P-E)] , the understanding of which enables us to multiply the therapeutic potential of this technique, while simplifying the treatment. In addition to improved efficacy, it becomes possible to treat certain ailments (eg. psychic traumas, fears ... ) previously beyond the reach of treatment. [5.10 / - ]

705- gera: 109444/di/cg

**METHODOLOGIE HOLO-ENERGETIQUE.** D. PIRO. **annales du premier symposium international d ' auriculotherapie et d' auriculomedecin.** 1994,,81 (fra\*). ref:0

Aider l'homme dans sa quête d'existence parfaite et confortable est inutile si la raison et le but de cette existence nous échappent. Jusqu'alors rien de reproductible et de vérifiable expérimentalement n'a pu dévoiler ce mystère. La méthode holo-énergétique , découverte expérimentale à la portée de tous, nous montre le rôle et l'utilité de l'existence par le réveil d'une même mémoire enfouie au fond de la moindre parcelle de toute forme qui compose l'univers. Grâce à l'application d'un protocole précis, ce réveil fait disparaître toute dysharmonie aussi bien au sein d'un même être qu'entre tous les êtres chez lesquels cette mémoire est active. Il

transforme l'homme créateur de ses bonheurs ou de ses malheurs en homme créature de l'univers, capable de retrouver sa vraie place et la fonction pour laquelle il est né. Tout être remplit alors pleinement son existence dans une certitude et une sérénité garanties d'actions justes. [5.10 / - ]

706- gera: 109450/di/cg

**L'ICS : LA MEMOIRE DU SANG.** E VIGOUREUXIM. PIQUEMAL. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,91 (\*). ref:0 [5.10 / - ]

707- gera: 109439/di/cg

**USO DE AGUJAS SEMIPERMANENTES SUS INNOVACIONES ; UNA EXPERIENCIA DE QUINCE ANOS.** E. GOMEZ-ORTIZ. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,73 (esp\*). ref:0

Use of the neutral space in the pathology of pregnancy The neutral space is a machine based on the principle of charge and discharge of a filter by the gravitational power. It is made up with two lead sledgehammer enclosing two filters of same nature, and in the middle, of a filter ending of rope, the rope going out of the neutral space and finishing in a second ending of rope. This neutral space is used to dispollute the system or to inject it a processing, the one included in the two filters of same nature. In horizontal position, it is a dispollution. In vertical position, it is an injection. We use this neutral space in the Pathology o pregnancy to inject to the system of the pregnant woman, the processing of two peptides 0 and K, significant in the process of pregnancy. The neutral space in vertical position enclosing beyond the ending of rope, either two filters 0 or two filters K, the second ending of rope in the form of sharp end goes to touch on the ear of the patient either the point 0 or the point K. If we put the filter 0 or K on the abdomen of the pregnant woman, we should feel 40 to 45 RAC pulsations. If the number of RAC is insufficient, we inject 0 or K with the neutral space on the corresponding points on the ear. A new measure of 0 or K must so provide 40 to 45 RAC. Several clinical cases show the interest of this technique in the pathology of the pregnancy (nausea, contractions I have 15 years of experience working with semi-permanent needles. After very close and careful observation, progressive adjustment in the working method, and the introduction of the THERAPUNCTEUR as a stimulation device, I conclude that the semi-permanent needles are in a privileged position in the treatment of chronic disorders, especially if there is structural damage. The semi-permanent needles are very refined instruments. There is a positive therapeutic response with their use in every day health disorders that result from the conditions of the so-called civilisation like work related sickness, pollution problems and aberrations in people's life. [5.10 / - ]

708- gera: 109423/di/cg

**DES FREQUENCES DU DR.PAUL NOGIER AUX MECANISMES PHYSIOLOGIQUES ET PATHOLOGIQUES** E. IKEZONO. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,44 (fra\*). ref:0

On the basis of the seven frequencies described by Dr Paul NOGIER , we will here discuss the notions of harmony and disharmony, applying these notions to the study of acupuncture points on the body and the ear, of allergy, of Yin and Yang, of cancer tissues, and cell proliferation. The study of NOGIER' s frequencies enables us to define the physiology and pathology of an organ in acute and chronic disease and in relation to day and night rhythms. The last

chapter dealing with cerebral activity will show us how a more precise study can be made, using the Vascular Autonomic Signal. It will be possible to consider cerebral activity in connection with : the circadian rhythms, the behaviour of the human being, the notions of temperaments, educational and professional disturbances. We will discuss the frequencial aspect of chronic degenerative and proliferative diseases and of epilepsy. [5.10 / - ]

709- gera: 109432/di/cg

**RAC-KONTROLLIERTE HOMÉOPATHIE : EINE MÖGLICHKEIT ZUR VERBESSERUNG DER EFFEKTIVITÄT DER HOMÖOPATISCHEN THERAPIE.** E.-M STRAUBE. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,59 (deu\*). ref:0

With the RAC-palpation of NOGIER and the focus diagnosis developed by BAHR, we have very good means for proving the efficiency of drugs before the patient actually take them. This enables us to differentiate closely related homoeopathic remedies. Also the necessary potency of the remedy can be determined beforehand. Therapy-impeding foci can be treated individually. Tested homoeopathic remedies show a much more convincing effect in practice than such that have not been tested. [5.10 / - ]

710- gera: 109431/di/cg

**INTERET DE LA STIMULATION ELECTRIQUE EN AURICULOTHERAPIE.** E.M. STRAUBE. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,57 (fra\*). ref:0

L'auteur fait le bilan d'un an d'utilisation du stimulateur électrique AGISTIM en auriculothérapie (et en acupuncture). La stimulation électrique amplifie, potentialise, valorise l'auriculothérapie. Selon les fréquences utilisées, l'action sera sélective (antalgique, reconstruction osseuse, harmonie entre les parties droite et gauche du corps) ou générale (régulation, équilibre général). De plus, en utilisant deux appareils différents débitant chacun une gamme de fréquences différente, on obtient une action très complète. [5.10 / - ]

711- gera: 109407/di/cg

**LOKALISATION DER CHINESISCHEN AKUPUNKTURPUNKTE UND MERIDIANE AUF DER OHRMUSCHEL.** FRANK E. BAHR. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,9 (deu\*). ref:0

The classical Chinese points of the meridians can be found on the auricle by the means of the double-laser with the frequency 5 (9' 592 Hz). A strong laser stimulus is given onto the surface of the classical Chinese point and simultaneously with the second laser grip with only diagnostic strength the corresponding points on the auricle can be found. Acupuncturists with classical knowledge can profit from those corresponding points, because they can use well-known traditional points also in earacupuncture. Auriculotherapists too, are eager to know these projections, because they can join classical rules to their therapeutic concept, for example they adopt the use of cardinal points for the treatment of chronic diseases. [5.10 / - ]

712- gera: 2454/di/ra

**THE PRINCIPLE OF AURICULAR POINTS IN DIAGNOSIS AND TREATMENT OF DISEASES.** GUAN ZUNXIN. **World journal of acupuncture-moxibustion.** 1994,4(2),53-6 (eng). ref:0

Based on published investigations of other researchers, the authors have carried out experimental research for 20 years, and proved that the mechanisms of ear acupuncture in diagnosing and treating diseases involved not only a single



system, but rather a comprehensive functional relative system at various levels through a number of approaches. Examples are given to analyse how the theory is utilized to guide clinical practice and to explain various clinical phenomena. [5.10 / - ]

713- gera: 109410/di/cg

**ANATOMIE DER OHRAKUPUNKTURPUNKTE.** H. HEINE. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,15 (deu\*). ref:0

[5.10 / - ]

714- gera: 17183/di/ra

**RECENTI STUDI SULL'AURICULOAGOPUNTURA E SUOI MECCANISMI.** HANPING C. **rivista italiana di medicina tradizionale cinese.** 1994,56(2),71-80 (ita). ref:0

Questo articolo è una panoramica di più di otto favori che hanno come scopo lo studio del trattamento clinico, delle possibilità in campo di analgesia e della diagnostica relativa ai punti di auricolopuntura allo scopo di favorire la comprensione del meccanismo d'azione di questa metodica terapeutica. Nella prima parte sono discussi la selezione dei punti, le metodiche di manipolazione, gli effetti terapeutici e le relative esperienze tratte dall'analisi di 54 casi che comprendono patologie respiratorie, circolatorie, digestive, urologiche, ginecologiche, ostetriche, pediatriche, otorinolaringoiatriche e oftalmologiche, disturbi dermatologici e del sistema nervoso. Sono descritti inoltre i trattamenti in caso di patologie acute addominali, riduzione del peso corporeo, astinenza dal fumo e dall'alcool. Sono descritte inoltre varie metodiche di stimolazione quali l'auriculoagopuntura con aghi filiformi, l'incisione con ago, l'iniezione nel punto, il sanguinamento, la stimolazione con raggio laser, la terapia auricolare per mezzo di palline a pressione. Nella seconda parte sono descritti lavori di interventi chirurgici ed endoscopie eseguite sotto anestesia per mezzo di auricolopuntura. La terza parte si occupa della diagnosi eseguita tramite i punti auricolari. In questa parte è anche descritta l'applicazione clinica dei punti auricolari in caso di tumori, disturbi coronarici, coleliti, epatite, malaria terzana. Nella quarta parte sono descritte le correlazioni tra la morfologia e la funzione dei punti auricolari; per esempio, la relazione tra il punto di auricolopuntura e la funzione viscerale e i principali sviluppi nella terapia clinica, nella diagnosi e nello studio sul meccanismo dell'auriculo-puntura, inclusi i risultati dello studio delle reazioni dei punti auricolari nei disturbi fisici e dei visceri, reazione dei visceri durante la stimolazione dei punti auricolari e lo studio del percorso della trasmissione dello stimolo. In base alla storia passata allo stato attuale della ricerca sull'auricolopuntura, l'autore enfatizza la necessità di attribuire importanza, sia alla profilassi che al trattamento di gravi patologie, e di standardizzare la metodica usata. Quando sono presenti patologie viscerali, si possono avere reazioni auricolari quali dolorabilità, modificazioni delle proprietà specifiche elettriche dermiche, modificazioni della temperatura e deformazioni, che spesso appaiono localizzate solo in certe sedi della cute che ricopre l'orecchio. Si possono utilizzare varie metodiche per stimolare queste aree ed ottenere così un'azione profilattica e di trattamento per varie patologie e persino produrre analgesia per pazienti sottoposti ad interventi chirurgici. Le osservazioni di queste reazioni sono state di grande aiuto nella diagnosi di alcune patologie. In base ai dati della letteratura, dal 1982 ad oggi, vengono presi in esame in questo lavoro, sia gli effetti analgesici e terapeutici dell'auricolopuntura, sia la diagnosi tramite gli auricolopunti ed i dati relativi al meccanismo d'azione di questa metodica. [5.10 / - ]

715- gera: 17545/di/ra

**ACTUALIZACION SOBRE AURICULOPUNTURA Y SU MECANISMO DE ACCION.** HANPING C. **revista de la medicina tradicional china.** 1994,4(1),33-44 (esp). ref:0

Este artículo se basa en la revisión de más de 80 referencias bibliográficas referidas a tratamiento clínico, analgesia, diagnóstico mediante puntos de auriculopuntura y su mecanismo de acción. En la primera parte se discuten la selección de puntos de auriculopuntura, métodos de manipulación, efectos terapéuticos y experiencias relacionadas en 56 casos de enfermedades respiratorias, circulatorias, digestivas, urológicas, ginecológicas, obstétricas, pediátricas, otorinolaringológicas, oftalmológicas, dermatológicas y del sistema nervioso, así como el tratamiento de afecciones abdominales agudas, disminución del peso corporal, y abstinencia tabáquica y alcohólica. También se exponen diversos métodos de estimulación como la auriculopuntura con agujas filiformes, terapia de implantación de agujas, inyección en puntos, sangrado acupuntural, irradiación con láser, terapia de emplastos y presión auricular, etc. En la segunda parte se describen experiencias quirúrgicas y endoscópicas bajo anestesia mediante auriculopuntura. La tercera parte trata del diagnóstico utilizando puntos de auriculopuntura. En esta parte también se describe la aplicación clínica de los puntos de auriculopuntura en el diagnóstico del cáncer, enfermedades coronarias, colelitiasis, hepatitis, malaria, etc. En la cuarta parte se expone la relación entre la morfología y función de los puntos de auriculopuntura, es decir, la relación entre los puntos y la función visceral, y los principales avances en terapia clínica, diagnóstico y mecanismo de acción de la auriculopuntura, incluyendo los resultados de las investigaciones sobre las reacciones de los puntos de auriculopuntura durante afecciones sistémicas y viscerales, reacciones de las vísceras durante la estimulación de puntos de auriculopuntura y sus vías de transmisión. Basándose en el análisis de la literatura y estado actual de las investigaciones, el autor destaca la necesidad de enfocar el tratamiento y profilaxis de enfermedades graves, así como la normalización de la nomenclatura. También se aportan sugerencias a este respecto. [5.10 / - ]

716- gera: 109408/di/cg

**ANATOMICAL AND EMBRYOLOGICAL CONSIDERATIONS ON THE HUMAN AURICULA.** J. BOSSY. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,10 (eng\*). ref:0

The overcomplicated aspect of the auricula obliges to use a standard and precise nomenclature. It is explained by its embryological origin round the 1st viscerobranial pouch. The endoderm never interferes in its formation or constitution. The peripheral autonomic and cerebro-spinal innervation of the auricula is well known. Only the 3rd branch of the trigeminal nerve, and the second cervical nerve assure the whole cerebro-spinal innervation. The autonomic, mainly neurovascular, innervation depends on the sympathetic cervical territory. The auricular ramus of X provides the innervation of the auricular concha. Through elementary reflexes, this peripheral innervation may explain the effect of the auricular points stimulation for the superior half of the body. For the remains, convergence phenomena on the reticular or thalamic units must be invoked. The auricular points or areas are never projection of an organ or any somatic territory; they are only a representation of the innervation of these peripheral areas. The skin of the ear represents a somatotopy of the whole body. Although the complex nerve supply of the ear is well-known, up to now nothing is known about the anatomical structure of the auricular acupuncture points. Light microscopical

investigations of serial cuts of ears showed egg-shaped collagen bodies (diameter 0,1 mm; up to 5 bodies per mm) with fibres that are surrounded by terminal somatosensory as well as sympathetic and parasympathetic axons intermingled with small vessels. These innervated collagen fibres act as biosensors. Some of these bodies are always connected by terminating axons of the same nerve fibre. These functional units are discussed to represent ear acupuncture points. [5.10 / - ]

717- gera: 109449/di/cg

**MESSAGES CONSCIENS ET INCONSCIENS : DETECTION A LA POINTE NOIRE.** J.-L. VIGNERON. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,90 (fra\*). ref:0

The points or zones detected with the black or white stick on the ear, taking the RAC , signify a message from the cortex showing a break of information with the epiphysis. This message is sent by the dominating hemisphere. Nevertheless, each of our two hemispheres works in resonance with different colours and frequencies, that you also find in pathology. We propose a simple means for correcting the pathological points and the reflex zones of the body, using the master points on the ear. [5.10 / - ]

718- gera: 109416/di/cg

**A STUDY OF THE VASCULAR AUTONOMIC RESPONSE USING THE ELECTROENCEPHALOGRAMS.** J.M. ACKERMAN,. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,24 (eng\*). ref:0

Palpation of radial artery smooth muscle tone variation can "mark" the presence of a substance near to but not touching a subject's head. The palpation of this tonal variation superimposed onto a therapeutic time window allows a practitioner to predict a patient's therapeutic reactivity to different substances. This use of the Vascular Autonomic Signal (VAS) is subjective and its validity has not been accurately documented in accordance with Western medicine scientific protocol. Preliminary data will be presented suggesting that the electroencephalogram (EEG) can also "mark" the presence of substances near to but not touching a subject's head. [5.10 / - ]

719- gera: 17192/di/ra

**APPLICAZIONE CLINICA DELL'AURICOLOPUNTURA TRADIZIONALE.** KANGMEI C ET AL. **rivista italiana di medicina tradizionale cinese.** 1994,56(2),84-5 (ita). ref:0 [5.10 / - ]

720- gera: 70258/di/ra

**APPLICATION OF BI-DIGITAL O-RING TEST IN A CLINICAL PRACTICE. ABSTRACT.** KI HO KIM. **acupuncture and electrotherapeutics research.** 1994,19(4),287 (eng). ref:0 [4.04 / - ]

721- gera: 109437/di/cg

**LA LATERALITE ET L'AURICULOMEDECINE.** L. COUTURE,. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,69 (fra\*). ref:0

Laterality problems manifest themselves in the Human being in various ways such as: food and environmental allergies, dyslexia, dyscalcula , stuttering, oral and visual lack of memory, time and space disorientation along with very little ability to organise the environment. Auricular Medicine

enables to detect laterality problems and uses the auricular points to reorganise the systems that lack harmony. Doctor Paul NOGIER brought to the world a none invasive method that I use to treat children and teenagers focusing on the four following aspects of the energetic system: a) magnetic fields, b) polarised magnetic fields, c) electricity, d) self organisation. The results are amazing to contemplate and they are stable. [5.10 / - ]

722- gera: 79822/di/ra

**[COLOURS IN TYPES OF FACIAL MAKE-UP].** LING CHU. **knowledge of ancient medical literature.** 1994,3,17 (chi). ref:0 [4.04 / - ]

723- gera: 55889/di/ra

**EAR DIAGNOSIS OF 1862 CASES OF STOMACHACHE.** ANHUI PROVINCIAL COOPERATIVE RESEARCH GROUP ON EAR DIAGNOSIS. LIU SHI-PEI. **international journal of clinical acupuncture.** 1994,5(1),29-32 (eng). ref:0 [4.04 / 10.05- 05.10- ]

724- gera: 109424/di/cg

**OBJECTIVE ANALYSIS OF EAR ACUPUNCTURE BY BIOLOGICAL METHODS AND PULSE DIAGNOSIS.** M. LEBEL. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,45 (eng\*). ref:0

Sustained ear acupuncture was performed to enhance satiation during low calory diet therapy of 1100 Kcal on outpatient basis. Measurements of 3,4- dihydroxybutylic acid (3,4-DB) and 2,4,5- trihydroxypentanoic acid (2,4,5TP) were performed to substantiate the clinically observed satiation. 3,4-DB and 2,4,5-TP are the depressant and the stimulant to the feeding center in hypothalamus respectively. In ear acupuncture group (n=6), 3,4-DB increased from 174.3±89.8 uM to 305.7±104.8 uM (p<0.05) following the ingestion of Sojamalt and soy bean milk, however, in non ear acupuncture group (n=5) 3,4-DB did not show significant increase. Objective pulse diagnosis was performed by a pressure transducer to measure the changes in radial artery while the same pressure was applied to the artery. The results will be discussed. [5.10 / - ]

725- gera: 109411/di/cg

**COUP D'EVENTAIL SUR L' AURICULOMEDECINE.** P NOGIER. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,16 (fra). ref:0

The skin of the ear represents a somatotopy of the whole body. Although the complex nerve supply of the ear is well-known, up to now nothing is known about the anatomical structure of the auricular acupuncture points. Light microscopical investigations of serial cuts of ears showed egg-shaped collagen bodies (diameter 0,1 mm; up to 5 bodies per mm-) with fibres that are surrounded by terminal somatosensory as well as sympathetic and parasympathetic axons intermingled with small vessels. These innervated collagen fibres act as biosensors. Some of these bodies are always connected by terminating axons of the same nerve fibre. These functional units are discussed to represent ear acupuncture points. [5.10 / - ]

726- gera: 49788/di/ra

**EAR ACUPUNCTURE AND PSYCHOSOMATIC MEDICINE : RIGHT-LEFT ASYMMETRY OF ACUPOINTS AND LATERAL PREFERENCES. PART II.** ROMOLI M ET AL. **acupuncture and electrotherapeutics research.** 1994,19(1),11-7 (eng). ref:0

A group of 50 patients with possible psychosomatic disorders was examined with five right-left preference tests: Oldfield's Handedness Inventory, and Coren and Porac's preference tests for hand, foot, eye and ear. The patients were sorted into "complete right" (consistent answers) and "incomplete right" (having answered "left" to at least one question) groups for each of these different tests. The sensitization of the left ear, particularly of the Sanjiao or Triple Heater area, is higher in the complete right than in the incomplete right group. The side to treat with Acupuncture is important for diagnosis and therapy. [5.10 / lateralite- ]

727- gera: 107391/di/tp

**INDEX DES COURS EFFECTUES PAR LE DOCTEUR PAUL NOGIER A LYON, CANNES, ET MONACO.** ROUXVILLE Y. x. 1994,, (fra). ref:8  
[5.10 / - ]

728- gera: 109434/di/cg

**THE COMPUTER AURICULAR DIAGNOSTIC DATA SYSTEM <<ACUS>>.** S.V. TIMOSHEVSKY. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,63 (eng). ref:8

Selective testing of focuses by the use of ear-acupuncture (according to BAHR) Many diseases and disorders are maintained by focuses. Especially in cases, where the symptoms do not respond to the conventional therapy, focuses are very often found to be the reason (e.g. chronic inflammations, scars or dead teeth). Most of the conventional medical investigations are not able to detect such focuses. BAHR has established a diagnostic system within the ear-acupuncture for detecting focuses securely. Used properly, it shows exactly where the focus is and which focus is leading. Especially if a patient has many scars on his body, it is important to know which one has developed focus activity and which is the leading one, because it very often is the key stimulus for a disease. [5.10 / - ]

729- gera: 109440/di/cg

**DETECTION AND TOPOGRAPHY OF REFLEX ZONES ON THE HEAD AND EARS IN RELATION TO CLINICAL PSYCHOPATHOLOGY.** S.W. HOFMAN. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,75 (eng\*). ref:8

Empirical reflex zones of the head and ear are described related to clinical psychopathological symptomatology or syndromes. Detection of the zones with the RAC (VAS) will be described with the use of the tourelle-colours, as well as detection with more objective palpation or sensory stimulation. Relation of these dysfunctions with the three tissues (superficial, middle- and deep tissue) will be discussed as well as possibilities of (pharmaco-) therapeutic measures. [5.10 / - ]

730- gera: 109412/di/cg

**A STANDARDISED NOMENCLATURE FOR COMPARING CHINESE AND FRENCH AURICULAR ACUPUNCTURE POINTS.** T. OLESON. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,17 (e?g\*). ref:8  
[5.10 / - ]

731- gera: 109442/di/cg

**POUR EN FINIR AVEC LA THEORIE NEUROLOGIQUE ET COMMENCER AVEC LA THEORIE ENERGETIQUE.** Y. KESSOUS. **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,78 (fra\*). ref:8  
[5.10 / - ]

732- gera: 109428/di/cg

**TELEthermographie du Pavillon Auriculaire chez l'Homme.** Y. MEAS., **Annales du premier symposium international d' auriculotherapie et d' auriculomedecin.** 1994,,52 (fra\*). ref:8

Remote measurement of the thermic mapping of skin surface of the human auricle Perfecting a method according to medical research The progress report in auricular therapy and auricular medicine prescribes a theoretic, experimental and clinical study of the physiological characteristics of the human ear and the physical phenomena underlying the different detection and treatment methods. The extreme variability of all the physical and efficient operating processes, not only concerning detection but also the treatment, suggest the eventuality of proving and qualifying the impact of these processes by identifying particular reactions of the human ear, if possible, in response to various physical stimulations. In this perspective, we have developed and used an existing technology in the field of solid's thermometry. This work is a first technical approach with examples but not a conclusion because of the extreme mathematical and physical complexity of this study and the important quantity of data. [5.10 / - ]

733- gera: 67895/di/ra

**BETWEEN EAST AND WEST.** AKIRA IMAI. **North American Journal of Oriental Medicine.** 1995,2(3),20-1 (eng). ref:8  
[4.04 / - ]

734- gera: 71861/di/ra

**BETWEEN EAST AND WEST.** AKIRA IMAI. **North American Journal of Oriental Medicine.** 1995,2(3),20-21 (eng). ref:8  
[4.04 / inidologie- ]

735- gera: 109336/di/ra

**ESPACE , TEMPS ET FORCES FONDAMENTALES.** DR ANDRE LENTZ. **les Annales.** 1995,,39 (fra). ref:0  
[5.10 / - ]

736- gera: 109335/di/ra

**LA LOI DES CONTRASTES ET LA LOI DE SYMETRIE.** DR ANDRE LENTZ.. **les Annales.** 1995,,37 (fra). ref:0  
[5.10 / - ]

737- gera: 109337/di/ra

**VISION SPATIALE DE L'ENERGIE EN AURICULOMEDECINE.** DR ANDRE LENTZ.. **les Annales.** 1995,,51 (fra). ref:0  
[5.10 / - ]

738- gera: 109331/di/ra

**LES RISQUES ALLERGIQUES ET TOXIQUES DE L'UTILISATION DES METAUX EN BOUCHE.** DR CHANTAL VULLIEZ.. **les Annales.** 1995,,9 (fra). ref:0  
[5.10 / - ]

739- gera: 109334/di/ra

**INCIDENCE DE FREQUENCES DE L'ENVIRONNEMENT SUR NOTRE ORGANISME.** DR CHANTAL VULLIEZ. **les Annales.** 1995,,26 (fra). ref:0  
[5.10 / - ]

740- gera: 109333/di/ra

**L'UTILISATION DES DETECTEURS PONDERAUX.** DR J. NETLAND. **les Annales.** 1995,,21 (fra). ref:0  
[5.10 / - ]

741- gera: 109332/di/ra

**LA MEDECINE AURICULAIRE CROYANCE OU SCIENCE.** DR JOCELYNE BLANCHON.. **les annales.** 1995,,16 (fra). ref:0  
[5.10 / - ]

742- gera: 109330/di/ra

**LA DETECTION ELECTRIQUE EN AURICULOTHERAPIE.** DR YVES ROUXEVILLE., **les annales.** 1995,,5 (fra). ref:0  
[5.10 / - ]

743- gera: 24909/di/ra

**[PRELIMINARY STUDY ON REACTIONS OF AURICULAR POINTS IN PATIENTS WITH HEPATOLENTICULAR DEGENERATION].** HUIJUN Z. **chinese acupuncture and moxibustion.** 1995,15(5),39 (chi). ref:0  
[4.04 / 05.10- 10.10- ]

744- gera: 27801/di/ra

**SUPPLEMENTARY COMMENTS ON THE STANDARDIZATION OF AURICULAR POINTS.** LIQUN Z. **journal of traditional chinese medicine.** 1995,15(2),132-4 (eng). ref:0  
This paper is intended to supplement accurate descriptions concerning auricular point location and provide studies in establishing basic landmarks of the auricle. This paper mainly discusses the medial border of helix, antihelix peak, scapha groove, antihelix scapha border, cymba concha border of the antihelix, deltoid fossa border of the antihelix, cymba concha folding line, cymba concha border of the antitragus, upper line of ear lobe, and the anterior border of tragus.  
[5.10 / nomenclature- ]

745- gera: 109338/di/ra

**DESCENDING PROJECTIONS FROM THE FIRST THREE MYELOMÈRES.** LM GONZALO AND S. ROTINEN.. **les annales.** 1995,,59 (fra). ref:0  
[5.10 / - ]

746- gera: 23716/di/ra

**[CLINICAL VERIFICATION FOR PARAMETER APPARATUS OF ABDOMINAL DIAGNOSIS IN TCM].** QI W ET AL. **journal of tcm.** 1995,36(8),489 (chi\*). ref:0  
300 cases of cold syndrome were examined by abdominal diagnostic apparatus with the following results : the decreased temperature of the Mu point was increased; the drastic lowering of temperature at Zhongwan and Guanyuan points in cold syndrome were increased after treatment. Observation on 200 cases of abdominal flatulence revealed that the amplitude of displacement of abdominal wall by external force in excessive type flatulence was increased after treatment; while that in deficient type, increased by moderate and heavy forces, was decreased after treatment. These demonstrated that abdominal diagnostic apparatus possesses rather satisfactory clinical significance in detecting the temperature and degree of flatulence. [4.04 / temperature-mu- 4vc- 12vc- froid- ]

747- gera: 107388/di/re- num

**LA DETECTION ELECTRIQUE.** ROUXEVILLE Y. **cahiers de biotherapie.** 1995,133,75 (fra). ref:0  
[5.10 / - ]

748- gera: 66732/di/ra

**[PRELIMINARY STUDY ON THE RELATIONSHIP BETWEEN THE IMPLICATION OF INFANTILE FACIAL BLUE VEINS AND HYPOFUNCTION OF**

**BOTH THE SPLEEN AND THE LUNG].** SHI YUMIN ET AL. **liaoning journal of traditional chinese medicine.** 1995,22(7),289 (chi\*). ref:0

In a survey to 86 children with green colour tendons in face, various diseases were found in 81 of which, accounting for 94.2%. The majority was recurrent respiratory infection, asthma, anorexia. Most of the green colour tendons were found on the nose; next to it was in the bilateral temple regions. According to the Traditional Chinese Medicinal differentiation of symptoms and signs, the majority was attributed to deficiency of vital organ in lungs and spleen. In minority of patients, decreased lever of IgG and IgA was detected immunologically. However, quite a few patients showed elevated IgE level, suggesting of anaphylactic predisposition. CD3, CD4 and CD3 of T-cells subsets decreased markedly. Study on green colour tendons enriched the inspection of Pediatrics in traditional Chinese Medicine and provided a basis for appropriate measurement of prevention and treatment. [4.04 / - ]

749- gera: 78811/di/ra

**[STUDY ON ELECTRIC CONDUCTION CAPACITY OF PERICARDIUM MERIDIAN, HEART MERIDIAN AND YUAN ACUPOINTS IN DIAGNOSING HEART-QI INSUFFICIENCY].** TANG TIFAN ET AL. **hunan journal of tcm.** 1995,11(1),41 (chi). ref:0  
[4.04 / - ]

750- gera: 57437/di/ra

**[TWO BASIC FILTERS IN AURICULO MEDICINE].** VEENSTRA M. **acupunctuur.** 1995,18(5),21-6 (hol ). ref:0  
In this article, two filters of major importance - cerebellum and colliculus superior - are introduced. The cerebellum filter correlates with superficial emotional disorders, the colliculus superior filter with neglect. In most cases immediate treatment with acupuncture or auriculo therapy is not necessary. The filters are used to reveal more causal information. Disturbance of both systems is encountered in every disease. If, in case of neglect, the disturbances are excessive, they may develop into major psychiatric pathology with tendencies to schizoid personality disorders on the right side and psychopathic personality disorders on the left side. In this article I would like to present two basic filters one should use before continuing with the rest of auriculo examinations. The first one is the cerebellum filter. In electromagnetic terms, the cerebellum relates to the field situated closest to the body, at some centimetres' distance. This electromagnetic field is usually dominated by superficial and recent emotional tension. Treatment of these emotional reactions is not important in the long term. By simply placing this filter on the forehead, this information is faded out, thus enabling one to concentrate the examination on more serious matters. A further interesting aspect of using this filter is that, after the treatment is finished, it will reveal any major blocking of emotional stress. These reactions can be found by means of the Heinelamp in the border region around the ear. Apart from this examination, I always check the corresponding areas of the body, in this case the Ren Mai or Conception Vessel and the Du Mai or Governing Vessel. In both cases a positive RAC will be found within the blocked area by means of the Heine lamp. Because there is a possibility of multiple blockades, a filter glutamine should always be used to neutralise the first, second and, eventually, third blockade (glutamine is a free amino acid within the nervous system with a neurotransmitter function). The examination should start at the reflexion point of Du Mai 28, going from Du Mai 28 to Du Mai 1, and then from Ren Mai 25 to Ren Mai 1. Every positive RAC on this line should be neutralised until only a projection of Ren Mai 1 is found, symbolising basic anxiety. Treatment around the ear can be

done by means of needles on each of the locations, always using different colours on the left and right (so if you use silver on the right, then use gold on the left). Some times this cannot be done because of the fact that not only points, but entire areas are blocked. In that case only a gemstone can be used, selected in the same way one would select a homeopathic remedy. The stone concerned should compensate all reactions found when put in contact with the skin of the breast's region. This stone has to be carried next to the skin, during the daytime only, for 4.5 months. One should not forget to warn the patient of the possibility of emotional reactions occurring during the first days of carrying this stone. The second filter I would like to present is the colliculus superior filter, a part of the tectum mesencephali. First some neurological data. The data originate partly from studies of frogs, because the tectum mesencephali is a major part of their nervous system. Its function is mainly to attract attention, followed by inducing or inhibiting action. It has already been stated by Spague and Meikle in 1965, that in human beings the colliculus superior is a major sensory integration centre. Stimulation will cause arousal by projections of efferent fibres onto the mesencephalic reticular formation, and by projections onto Nucleus Amygdala, in which the Amygdala has to be considered the first step in the stress-regulating chain amygdalahippocampus-fornix-hypothalamus. Unilateral lesions of the colliculus superior cause a unilateral neglect syndrome, without further arousal reactions. This brings us to the essence of this subject. In every kind of disease, there is a certain degree of neglect. In electro-magnetic terms, this has to be seen as an isolation of a certain (any) area in the electromagnetic field (Dr. Nogier calls it "bulle"). This also means a loss of control within the area affected and a loss of normal "horizontal" interaction. The normal release of emotions in this area is therefore blocked, followed by a fixation of this blocked energy on the physical body (a "vertical" flow of energy), leading to physical complaints. For example, one can imagine a blocked expression of grief leading to a sore throat or neck ache. A situation known as camouflage depression. So much for the theoretical part of the colliculus superior. We will now proceed with this filter's practical use. Because of the multiple locations on the ear, of which an illustration (1) is given (the main location is under the tragus), it is easier to use the projection on the peripheral parts of the body. The points of these peripheral projections are on both hands (illustration 2). The following way of handling the filter has proven its practical usefulness. After putting the cerebellum filter on the head and correcting the oscillations, one proceeds with the magnetic detection hammer starting at the distal part of the hand going proximally until a positive RAC is obtained. This point marks the border of the colliculus's projection. With males, the north pole on the right side is used, and the south pole on the left hand. With females it is the other way around. Reactions extending towards elbow or even shoulder are very usual and are of no special significance. Putting the colliculus superior filter on the front is enough to continue with further examination. Besides that, projections may be found that extend from the hand forwards, for instance, the pelvis or even the knee or foot. These projections do have a special significance, of which the interpretation depends on if they occur either on the left or on the right side. In both cases, there is a lack of sense of reality besides the neglect. Basically it can be said, that those matters that are neglected, contain elements of an observation that causes too much anxiety or stress if neglected. When occurring on the right side, it also means a tendency to project the matters that are neglected. For example, neglected fears which develop into phobia or even paranoia and schizoid personality disorders. When occurring on the left side, they indicate a loss of modesty with a tendency towards

self-pity, jealousy, envy feelings of being misunderstood and even, in extreme cases, feelings of hatred, rancour and revenge. In this case the colliculus superior filter is also placed on the head, thus allowing the underlying pathology which was before neglected - and therefore hidden - to surface. Further investigation can follow its usual course. Finally, the frontal projection of the colliculus superior is shown (illustration 3). [5.10 / - ]

751- gera: 26794/di/ra

**[OBSERVATIONAL REPORT OF RELATIVITY OF EAR LOBE WRINKLES AND CORONARY HEART XIANGLIN W. china journal of traditional chinese medicine and pharmacy. 1995,10(5),25 (chi\*). ref:2**

By means of comparing ear lobe wrinkles of patients with coronary heart disease (136 cases) with that of non coronary heart disease (120 cases), we got the result : the former positive rate was 67. 6% and the latter's was 30%. The difference between these two groups ( $p < 0. 01$ ) was significant, and the positive rate of wrinkles was positively interrelated with coronary heart disease. [4.04 / lcp- 07.03- ]

752- gera: 55189/di/ra

**[QUANTITATIVE OBSERVATION IN CHANGES OF FACIAL COMPLEXION DURING FOUR SEASONS IN 102 NORMAL PERSONS]. CAI GUANGXIAN ET AL. journal of tcm. 1996,37(6),359 (chi). ref:2**

[4.04 / saison- ]

753- gera: 68144/nd/tt

**IRIDOLOGY: HEALTH ANALYSIS AND TREATMENT FROM THE IRIS OF THE EYE.**

COLTON J ET AL. **shaftesbury, element. 1996,,128P (eng). ref:2**

ISBN: 1 85230 880. [4.04 / - ]

754- gera: 57679/di/ra

**[BIOELECTRICAL MEASUREMENTS OF THE DISTAL JING ACUPOINTS ON 5 PEOPLE WITH DISTINGUISHED CAPACITIES]. (ABSTRACT)**

COVACI A. **revista romana de acupunctura. 1996,5(2),95 (eng ). ref:2**

[4.04 / - ]

755- gera: 57680/di/ra

**[BIOELECTRICAL MEASUREMENTS OF THE DISTAL JING ACUPOINTS ON MARITIME VOYAGE CONDITIONS]. (ABSTRACT) COVACI A. revista romana de acupunctura. 1996,5(2),96 (eng ). ref:0**

[4.04 / - ]

756- gera: 109314/di/ra

**DU PORT DES BIJOUX AU COURS DE L'EXAMEN EN AURICULOMEDECINE. DR I. L. VIGNERON. les annales. 1996,,57 (fra). ref:0**

Les techniques des deux systèmes ayant montré certaines limites, de nouveaux anneaux tests ont été mis au point pour les patients chez qui les techniques précédentes étaient insuffisantes. Celles-ci s'en trouvent sensiblement modifiées et viennent compléter les concepts de bases sans les remettre en cause. [5.10 / - ]

757- gera: 109311/di/ra

**L ' ETUDE DES FORCES ENERGETIQUES DU CORPS. DR I. NETLAND.. les annales. 1996,,29 (fra). ref:0**

[5.10 / - ]

758- gera: 109317/di/ra

**REPOSE DU DR LENTZ AU DR JULIENNE. DR A.**

- LENTZ. **les annales**. 1996,,78 (fra). ref:0  
[5.10 / - ]
- 759- gera: 109312/di/ra  
**LES DEUX SYSTEMES**. DR A. LENTZ.. **les annales**. 1996,,43 (fra\*). ref:0  
L ' etude de l ' oreille par le concept des deux systèmes, permet d'élargir notre vision tridimensionnelle de Yoreille en simplifiant notre représentation. Elle intègre l ' ensemble des éléments étudiés depuis des années. Elle permet de comprendre que deux systèmes sont en interactions tout en obéissant à des règles différentes. L'un que nous appelons circulant semble lié au fonctionnement des organes, Yautre nommé oscillant traduit l'adaptation. Au niveau des mesures, toute perturbation de l ' un entraîne des modifications de l ' autre Cette approche permet la mise au point de nouvelles techniques. [5.10 / - ]
- 760- gera: 109313/di/ra  
**TECHNIQUES DES QUATRES SYSTEMES**. DR A. LENTZ.. **les annales**. 1996,,54 (fra\*). ref:0  
[5.10 / - ]
- 761- gera: 109306/di/ra  
**L' AURICULOTHERAPIE**. DR B. BRICOT. **les annales**. 1996,,12 (fra). ref:0  
[5.10 / - ]
- 762- gera: 109316/di/ra  
**CONTROVERSE A PROPOS DE L'EXPOSE DU DR LENTZ LORS DU FORUM EN JUIN 96**. DR B. JULIENNE. **les annales**. 1996,,74 (fra). ref:0  
[5.10 / - ]
- 763- gera: 109320/di/ra  
**LA TELETHERMOMETRIE AURICULAIRE DYNAMIQUE**. DR M MARIGNAN. **les annales**. 1996,,93 (fra\*). ref:0  
[5.10 / - ]
- 764- gera: 109310/di/ra  
**QUESTIONS SUR LAURICULOMEDECINE**. DR Y. ROUXEUILLE. **les annales**. 1996,,26 (fra). ref:0  
[5.10 / - ]
- 765- gera: 109307/di/ra  
**APPROCHE DU DILEMME, CAUSE OU CONSEQUENCE EN ARICULOTHERAPIE ET EN AURICULOMEDECINE**. DR Y. ROUXEUILLE.. **les annales**. 1996,,16 (fra). ref:0  
[5.10 / - ]
- 766- gera: 109315/di/ra  
**TECHNIQUE DES FORCES FONDAMENTALES - OBSERVATIONS**. DRS A. DE LA BROUSSE ET B. FLORENTIN. **les annales**. 1996,,64 (fra). ref:0  
[5.10 / - ]
- 767- gera: 110842/di/tt  
**AURICULOTHERAPY. DIAGNOSIS AND TREATMENT**. HUANG LI-CHUN. **longevity press, bellaire**. 1996,,505P (eng). ref:0  
[5.10 / - ]
- 768- gera: 84694/di/ra  
**[CLINICAL OBSERVATION OF NEEDLING OTOPPOINTS WITH ELECTRICITY ON BLOOD-LIPOID AND HEMORHEOLOGICAL INDICES]**. JINPING Q ET AL. **shanghai journal of acupuncture and moxibustion**. 1996,15(1),6 (chi). ref:0  
[5.10 / - ]
- 769- gera: 85734/di/ra  
**COMMENTI SUPPLEMENTARI SULLA STANDARDIZZAZIONE DEI PUNTI AURICOLARI**. LIQUN Z. **rivista italiana di medicina tradizionale cinese**. 1996,64,74-6 (ita). ref:0  
Résumé à entrer. [5.10 / - ]
- 770- gera: 67546/di/ra  
**[FROM THE DEVELOPMENT OF NECK-DIAGNOSIS TO SPACE MEDICINE]**. MATSUOKA HAKUSEI. **chinese journal of integrated traditional and western medicine**. 1996,16(9),562 (chi). ref:0  
[4.04 / - ]
- 771- gera: 84282/di/ra  
**LES CINQ TEINTS**. NGUYEN VAN NGHI ET AL. **revue francaise de mtc**. 1996,169,15-29 (fra). ref:6  
[4.04 / - ]
- 772- gera: 48624/di/tt  
**AURICULAR-POINT-PRESSING THERAPY**. SHAN QIUHUA. **shandong science and technology press**. 1996,,236P (eng). ref:0  
[5.10 / - ]
- 773- gera: 86804/di/ra  
**[EXPERIMENTAL STUDY NO°2 ON RELATION BETWEEN EAR AND BODY : DYEING POSITION OF THORACO-LUNG POINTS ON AURICLE OF RABBIT WITH THE EXPERIMENTAL LEFT PLEURISY]**. ZHOU WENQI ET AL. **yunnan journal of tcm and materia medica**. 1996,17(6),39 (chi). ref:0  
[4.04 / - ]
- 774- gera: 56844/di/ra  
**CHANGES OF VISUAL FINDINGS, ELECTRIC FEATURES AND STAINING OF AURICLES IN MALIGNANT TUMOR PATIENTS**. ZHU DAN ET AL. **journal of tcm**. 1996,16(4),247-51 (eng). ref:0  
[4.04 / 05.05- lcp- 23.04- ]
- 775- gera: 68135/di/ra  
**RE: BUCHANAN TJ ET AL. AN INVESTIGATION OF THE RELATIONSHIP BETWEEN ANATOMICAL FEATURES IN THE IRIS AND SYSTEMIC DISEASE, WITH REFERENCE TO IRIDOLOGY. COMPL THERAP MED 1996; 4(2): 98-102. CARADONNA B. complementary therapies in medicine**. 1997,5(1),56-7 (eng). ref:0  
[4.04 / - ]
- 776- gera: 109372/di/ra  
**LES ALEAS DE LA RECHERCHE EN AURICULOMEDECINE**. DR A. LENTZ.. **les annales**. 1997,,63 (fra). ref:7  
[5.10 / - ]
- 777- gera: 109373/di/ra  
**LA REGULATION DES TRANSFERTS PAR L ' A.R.T.** DR A. LENTZ.. **les annales**. 1997,,66 (fra). ref:7  
[5.10 / - ]
- 778- gera: 109374/di/ra  
**L'ART ET LES TROIS SYSTEMES**. DR A. LENTZ.. **les annales**. 1997,,72 (fra). ref:7  
[5.10 / - ]
- 779- gera: 109375/di/ra

**LE CORTEX ET LES TRANSFERTS.** DR A. LENTZ..  
**les annales.** 1997,,79 (fra). ref:7  
[5.10 / - ]

780- gera: 109365/di/ra  
**NEUROPHYSIOLOGIE DU CONTROLE  
ALIMENTAIRE ET AURICULOTHERAPIE.** DR D.  
ALIMI.. **les annales.** 1997,,24 (fra). ref:7  
[5.10 / - ]

781- gera: 109371/di/ra  
**LANGAGE TERNAIRE DU POULS RADIAL.** DR J C  
TOURENG.. **les annales.** 1997,,53 (fra). ref:7  
[5.10 / - ]

782- gera: 109376/di/ra  
**L'EFFET D'UNE PRISE DE TERRE.** DR J NETLAND..  
**les annales.** 1997,,116 (fra). ref:7  
[5.10 / - ]

783- gera: 109370/di/ra  
**LE SYSTEME DU FILTRE TESTEUR.** DR JL.  
VIGNERON.. **les annales.** 1997,,45 (fra). ref:7  
[5.10 / - ]

784- gera: 109369/di/ra  
**L' AURICULOMEDECINE, « ENERGETIQUE » OU «  
SCIENTIFIQUE » ?.** DR Y ROUXEVILLE.. **les annales.**  
1997,,16 (fra). ref:7  
[5.10 / - ]

785- gera: 56763/di/ra  
**[STUDY ON DISTRIBUTION LAWS OF AURICULAR  
ACUPOINTS BASED ON THE PRINCIPLE OF  
EMBRYO CONTAINING THE INFORMATION OF  
THE WHOLE ORGANISM].** DU CHANGHUA. **chinese  
acupuncture and moxibustion.** 1997,17(5),308 (chi). ref:7  
[5.10 / - ]

786- gera: 68157/di/ra  
**LOOKING FOR GALL BLADDER DISEASE IN THE  
PATIENT'S IRIS (ABSTRACT).** KNIPSCHILD P.  
**complementary therapies in medicine.** 1997,5(1),69 (eng).  
ref:7  
[4.04 / - ]

787- gera: 55716/di/ra  
**LES BOUCLES D'OREILLE A EFFET  
D'ACUPUNCTURE.** LIBERT F. **tao yin.** 1997,2,66-7 (fra).  
ref:7  
[5.10 / - ]

788- gera: 69023/di/ra  
**[INVESTIGATION ON CHANGES OF ELECTRIC  
RESISTANCE ON FIVE SHU POINTS IN  
TRADITIONAL TWELVE TWO-HOUR PERIODS].**  
LIU YUSHU ET AL. **chinese acupuncture and  
moxibustion.** 1997,17(7),401 (chi). ref:0  
[4.04 / - ]

789- gera: 56708/di/ra  
**[MEASUREMENT AND PRELIMINARY ANALYSIS  
OF ELECTRIC CONDUCTANCE ON AURICULAR  
SKIN IN THE MACAQUE].** XI JUNFENG ET AL.  
**chinese acupuncture and moxibustion.** 1997,17(2),111  
(chi). ref:0  
[5.10 / eaa- 02.06- resistance- 04.04- singe- ]

790- gera: 57933/di/ra  
**ORGAN REPRESENTATION OF THE EAR AND**

**TREATMENT OF INCURABLE ILLNESS.  
(ABSTRACT) YOKOUCHI M ET AL. acupuncture and  
electrotherapeutics research.** 1997,22(3/4),245 (eng ). ref:0  
[5.10 / - ]

791- gera: 56934/di/ra  
**[STUDY ON CHANGES OF VOLUME OF BLOOD  
FLOW IN NORMAL FACIAL COMPLEXION IN  
HEALTH** YUAN ZHAOKAI ET AL. **journal of tcm.**  
1997,38(1),43 (chi). ref:0  
[4.04 / - ]

792- gera: 69022/di/ra  
**[STUDY ON CAPACITANCE TIME-VARYING  
CHARACTERISTICS OF HUMAN AURICULAR  
POINTS].** ZHONG YUANMING ET AL. **chinese  
acupuncture and moxibustion.** 1997,17(7),399 (chi\*). ref:0  
Relation of capacitance on auricular points to time variation  
within 10 seconds was investigated by a computer-detection  
system in 28 cases of cholelithiasis and 15 normal humans.  
Results indicated that there was no significant difference  
( $P>0.05$ ) in the capacitance time variation among auricular  
points and between the two groups. The time-variable of  
capacitance on auricular points can not be used for  
differentiation between auricular points, and between  
pathological changes. Thus, when capacitance of auricular  
points is determined with dynamic method, the capacitance  
time-varying characteristic may not be considered at low  
voltage and frequency. The results have an important  
significance for overall understanding of non-linearity of  
electric characteristics of auricular points and development of  
traditional acupuncture sciences of TCM. [4.04 / - ]

793- gera: 55861/di/ra  
**THE EFFECT OF SYMPATHETIC NERVE AND  
ADRENAL ON THE VISCERA-AURICULO-  
ACUPOINT** ZHU YUANGEN ET AL. **world journal of  
acupuncture-moxibustion.** 1997,7(2),35-41 (eng). ref:0  
Résumé à entrer. [4.04 / - ]

794- gera: 72990/di/ra  
**RELACION DIENTES/MUELAS CON EL RESTO  
DEL CUERPO.** CASAL R. **su-jok.** 1998,10,3-4 (esp).  
ref:11  
[4.04 / - ]

795- gera: 109360/di/ra  
**EXAMEN AURICULAIRE EN VUE DE  
L'EVALUATION DIAGNOSTIQUE ET  
THERAPEUTIQUE.** DR A. BOEHLER.. **les annales.**  
1998,,77 (fra). ref:11  
[5.10 / - ]

796- gera: 109354/di/ra  
**TECHNIQUE RED/REG.** DR A. LENTZ.. **les annales.**  
1998,,25 (fra). ref:11  
[5.10 / - ]

797- gera: 109355/di/ra  
**L'ANNEAU-TEST REGULATEUR.** DR A. LENTZ.. **les  
annales.** 1998,,28 (fra). ref:11  
[5.10 / - ]

798- gera: 109356/di/ra  
**LE SIGNAL DU POULS ET SA CAPACITE  
INFORMATIQUE.** DR J NETLAND.. **les annales.**  
1998,,35 (fra). ref:11  
[5.10 / - ]

799- gera: 109359/di/ra

- LE REFUS DE GUERIR EN AURICULOMEDECINE.**  
DR J. L. VIGNERON.. *les annales*. 1998,,72 (fra). ref:11  
[5.10 / - ]
- 800- gera: 109352/di/ra  
**UTILISATION CORPORELLE DES CHAMPS  
MAGNETIQUES ET ELECTROMAGNETIQUES  
POLARISES.** DR Y ROUXEVILLE.. *les annales*. 1998,,16  
(fra). ref:11  
[5.10 / - ]
- 801- gera: 109353/di/ra  
**MISE A JOUR DES LOCALISATIONS  
ECTODERMiques EN PHASE 1, PHASE 2, ET  
PHASE 3.** DRS B. JULIENNE, A. MALLARD.. *les  
annales*. 1998,,19 (fra). ref:11  
[5.10 / - ]
- 802- gera: 109357/di/ra  
**ALLERGIES, INTOLERANCE ET TOXICITE  
ALIMENTAIRES.** DRS B. JULIENNE, A. MALLARD..  
*les annales*. 1998,,41 (fra). ref:11  
[5.10 / - ]
- 803- gera: 109358/di/ra  
**RELATION AURICULOMEDECINE -  
ACUPUNCTURE.** DRS B. JULIENNE, A. MALLARD..  
*les annales*. 1998,,54 (fra). ref:11  
[5.10 / - ]
- 804- gera: 109361/di/ra  
**AMELIORER LE COHERENCE EN UTILISANT LES  
ANNEAUX-TESTS GTP ET ARGinine.** M.  
VEENSTRA.. *les annales*. 1998,,81 (fra). ref:11  
[5.10 / - ]
- 805- gera: 69013/di/cg  
**AURICULOTHERAPIE ET THERMOGRAPHIE  
DYNAMIQUE NUMERISEE DU PAVILLON DE  
L'OREILLE: VERS UNE PREUVE SCIENTIFIQUE.**  
MARIGNAN M ET AL. *in actes du 2eme congres national  
de la faformec, nimes*. 1998,,141-54 (fra). ref:11  
Ce travail est le fruit d'un long programme de recherche  
scientifique ayant pour but de valider l'hypothèse selon  
laquelle il est possible d'identifier à la surface de l'oreille des  
variations fines de température en réponse à divers  
changements de situation physiologiques ou à certaines  
stimulations physiologiques ou non. Les résultats mettent  
effectivement en évidence de nettes réponses thermiques  
localisées sur le pavillon de l'oreille à la simple ouverture des  
yeux, ou en réponse à un influx nociceptif périphérique,  
confirmant ainsi l'hypothèse formulée. Ce travail valide et  
élargit le champ de l'auriculothérapie et de  
l'auriculomédecine. [4.04 / - ]
- 806- gera: 69021/di/cg  
**COMMISSION "ACUPUNCTURE AURICULAIRE".**  
ROUXEVILLE Y. *in actes du 2eme congres national de la  
faformec, nimes*. 1998,,245 (fra). ref:18  
Le Docteur Yves Rouxeville, responsable au sein de la  
F.A.F.O.R.M.E.C, de la commission "Acupuncture  
Auriculaire", nous fait part dans ces quelques pages, de  
l'organisation et de l'avancement des travaux de cette  
commission. [5.10 / - ]
- 807- gera: 72991/di/ra  
**DIAGNOSTICO POR MORFOLOGIA.** SANZ A. *su-jok*.  
1998,10,13-9 (esp). ref:18  
[4.04 / - ]
- 808- gera: 69217/di/ra  
**ACUPUNCTURE POINT SEQUENCES: CLINICAL  
INSIGHTS ON DISEASE PROGRESSION.** VAN  
BENSCHOTEN MM. *american journal of acupuncture*.  
1998,26(2-3),151-161 (eng). ref:18  
Clinical measurements of acupuncture point biophoton  
emission reveals common sequences of points related to  
progression and interaction of pathogenic factors. The  
majority of cases diagnosed by this method exhibit  
pathologic changes in four to six channels as opposed to  
classical single channel/organ syndromes. These observations  
assist our understanding of disease progression, and the  
multifactorial nature of chronic illness. [4.04 / - ]
- 809- gera: 67178/di/ra  
**LECTURES ON ACUPUNCTURE - PART I:  
FUNDAMENTALS OF ACUPUNCTURE AND  
MOXIBUSTION (LECTURE TWELVE -  
ACUPUNCTURE TECHNIQUES).** WANG SHAORONG  
ET AL. *world journal of acupuncture-moxibustion*.  
1998,8(4),54-61 (eng). ref:19  
[5.10 / - ]
- 810- gera: 67276/di/ra  
**[BODY SURFACE POTENTIAL OF AURICULAR  
POINTS IN THE HUMAN BODY].** ZHU BING ET AL.  
*chinese acupuncture and moxibustion*. 1998,18(3),153  
(chi). ref:19  
Voir traduction espagnole de: Ener Qi, 1998; 3: 14-19. Réf  
gera: [73299]. [5.10 / pe- ]
- 811- gera: 73622/di/ra  
**PUNTI AURICOLARI SENSIBILI IN CORSO DI  
PATOLOGIA ALLERGICA: RISULTATI SU  
SESSANTA OSSERVAZIONI.** DI STANISLAO C. *rivista  
italiana di agopuntura*. 1999,20(96),98-02 (ita\*). ref:19  
60 patients with respiratory allergic disease are testate far  
auricular sensibility, with electrical and mechanical  
instrument. This article analyse the results. [4.04 / 22.02- ]
- 812- gera: 58967/di/ra  
**[CHARACTERISTICS OF PROFESSOR YANG  
ZAOMIN'S EAR NEEDLING METHOD].** DONG QIN  
ET AL. *chinese acupuncture and moxibustion*.  
1999,19(4),239 (chi). ref:10  
[5.10 / - ]
- 813- gera: 72704/di/ra  
**CLINICAL APPLICATION OF MODEL CLRH\_A  
AURICULAR POINT DETECTOR.** DONG QIN ET AL.  
*word journal of acupuncture-moxibustion*. 1999,9(4),8-2  
(eng). ref:  
In this study, we have observed the conditions of clinical  
application of Model CLRHA Auricular Point Detector from  
the aspects of accessory diagnosis and effective comparison  
of acupuncture at positive point and non-positive point. The  
preliminary results show that using this device to seek  
reaction point is quick and reliable, the coincidence rate of  
diagnosis is higher (76. 77 %); the index is objective. It can  
effectively direct doctors to select acupoints correctly for  
treatment, resulting in improving the therapeutic effect. The  
results of contrastive observation show that the therapeutic  
effect of positive point group is much better than that of non-  
positive point group (P<0.001). This instrument has  
following characteristics, i. e. it is simple, safe, small and  
exquisite to be portable, and economic. It is more suitable to  
the clinical needs, possessing a higher practical value. [5.10 /  
04.04- ]
- 814- gera: 109347/di/ra



**LES FILTRES ET LES FONCTIONS**

**PHYSIOLOGIQUES.** DR ALAIN BRICARD.. *les annales.* 1999,,66 (fra). ref:  
[5.10 / - ]

815- gera: 109342/di/ra

**COMPARAISON D'EFFICACITE CLINIQUE ENTRE LA CARTOGRAPHIE DE NOGIER ET LA CARTOGRAPHIE EIPN 1997.** DR BERNARD LECLERC.. *les annales.* 1999,,11 (fra). ref:  
[5.10 / - ]

816- gera: 109344/di/ra

**L' AURICULOMEDECINE, ET LES COULEURS.** DR JEAN-LUC VIGNERON.. *les annales.* 1999,,51 (fra). ref:  
[5.10 / - ]

817- gera: 109345/di/ra

**QUESTIONS D'ACTUALITE PROFESSIONNELLE.** DR YVES ROUXEVILLE.. *les annales.* 1999,,59 (fra). ref:  
[5.10 / - ]

818- gera: 109346/di/ra

**ENQUETE SUR LES PRATIQUES ET L'OPINION DES MEDECINS PRATIQUANT L'ACUPUNCTURE AURICULAIRE, EN FRANCE, EN 1999. (COLLEGE D'ACUPUNCTURE AURICULAIRE DE LA F.A.FOR.ME.C.)** DR YVES ROUXEVILLE.. *les annales.* 1999,,62 (fra). ref:  
[5.10 / - ]

819- gera: 109343/di/ra

**LES DIFFERENTES REPRESENTATIONS REFLEXES DU CORPS SUR L'OREILLE.** DR. BERNARD JULIENNE-MR ALAIN MALLARD.. *les annales.* 1999,,15 (fra). ref:  
[5.10 / - ]

820- gera: 59958/di/ra

**ZERO POINT: A CRITICAL ASSESSMENT THROUGH ADVANCED AURICULAR THERAPY.** FRANK BL ET AL. *medical acupuncture.* 1999,11(1),13-5 (eng ). ref:

Zero Point is situated at the junction of the conchal ridge and the root of the ascending helix. It is one of the most recognized auricular points and is used in the treatment of many ailments. Zero Point is thought to have a powerful influence in treating various conditions including pain, sedation, addiction treatment, and inflammation. While Zero Point is universally recognized in the auricular acupuncture world, it is not associated with any specific organ. It was derived from observations of functional effects, not necessarily with respect to the body's anatomy. However, the Nogier French auricular system has developed with anatomical and embryological understanding and consistency with respect to localizations of the points or zones. Through this understanding, the physician will more completely comprehend the patient's pathophysiology and may experience better clinical results through proper stimulation of auricular zones. [5.10 / - ]

821- gera: 72738/di/ra

**SHEN MEN : A CRITICAL ASSESSMENT THROUGH ADVANCED AURICULAR THERAPY.** FRANK BRYAN L ET AL. *medical acupuncture.* 1999,10(2),17-9 (eng). ref:13

Shen Men, or the Chinese "heavenly gate" point on the ear, is situated at the apex of the triangular fossa. It is one of the most recognised auricular points, and is used in the treatment of most ailments. Shen Men is known to have a powerful

influence in treating various conditions, including pain, sedation, addiction treatment, and inflammation. While Shen Men is universally recognised in the auricular acupuncture world, it is not associated with any specific organ; the Chinese auricular points were derived from observation of functional effects, and not necessarily with respect to organs and anatomy. The Nogier French auricular system, however, was developed with anatomic and embryological consistency to localisation's of the points or zones. Through understanding the anatomic and embryological characteristics of an auricular zone, the physician will more completely understand the patient's pathophysiology and generally experience more enduring clinical results in treatment of these auricular zones. [5.10 / - ]

822- gera: 110843/di/tt

**AURICULAR DIAGNOSIS WITH COLOR PHOTOS.** HUANG LI-CHUN. *longevity press, bellaire.* 1999,,143P (eng). ref:12  
[5.10 / - ]

823- gera: 59996/di/ra

**EAR ACUPUNCTURE AND EYE ACUPUNCTURE.** JI XIAO-PING. *international journal of clinical acupuncture.* 1999,10(3),341-2 (eng ). ref:12  
[5.10 / oculo- ]

824- gera: 59157/di/ra

**[THREE SAMPLES FOR CLINICAL APPLICATION OF PRICKING BLOOD THERAPY AT THE AURICLE].** JIANG YUNWU ET AL. *chinese acupuncture and moxibustion.* 1999,19(7),423 (chi ). ref:  
[5.10 / 05.08- ]

825- gera: 71752/di/ra

**THE TECHNICAL AND NEUROCHEMICAL BAES OF THE "KIMSTIM" AURICULAR ACUPUNCTURE. ABSTRACT.** KI HO KIM ET AL. *acupuncture and electro-therapeutics research.* 1999,24(3-4),244 (eng). ref:  
[5.10 / - ]

826- gera: 72304/di/cg

**ACUPUNCTURE AURICULAIRE ET DOULEURS VERTEBRALES.** MARGNAN M. *in actes du iiieme congres de la faformec, paris.* 1999,,1-13 (fra\*). ref:  
L'approche théorique et la prise en charge en pratique quotidienne des douleurs vertébrales fonctionnelles par l'acupuncture auriculaire, technique complémentaire d'une grande efficacité, ne font pas appel aux connaissances de la Médecine Traditionnelle chinoise. En effet, l'acupuncture auriculaire n'a été introduite en Chine par le Docteur Paul NOGIER que dans les années 1958 (1). Ce travail très pratique, présente les différentes techniques modernes de prise en charge de cette pathologie, telles qu'elles ont été développées au sein de l'E.I.P.N. (Ecole Internationale Paul Nogier) par le docteur Nogier lui-même et ses élèves. [5.10 / - ]

827- gera: 70454/di/tt

**EL DESAFIO DE LA AURICULOTERAPIA. EL HOMBRE REFLEJADO EN SU OREJA.** MARTINEZ FIGUERO V. *mandala ediciones, madrid.* 1999,,196P (esp). ref:  
[5.10 / - ]

828- gera: 72309/di/cg

**RAPPORT D'ACTIVITES 1999 DU COLLEGE D'ACUPUNCTURE AURICULAIRE DE LA FAFORMEC.** ROUXEVILLE Y. *in actes du iiieme congres de la faformec, paris.* 1999,,1 (fra\*). ref:31

En un an, le Collège d'Acupuncture auriculaire s'est structuré, de façon souple et interactive. La journée de consensus du 28 janvier 1999 a permis de définir les objectifs. Ses Actes ont été publiés. Il a été créé sur Bordeaux un enseignement modernisé, en partenariat entre le G.L.E.M. et la S. AA. Trois études sur le matériel spécifique ont été diligentées. Une étude de satisfaction a été lancée à l'automne [5.10 / - ]

829- gera: 70931/nd/re

**AURICULAR ACUPUNCTURE AND AURICULAR MEDICINE.** SOLIMAN N ET AL. **phys med rehabil clin n am.** 1999,10(3),547-54 (eng). ref:31

Auricular acupuncture is a treatment system based on normalizing the body's pain and dysfunction through stimulation of points on the ear. Resulting amelioration of pain and illness is believed to be through the reticular formation through the sympathetic and parasympathetic nervous systems. Scalp acupuncture is one of the newest systems of microacupuncture therapy and anesthesia developed in the People's Republic of China; here the needle is inserted and stimulated in the areas directly above the corresponding nerve center. Hand acupuncture is a recently developed type of microreflex system that can be used exclusively or in addition to body acupuncture. Hand acupuncture is indicated to treat all ailments for which acupuncture is traditionally recommended. [5.10 / - ]

830- gera: 73679/di/ra

**[(THE AURICULO-ACUPOINT DIAGNOSIS AND ITS DEVELOPMENT)].** WANG HONGZHENG. **chinese journal of integrated traditional and western medicine.** 1999,19(5),317 (chi). ref:31 [4.04 / rg- ]

831- gera: 59156/di/ra

**[IMAGOLOGICAL OBSERVATION ON SPECIFICITY OF AURICULAR DAN POINT].** WANG YINPING ET AL. **chinese acupuncture and moxibustion.** 1999,19(7),421 (chi ). ref:31 [5.10 / specificite- 11.10- ]

832- gera: 75690/di/ra

**[PROSPECTIVE CONTROLLED STUDY FOR HEALTH STATE OF 100 INFANTS WITH VENULAE ON FACE].** WANG YONGHONG ET AL. **liaoning journal of tcm.** 1999,26(1),12 (chi\*). ref:

We conducted a prospective controlled study for health state of 100 infants with venulae on face, The results demonstrated that incidence of acute upper respiratory in fictions and acute bronchitis in infants with venulae on face was higher than that in controlled group ( $P < 0.05$ ), there was no significant difference in aspect of diarrhea, anorexia, anaemia, rickets and growth ( $P > 0.05$ ). We concluded that infants with venulae on face are apt to suffer from respiratory infection, but their growth is not affected. [4.04 / 09.09- 12.02- 10.07- facio- 17.07- 23.11- ]

833- gera: 59172/di/ra

**[STUDY ON ELECTRICAL CHARACTERISTICS OF AURICULAR POINTS].** ZHU BING ET AL. **chinese acupuncture and moxibustion.** 1999,19(6),355 (chi\*). ref:

The paper presents achievements of study on electrical characteristics of auricular points in recent years. Main studies include kinds, specificity, and mathematical and physical models of electrical characteristics of auricular points, specificity of auricular points reflecting pathological changes, and non-linear specificity, measure and clinical application methods of auricular points, and so on, which enrich in basic theory and methods of study on auricular

points from many aspects. [4.04 / rg- resistance- ]

834- gera: 109890/di/cg

**SOINS TRADITIONNELS PAR LE PAVILLON DE L'OREILLE EN TUNISIE..** ALI FARAH M. (TUNISIE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,52 (fra). ref: [5.10 / - ]

835- gera: 109906/di/cg

**EFFECTS OF THE TACTILE BILATERAL STIMULATION « (TAPPING) » ON THE PAINFUL AURICULAR POINT AND THE PAINFUL DERMATOME ..** ASIS D, ET AL (ARGENTINE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,107 (fra). ref: [5.10 / - ]

836- gera: 109898/di/cg

**CLASSICAL ENERGY IN ACUPUNCTURE AND AURICULAR MEDICINE..** BAHR F. (ALLEMAGNE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,90 (fra). ref: [5.10 / - ]

837- gera: 109879/di/cg

**ANATOMIE COMPAREE DE L'OREILLE EXTERNE..** BOSSY J. (FRANCE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,10 (fra\*). ref:

Auricula, is the outer manifestation of hearing. It appears as a distinctive appendix for Mammals living in the air. The lobule only exists in Man. 'The auricula size and movements are related to head mobility, prevalence of hearing and various other factors. Its role consists in the concentration of the sounds to the external acoustic meatus ; and then it allows to localize the sound origin talking the place of a deficient vision, particularly in Bat, Mole and Dolphin. Aesthetic adornment the auricle participates to facial expression of many Mammals ; and it is supposed to play some part in sexuality. This organ interferes also in individual protection against climatic conditions, heat and predators. [5.10 / - ]

838- gera: 74007/di/ra

**NONLINEAR RESISTANCE OF EAR POINTS.** CHEN GONG-SUN ET AL. **international journal of clinical acupuncture.** 2000,11(3),187 (eng). ref:

Three kinds of electrical characteristics of ear points are studied: time-variable resistance, current and voltage-related variable resistance, and frequency-related variable resistance. It is hoped that the nature of acupoints may thus be [4.04 / 05.10- resistance- ]

839- gera: 109892/di/cg

**WHERE DO YOU BELONG TO, AURICULOTHERAPY ?.** DEBEF J. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,54 (fra). ref: [5.10 / - ]

840- gera: 109380/di/ra

**CETTE MERVEILLEUSE LIGNE DES SONS.** DR BERNARD LECLERC. **les annales.** 2000,,33 (fra). ref: [5.10 / - ]

841- gera: 109379/di/ra

**ENQUETE SUR J'AURICULOTHERAPIE EN CABINET DE VILLE. SONDAGE GRANDEUR NATURE.** DR BERNARD LECLERC.. **les annales.**

2000,,27 (fra). ref:  
[5.10 / - ]

842- gera: 109378/di/ra  
**L' AUDIOMUSICOTHERAPIE DANS LES TROUBLES DE LA MEMOIRE LES DIFFICULTES D'APPRENTISSAGE SCOLAIRES, LES PROBLEMES DE COMMUNICATION.** DR DANIELLE LEVY.. **les annales.** 2000,,18 (fra). ref:  
[5.10 / - ]

843- gera: 109928/di/cg  
**DIE AURICULOMEDIZINISCHE THERAPIE BEI PSYCHOPATHOLOGISCHEN STORUNGEN AM BEISPIEL DER PATIENTIN K.J..** GORIS J. (ALLEMAGNE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,173 (fra). ref:  
[5.10 / - ]

844- gera: 109923/di/cg  
**SCIENTIFIC RESEARCH METHODOLOGY FOR PSYCHOAFFECTIVE DISORDERS : A FOCUS ON THE INTEGRATION OF AURICULAR MEDICINE AND SOCIONOMY..** HELENA DE SABOYA RIQUET S.. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,164 (fra). ref:  
[5.10 / - ]

845- gera: 72366/di/ra  
**ABDDOMINAL DIAAGNOSSIS IN ORIENTAL MEDICINE (ACUPUNCTURE) PART 3.** HIROMI MATSUMOTO. **north american journal of oriental medicine.** 2000,7(19),7-11 (eng). ref:  
[4.04 / - ]

846- gera: 109924/di/cg  
**GRADUATE COURSE IN AURICULAR MEDICINE AND AURICULAR THERAPY. A SOCIONOMIC PROPOSAL..** JOSEFA GRANJA COSTA W. (BRESIL).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,165 (fra). ref:  
[5.10 / - ]

847- gera: 109937/di/cg  
**LES REPRESENTATIONS REFLEXES AURICULAIRES ET PERIAURICULAIRES ETUDIEES PAR LEURS CORRESPONDANCES FREQUENTIELLES, AU MOYEN DU GIR 30, GIRLASE ET DES COULEURS KODAK WRATTEN..** JULIENNE B ET MALLARD A. (DIPLOME ECOLE PAUL. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,195 (fra). ref:  
[5.10 / - ]

848- gera: 109896/di/cg  
**IMPORTANCE PRATIQUE DES LOCALISATIONS NEUROLOGIQUES DU PAVILLON DE L'OREILLE..** KLOWERSA R. (ALLEMAGNE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,83 (fra). ref:  
[5.10 / - ]

849- gera: 74113/di/ra  
**DIE FOSSA TRIANGULARIS DES OHRES,EINE TERRA INCOGNITA?.** KUNKEL C. **akupunktur theorie und praxis.** 2000,28(3),140 (deu). ref:  
[5.10 / - ]

850- gera: 109911/di/cg  
**LA SENSATION PROPAGEE : NOUVELLE FRONTIERE POUR L' AURICULOTHERAPIE..** LA FERLA D, ROMOLI M. (ITALIE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,129 (fra\*). ref:

According to Chinese traditional acupuncture the efficacy of treatment is closely related to the acupuncture sensation ("deqi" or "propagated sensation along channel" PSC). Even auricular stimulation is able to produce PSC. In 2 groups of patients with musculoskeletal disorders we got a percentage of the phenomenon in 22% and 23.8%. We reported on a dermatomeric chart the topography of PSC and studied the qualitative characters of the sensation felt by the patient taking inspiration from Vincent's article. [5.10 / - ]

851- gera: 93758/di/ra  
**[THE SUMMARY OF 80 CASES OF MOTH-PATCH TREATED BY EAR POINTS PRESSED BY MAGNETS].** LIU JIANMEI ET AL. **gansu journal of tcm.** 2000,13(3),43 (chi). ref:  
[5.10 / - ]

852- gera: 109893/di/cg  
**NAVACH' S AURICULOMEDICINE DISCOVERIES AND BEYOND.** M ACKERMAN J (USA).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,66 (fra\*). ref:  
Joseph H. Navach, M.D. added several practical approaches to Auriculo Medicine: 1.) a Prognostic System; 2.) discovery and use of brain Phases IV-X ; 3.) Wrattan diagnostic combinations; 4.) serum chemistries, foods and inhibition of healing; 5.) rapid avoidance of all Obstacles; 6.) a Timed Therapeutic Window re: nutritional supplements, medications, herbs, homeopathy, etc; 7.) discovery of special novel neurohormones re: RNA and healing. Workshop will follow. [5.10 / - ]

853- gera: 109884/di/cg  
**LE VAS ENFIN ELUCIDE ? NOUVELLE METHODOLOGIE MATHEMATIQUE DE TRAITEMENT AVANCE DU SIGNAL..** MARIIGNAN M ET AL. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,187 (fra). ref:  
[5.10 / - ]

854- gera: 109917/di/cg  
**UNE ETUDE EN DOUBLE AVEUGLE SUR LE SIGNAL DU POULS..** NETLAND J. (NORVEGE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,150 (fra). ref:  
[5.10 / - ]

855- gera: 109891/di/cg  
**TREATMENT OUTCOME STUDIES IN AURICULOTHERAPY..** OLESON T. (USA).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,53 (fra). ref:  
[5.10 / - ]

856- gera: 109916/di/cg  
**ENREGISTREMENT EN TEMPS REEL "ON LINE" DU VAS. PREMIERE APPLICATION AUTOMATIQUE POUR LA DETERMINATION DU REMEDE HOMEOPATHIQUE..** PAGANO M. (ITALIE).. **iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,140 (fra). ref:  
[5.10 / - ]

- 857- gera: 109930/di/cg  
**"STIMULATION OF THE RETICULAR FORMATION IN AURICULOTHERAPY FOR THE TREATMENT OF CRANIAL -MANDIBULAR TROUBLES" .. PANAREO M (ITALIE).. iiieme symposium international d ' auriculotherapie et d' auriculomedicine.** 2000,,176 (fra). ref:  
 [5.10 / - ]
- 858- gera: 109377/di/ra  
**CORPS PERDU CORPS RETROUVE.** PAUL MONNIER.. *les annales.* 2000,,12 (fra). ref:  
 [5.10 / - ]
- 859- gera: 109889/di/cg  
**HISTORIQUE ET SITUATION DE L' ACUPUNCTURE AURICULAIRE EN FRANCE EN 2000..** ROUXEVILLE Y. (FRANCE).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,49 (fra). ref:  
 [5.10 / - ]
- 860- gera: 109888/di/cg  
**L'ETUDE DES REACTIONS DE LA CARTE TOPOGRAPHIQUE ELECTROMETRIQUE DU PAVILLON D'OREILLE LORS DE L' ACTION SUR LE « POINT ZERO » DES AIGUILLES DE METAUX DIFFERENTS..** SAPOJNIKOVA E. (RUSSIE).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,46 (fra). ref:  
 [5.10 / - ]
- 861- gera: 109895/di/cg  
**METROLOGICAL STANDARDISATION OF PULSE DIAGNOSTICS METHODS : BY MEANS OF A NEW LASER- ELECTRONIC PULSE SENSOR, VAS RESEARCH AND CLASSIFICATION OF OBSERVABLE PULSE SERGUEITIMOSCHEVSKI.** (OUBKISTAN).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,77 (fra). ref:  
 [5.10 / - ]
- 862- gera: 109925/di/cg  
**LA REFLESSOLOGIA EMOZIONALE NELLA PRATICA MEDICA E PSICOTERAPICA : UN NUOVO APPROCCIO ALL' AURICOLOTERAPIA..** SPONZILLI O. (ITALIE).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,167 (fra). ref:  
 [5.10 / - ]
- 863- gera: 76969/di/ra  
**[GUAN ZUNXIN'S CHARACTERISTICS IN DIAGNOSIS WITH AURICULAR INSPECTION].** TANG XINOYUN.. *chinese acupuncture and moxibustion.* 2000,20(11),675 (chi). ref:  
 [4.04 / - ]
- 864- gera: 109905/di/cg  
**PAIN AND CHAKRA'S ; PATHOLOGICAL POINTS AND SATELLITES..** VAN GELDER A.F(HOLLANDE).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,104 (fra). ref:  
 [5.10 / - ]
- 865- gera: 109922/di/cg  
**THE DYNAMICS OF A POLAROID FILTER..** VEENSTRA M. (HOLLANDE).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,161 (fra). ref:  
 [5.10 / - ]
- 866- gera: 109894/di/cg  
**LE SYSTEME D'INFORMATION ET DE DIAGNOSTIC AURICULAIRE ASSISTE PAR ORDINATEUR "ACUS" QUATRE ANS DE DEVELOPPEMENT..** VICHNIAKOVA L. (OUBKISTAN).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,73 (fra). ref:  
 [5.10 / - ]
- 867- gera: 109927/di/cg  
**AURICULOMEDECINE ET HYPNOSE..** VIGNERON JL. (FRANCE).. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,169 (fra). ref:  
 [5.10 / - ]
- 868- gera: 89227/di/ra  
**[THE RELATION OF DARK SPOT OF INFANT EYE BALL AND PARASITE].** WANG SHI ET AL. *acta chinese medicine and pharmacology.* 2000,28(6),30 (chi). ref:  
 [4.04 / - ]
- 869- gera: 109921/di/cg  
**UNIVERSAL HOLOGRAPHIC CHRONOPATHY : AN APPROACH TOWARDS THE UNDERSTANDING OF MAN FROM A MULTIREFERENTIAL FOCUS..** WEDJA JOSEFA GRANJA COSTA W, EDUARDO TORTI E. (AR. *iiieme symposium international d ' auriculotherapie et d' auriculomedicine.* 2000,,160 (fra). ref:  
 [5.10 / - ]
- 870- gera: 87640/di/ra  
**[EXPERIEMNATL STUDY ON SPECIFICITY IN PATHOLOGICAL CHANGES OF LIVER CANCER BY MEANS OF ELECTRICALLY CHARACTERISTIC RESPONSES OF AURICULAR POINT].** XING JIANQIU ET AL. *jiangsu journal of tcm.* 2000,21(12),52 (chi). ref:  
 [4.04 / - ]
- 871- gera: 76971/di/ra  
**[PROPOSITION AND CLINICAL APPLICATION OF NEW CEREBRAL TYPE AURICULAR ACUPOINT ATLAS].** YUAN QILUN. *chinese acupuncture and moxibustion.* 2000,20(11),683 (chi). ref:  
 [5.10 / - ]
- 872- gera: 78257/di/ra  
**THE NEW MAP OF EAR POINTS: A MINIATURE OF CEREBRAL CORTEX.** YUAN QI-LUN. *international journal of clinical acupuncture.* 2000,11(4),285-90 (eng). ref:  
 The following is an introduction to the new map of ear points proposed by the author in 1996, which looks like a medial view of cerebral cortex. [5.10 / - ]
- 873- gera: 92853/di/ra  
**[APPLICATION OF INSPECTION IN PEDIATRICS NURSE ACCORDING TO SYNDROME- DETERMINED].** ZHAO YU-LAN. *liaoning journal of tcm.* 2000,27(10),475 (chi\*). ref:  
 [4.04 / - ]
- 874- gera: 109910/di/cg  
**NUEVO PUNTO DE AURICULOTERAPIA PARA MEJORAR LA MEMORIA Y EL APRENDIZAJE**

**ESCOLAR.. ZULUETA C. (MEXIQUE).. iiieme symposium international d ' auriculotherapie et d' auriculomedicine. 2000,,126 (fra). ref:**  
[5.10 / - ]

875- gera: 112575/di/ra

**THE EVALUATION OF VEGETATIVE STATUS BY AURICULAR CRIOFLEXTEST. BOGDANOV N.N. deutsche zeitschrift fur akupunktur. 2001,44(2a),254 (deu). ref:**  
[4.04 / - ]

876- gera: 115566/di/ra

**THE EVALUATION OF VEGETATIVE STATUS BY AURICULAR CRIOFLEXTEST. BOGDANOV N.N. deutsche zeitschrift fur akupunktur. 2001,44(2a),254 (deu). ref:**

The work is devoted to the studying of the new methodical base for diagnostics of vegetative abnormalities. The functional condition of regulation mechanisms of vegetative functions is defined by the method of auricular diagnostics which is based on defining thresholds of cold temperature sensitivity of neuroreceptors on auricle. It allows to evaluate the vegetative status in qualitative and quantitative way. The developed method is realized in computer diagnostic complex "Auricular Crioreflextest". The method has been tested on the group of persons (801) with different aetiology and degree of vegetative malfunctions intensity under control of generally accepted methods of vegetative status estimation. Conclusions: The evaluations of vegetative status elements by method of auricular crioreflextest demonstrated the high probability of coincidence with control research methods. The values of thresholds of auricular temperature-cold sensitivity reflect the condition of human vegetative status in norm and pathology. Practical medicine received the objective express-method of defining vegetative status of human organism: vegetative reactivity, vegetative provision of visceral systems activity, as well as physical and psychic activity. Auricular crioreflexdiagnostics allows to define the criteria of zones choice for auricular therapy. [4.04 / - ]

877- gera: 112447/di/ra

**DIAGNOSTIK MIT HILFE DER AURICULOMEDIZIN NACH DR.PAUL NOGIER, LYON BRAEMER C. deutsche zeitschrift fur akupunktur. 2001,44(2a),216 (deu). ref:**  
[4.04 / - ]

878- gera: 115438/di/ra

**DIAGNOSTIK MIT HILFE DER AURICULOMEDIZIN NACH DR. PAUL NOGIER, LYON. BRAEMER C. deutsche zeitschrift fur akupunktur. 2001,44(2a),216 (deu). ref:**

Attention is called to the enormous potential of making diagnoses by means of the auriculomedicine according to Dr. Nogier. They are based on the RAC (auriculo-cardiac reflex), a reflex (the pulse, also called VAS (vascular autonomous signal). It is useful for the establishing of diagnoses for human animals as well as plants. As far as children under the age of 2 years and animals are concerned with whom the reflex is difficult to be felt or with plants which have no pulse, a person holding a drop of blood (on special paper) of the person/animal concerned or a tiny part of a plant in his / her hands, is needed. The RAC provides for making all kinds of diagnoses in a very short time, including inflammations, infectious diseases, allergies, tumors, poisonings, degenerative diseases, focal points (such as teeth, scars and so on) as well as injuries. Further opportunities, provided by the RAC are the determination/selection of homeopathic

remedies (high potencies included), phytotherapeutic drugs as well as allopathic drugs (that are individually helpful but not toxic). This kind of diagnosis is in no way aggressive or harmful and can be made in a couple of minutes.

Subsequently the diagnosis can easily be confirmed by conventional methods. It is of advantage, that the latter can be closely targeted and are needed only if they are likely to bear on the therapy. (DIAGNOSES MADE BY MEANS OF THE AURICULOMEDICINE ACCORDING TO DR.PAUL NOGIER LYON) [4.04 / - ]

879- gera: 95675/di/ra

**UNDERSTANDING THE INCREASE IN THERAPEUTIC EFFECT IN AURICULAR THERAPY. CHEN GONGSUN. international journal of clinical acupuncture. 2001,12(1),51 (eng). ref:**

At present, auricular therapy is used and studied in more than 120 countries and regions all over the world. From a scientific viewpoint, of all the microacupuncture systems, auricular therapy is the best developed, and it has the most comprehensive information. However, numerous problems in relation to auricular therapy remain unsolved. For example, the practitioners of auricular acupuncture from different countries hold different opinions on the nomenclature of the system, the nomenclature and location, the functional law and mechanism, indications of auricular points, and methods to improve the effect of auricular points in the diagnosis and treatment of diseases. Auricular therapy is used to treat diseases in the departments of internal medicine, surgery, gynecology, paediatrics, dermatology, the department of eye, nose, mouth and throat, etc. However, we still need to identify the combination of auricular points and types of stimulation that would be most effective in the treatment of a particular disease. We also need to determine the types of diseases that are most responsive to auricular therapy. The aim is to provide a better understanding of auricular therapy and to summarise research experience to improve the curative effect. When the above is achieved, auricular therapy will finally be recognized by the society of traditional Chinese medicine and Western medicine. As a consequence, it will become a part of mainstream medicine. In this article, I share my understanding of how to increase the effectiveness of auricular therapy based on my own studies and on clinical practice using auricular points, I welcome suggestions and comments from colleagues in this field. [5.10 / - ]

880- gera: 111851/di/ra

**ORIGIN AND DEVELOPMENT OF CHINESE AURICULAR ACUPUNCTURE. CHEN GONGSUN ET AL. world journal of acupuncture-moxibustion. 2001,11(2),57 (eng). ref:**  
[5.10 / - ]

881- gera: 114842/di/ra

**ORIGIN AND DEVELOPMENT OF CHINESE AURICULAR ACUPUNCTURE.. CHEN GONGSUN ET AL. world journal of acupuncture-moxibustion. 2001,11(2),57 (eng). ref:**  
[5.10 / - ]

882- gera: 109329/di/ra

**DE L'INFLUENCE DES THEORIES HEMODYNAMIQUES. DR ANTHONY DE SOUSA. les annales. 2001,,37 (fra). ref:**  
[5.10 / - ]

883- gera: 109328/di/ra

**LE POINT DE CORRECTION ET SON DOUBLE. DR BERNARD JULIENNE-ALAIN MOLLARD. les annales. 2001,,34 (fra). ref:**

[5.10 / - ]

884- gera: 109322/di/ra

**EQUILIBRATION DU SYSTEME NEURO-VEGETATIF.** DR BERNARD LECLERC. *les annales*.

2001,,11 (fra). ref:

[5.10 / - ]

885- gera: 109327/di/ra

**MAIN MISE SUR L'OREILLE. A L'ECOUTE DE LA MAIN. RENCONTRE, ALLIANCE, ENERGIE** DR PHILIPPE LAPRAY. *les annales*. 2001,,29 (fra). ref:

[5.10 / - ]

886- gera: 110009/di/ra

**ETUDE COMPARATIVE- DE LA FONCTION PEAU ET DU REFLEXE VASCULAIRE EN SCIENCE MODERNE ET EN ACUPUNCTURE.VIDEO SUR LE POINT D'ACUPUNCTURE.** DUBOIS JC, ET AL. *vi congres de la faformec, nantes*. 2001,,91 (fra). ref:

[5.10 / - ]

887- gera: 94035/di/ra

**HAT EIN OHRREFLEXPUNKT EINE EIGENE ULTRASTRUKTUR?.** DVORKIN E ET AL. *akupunktur theorie und praxis*. 2001,29(1),54-7 (deu\*). ref:

In this report, the results of a study of the "live " ("active") ear reflex points ultrastructure are represented. Small pieces of auricle skin were taken from healthy tissue at the surgical edges of the specimen corresponding to the ear reflex points. Those points were detected before surgery, using vascular autonomic signal and verified by electron detection. The surgical material from the seven patients was fixed, treated in the usual way, and examined with light and electron microscopy. No specific ultrastructure of the "live " ("active") human auricular points was found in this study. [5.10 / - ]

888- gera: 112464/di/ra

**MASTER POINTS: A CRITICAL ASSESSMENT OF FUNCTIONAL EAR POINTS AND IMPLICATIONS FOR DIAGNOSIS AND TREATMENT.** FRANK B. *deutsche zeitschrift fur akupunktur*. 2001,44(2a),221 (deu). ref:20

[5.10 / - ]

889- gera: 115455/di/ra

**MASTER POINTS: A CRITICAL ASSESSMENT OF FUNCTIONAL EAR POINTS AND IMPLICATIONS FOR DIAGNOSIS AND TREATMENT.** FRANK B. *deutsche zeitschrift fur akupunktur*. 2001,44(2a),221 (deu). ref:20

Master Points are some of the most recognized auricular points and are often used in the treatment of many ailments. Zero Point, Shen Men, Sympathetic, and others are known to have a powerful influence in treating various conditions including pain, sedation, addiction treatment, and inflammation. While these Master Points are universally recognized in the auricular acupuncture world, they are not associated with any specific organ, lend were derived from observations of functional effects, not with respect to the body's anatomy or embryology, The Nogier French auricular system has, however, developed with anatomic and embryological understanding and consistency with respect to localizations of the points or zones. Patients who have not responded to basic Auricular Therapy will often respond dramatically to advanced techniques. Important advanced Auricular Therapy concepts include the multiple Phases of pathology represented on the auricle, the clinical picture associated with the multiple Phases, and implications and methods of treatment determined by the presentation of the

specific clinical case. Conclusion: Diagnosis and treatment through advanced Auricular Therapy techniques gives greater clinical insight into the patient's pathophysiology and may also result in enhanced clinical outcomes. A critical assessment of functional ear points is important to better understanding of the role of Auricular Therapy in medicine. 115456 Pain is the most common clinical presentation for patients to seek acupuncture care in the USA. While many clinicians treat pain patients through conventional medicine in similar fashion, medical acupuncture models can offer great insight to both diagnosis and treatment of pain conditions. From both a classic energetic and also a contemporary medical model, the presentation of pain as a point on a continuum between acute or chronic, energetic or material, functional or dense has significant implications for clinical response. Approaching pain through different paradigms or traditions of acupuncture offer case-specific treatment. Acute pain will often respond to subtle techniques better than to dense techniques. Similarly, chronic conditions will often require input that is more dense for clinical response Acupuncture and related techniques to be discussed include Tendinomuscular Meridian treatment, Principle Meridians, Distinct Meridians, Shu-Mu, Extraordinary Meridians, as well as the Two Needle Technique, Osteopuncture, Craig PENS, Scar Deactivation and Neural Therapy, Trigger Point Deactivation, Surface Energetics, Cupping and scraping, and more. Conclusion: Mastery of a multiparadigmatic approach will give greater clinical response for acupuncture patients. A solid working knowledge of classic and contemporary anatomy and physiology will offer the clinician many alternatives in treatment. 115457 In der Vorstellung der Traditionellen Chinesischen Medizin unterliegen die physiologischen Vorgänge der Frau 7- Jahres-Rhythmen. Dabei fallen der Pubertät, der Konzeption und Schwangerschaft, sowie dem normalen Ablauf der Menstruation ein besonderer Stellenwert vor allem im Hinblick auf mögliche Pathologien zu. Am Beispiel der Westlichen Diagnose Primäre Idiopathische Sterilität soll die Sichtweise der TCM erläutert und mögliche Therapieansätze aufgezeigt werden. (PHYSIOLOGY OF WOMAN IN THE VIEW OF TCM) 115458 The treatment intended to study clinical effects of corporal (CRT) and auricular (ART) reflex therapy, applied in a differentiated approach, involved 47 cases of chronic recurrent nettle-rash, including 27 associated with food sensibility, 11 cholinergic- (Gr. II), and 9 idiopathic nettle-rash of obscure origins (Gr. RI). Findings in Gr. I indicate IgE-mediated pathologies in 71 %, and hypo- and hypermotive type obstructions of the biliary passages in 57 %. Cholinergic nettle-rash accounts for 20 % among other urticarial -rash types, occurring in response to changing vegetative regulation levels. Gr. III represented negative allergic anamneses and diagnostics, undisturbed cholinergic regulation and unchanged IgE levels. Accounting for the immune modulating effect, CRT was applied in Gr. I with high degrees of clinical effectiveness. Channel points E, P, R, GI were involved, in Gr. I were primarily exposed to ART. The areas of associated nerve systems in the helix were involved, depending on test results. A combined strategy in Gr. III involved channels VB, F, RP, G1 and points 101, 71, 13, 55. All these suggest that use of above channels and helix points is central, with due account for anamnesis, clinical testing and immunological assay. Differentiated acupuncture is a topical strategy for chronic recurrent nettle-rash. 115459 Die Mikroimmuntherapie gehört mit Sicherheit zu den neuesten Modellen im Rahmen der heutigen komplementären Behandlungsmethoden sie umfasst alle Krankheitsformen in welchen das Immunsystem auf irgend eine Art verwickelt ist ... und es sind viele! Sie entspricht einer sehr modernen Darstellung der altbekannten homöopathischen Isotherapie,

deren Einsatzgebiet sie um ein ganzes Stück erweitert. Wenn auch sie eine große Anzahl von schwierigen Erkrankungen anzufassen erlaubt, bleibt sie trotzdem von einem leichten Zugang für den Arzt in seiner täglichen Praxis und gibt ihm dabei das notwendige Vermögen, seine ganze therapeutische Kreativität auf immer kontrollierbarer Weise zu entfalten. (USE OF MICRO-IMMUNETHERAPY IN DAILY PRACTICE ) 115460 A new era of acupuncture was initiated when Dr. Nogier, of France, discovered the somatotopic microsystem of the auricle. All microsystems so far discovered - Ear Acupuncture, Skull Acupuncture (YNSA), Oral Acupuncture, New Point System of Lower Leg (NPSO), Chinese and Korean Hand Acupuncture, and others - suggest a cybernetic approach. Prof. Zhang, of China, who discovered the microsystem of the 2<sup>nd</sup> metacarpal, has put up the very feasible ECIWO theory (Embryo Containing Information of the Whole Organism). The author was the first to observe that microsystem points may be extinguished immediately if analogous points of another microsystem are being treated successfully. This indicates that the various microsystems are interconnected informatically. Even the back shu points intercommunicate with the various microsystems. Back shu points also tend to propagate into their respective segments by producing horizontal segment belts of additional points of irritation. Also, in the subclavicular level (both ventrally and dorsally), a special lymphatic belt may turn up in relevant cases, consisting of irritation points of a specific lymphatic and immunological effect. Another microsystem-like point pool (5<sup>th</sup> metacarpal zone, area near points SI 2/3) has proved effective in case of diverse therapy obstacles, even negations. When treating acupuncture microsystems, it is essential to strike the points precisely. For this purpose, the author has developed the 'very point technique. (THE IMPLICATIONS OF MICRO-SYSTEMS IN MODERN HEALTH CARE) [5.10 / - ]

890- gera: 99517/di/ra  
**REVIEW ON THE EXPERIMENTAL RESEARCH ON AURICULAR POINTS AND THEIR DIAGNOSTIC AND THERAPEUTIC MECHANISM.** GUAN ZUNXIN. *international journal of clinical acupuncture*. 2001,12(3),265-74 (4). ref:20

In this paper, the author reviewed a decade of experimental research on auricular points and summarized four aspects: 1. Experimental research on the effect of auricular points on the heart. 2. Experimental research on the effect of auricular points on the gallbladder. 3. Experimental research on the effect of auricular point on the gastrointestinal tract. 4. Experimental research on the diagnostic and therapeutic mechanism of auricular points. By reviewing the research on holographic bio-medicine, nerve and neurohumor, histology and histochemistry of and the chemical element in auricular points, the author shows that the therapeutic mechanism of auricular points is that each auricular point regulates the body in diverse respects from low to high entropy. Its diagnostic mechanism functions as follows: the affected region acts on the auricular point causing changes in histology, histochemistry, chemical element, electricity, etc. based on which the practitioner can diagnose the illness. In particular, the areas in the paper do not involve any clinical report and observation of curative effect. [5.10 / rg- histologie- 07.01-02.06- 10.11- resistance- ]

891- gera: 90734/di/ra  
**[RELATIONSHIP BETWEEN SPECIFICITY OF AURICULAR POINTS AND MOLECULAR ACTIVITY].** HU ZHI-HUI ET AL. *journal of nanjing university tcm*. 2001,17(1),39 (chi\*). ref:41  
 Objective: to investigate into the relationship between the specificity of auricular points and molecular activity.

Method: autogenous double blind test was performed with 18 SLE patients and 17 healthy persons followed by statistical analysis combined with the study of the structure and functions of antibody genes. Result: the electrical specificity of the auricular points responded to the SLE pathological changes. The seven antibody indexes (including DNA, complement, rheumatoid factors, immunoglobulin, etc) are correlated with different degrees to the electrical specificity of the auricular points. Conclusion: the specificity of the auricular points is closely related to the molecular activity. The specificity of the auricular points to reflect pathological changes may be due to the activity of the molecules of the organism, including gene mutation, gene expression and its regulation. [4.04 / 05.10- resistance- ]

892- gera: 111863/di/ra  
**STUDY ON THE INTERRELATION BETWEEN AURICULAR GOOD CONDUCTION POINT STIMULATION AND THE THERAPEUTIC EFFECT.** HU ZHIHUI ET AL.. *world journal of acupuncture-moxibustion*. 2001,11(1),38 (eng). ref:41  
 [5.10 / - ]

893- gera: 114854/di/ra  
**STUDY ON THE INTERRELATION BETWEEN AURICULAR GOOD CONDUCTION POINT STIMULATION AND THE THERAPEUTIC EFFECT..** HU ZHIHUI ET AL.. *world journal of acupuncture-moxibustion*. 2001,11(1),38 (eng). ref:41  
 [5.10 / - ]

894- gera: 110845/di/tt  
**AURICULAR TREATMENT. FORMULAE AND PRESCRIPTIONS.** HUANG LI-CHUN. *auricular medicine international research and training center,lakeview*. 2001,,374P (eng). ref:41  
 [5.10 / - ]

895- gera: 92638/di/ra  
**[OBSERVATION OF THE CASES WITH PHOTOPLETHYSMOGRAM ON FIVE DISEASED SKIN COLOUR].** HUANG XIAN-PING ET AL. *chinese journal of basic mtc*. 2001,7(3),61 (chi\*). ref:41  
 Object To observe the characteristic values of otoplethysmogram on the 5 diseased skin colour (redness, paleness, yellow, blue, black of the skin). Methods: To examine and analyse the photoplethysmogram of the cheeks of 447 patients and 40 normal adults with "BC-4" photoplethysmograph. Results: The 5 diseased skin colour differs greatly from the normal skin colour (be ruddy-checked) in the values of Hb/Tab, T. /Tag, Tab/Tag, He/Hb, [Tac Tab]/Tag (all P < 0.05 or P < 0.01). There are much different in the aforementioned valueless on the 5 diseased skin colour. Conclusion The re are characteristic values of photoplethysmogram in the 5 diseased skin colour. [4.04 / - ]

896- gera: 112516/di/ra  
**ANTI TOBACCO PROGRAM IN AURICULOTHERAPY.** NOGIER R. *deutsche zeitschrift fur akupunktur*. 2001,44(2a),236 (deu). ref:41  
 [5.10 / - ]

897- gera: 115507/di/ra  
**ANTI TOBACCO PROGRAM IN AURICULOTHERAPY.** NOGIER R. *deutsche zeitschrift fur akupunktur*. 2001,44(2a),236 (deu). ref:41  
 Nicotine is a very powerful psychotropic drug and creates very quickly a dependence. Without tobacco, the smoker becomes tired, depressed. The effects of tobacco's weaning are due to the parasympathetic reaction. In the seventies, Paul

Nogier proposed several anti tobacco programs. These programs became more and more effective. Today, because of the knowledge in the field of auriculotherapy, we can use some very well standardised treatments against tobacco. For that, it is necessary to follow a precise protocol. [5.10 / - ]

898- gera: 109324/di/ra

**PRINCIPES DE LA CORRECTION AURICULOTHERAPEUTIQUE DE L'HEMOSTASE DERANGEE DE L'ORGANISME.** PR NICOLAÏN ANANIN. *les annales.* 2001,,18 (fra). ref:41  
[5.10 / - ]

899- gera: 109326/di/ra

**RAC - VAS.** PR PIERRE MAGNIN. *les annales.* 2001,,25 (fra). ref:41  
[5.10 / - ]

900- gera: 99522/di/ra

**SIXTH NATIONAL DIAGNOSTIC AND CURATIVE CONGRESS OF AURICULAR POINTS HELD IN SHENZHEN, CHINA.** THE EDITORIAL BOARD. *international journal of clinical acupuncture.* 2001,12(3),305 (eng). ref:41  
[5.10 / congres- ]

901- gera: 96211/di/ra

**[ CLINICAL APPLICATION OF AURICULAR SHENMEN (MA - TFI)].** YAN LI-PING LI HENG. *shanghai journal of traditional chinese medicine.* 2001, 35 (9),28 (chi\*). ref:41  
This paper presents the combination, indications and clinical application of auricular Shenmen (MA - IF 1) , and lists four cases of acute cholecystitis, acute bronchitis, hyperthyroidism and hypertension [5.10 / 10.11- 07.05- 09.02- cc- ]

902- gera: 109984/di/cg

**L' ORECCHIO ENERGETICO E L' ORECCHIO RIFLESSOLOGICO.** BARBAGALLO G. *iieme congresso mondiale delle wmaa.* 2002,,23 (ita). ref:41  
[5.10 / - ]

903- gera: 109874/di/cg

**AURICULOTHERAPIE ET QUALITE DE VIE:.** ECHE M. *vi congres national de la faformec,clermont-ferrand.* 2002,,161 (fra). ref:41  
[5.10 / - ]

904- gera: 100961/di/ra

**ROC & RAC : LE RYTHME EST DANS LA PEAU.** ECHE M ET AL. *acupuncture & moxibustion.* 2002,1(1-2),38-43 (fra). ref:41  
[5.10 / - ]

905- gera: 109274/di/cg

**AURICULAR MAPS: A PRELIMINARY SURVEY ON THE POSTERIOR SURFACE.** F. ZAMPIERI ET AL. *wfas international symposium on acupuncture.* 2002,,249 (eng). ref:41  
[5.10 / - ]

906- gera: 108520/di/ra

**[WANG ZHAOHAO' S EXPERIENCE ON AURICULAR ACUPUNCTURE].** HONG WEN. *chinese acupuncture and moxibustion.* 2002,22(1),37 (chi\*). ref:41  
[5.10 / - ]

907- gera: 108600/di/ra

**[WANG ZHAOHAO' S EXPERIENCE ON AURICULAR ACUPUNCTURE].** HONG WEN. *chinese*

**acupuncture and moxibustion.** 2002,22(1),37 (chi\*). ref:41  
Wang Zhaohao' s experiences on auricular acupuncture are introduced from diagnosis, prescribing , selecting acupoints , reinforcing-reducing methods of auricular points and other aspects. Professor Wang pays attention to inspecting, pressing, exploring and differentiation in diagnosis of auricular points, insists on treatment based on differentiation of symptoms and signs in prescription, accurately locates points, and flexibly applies reinforcing and reducing methods and vigorously probes into therapeutic rules of new diseases. And typical ca are given for better understanding teacher Wang's academic thought. [5.10 / - ]

908- gera: 107491/di/ra

**[AURICULAR POINT PENETRATION NEEDLING ALONG THE SKIN AND ITS CLINICAL APPLICATION].** JIA CHUNSHENG. *chinese acupuncture and moxibustion.* 2002,21(9),543 (chi\*). ref:41  
Auricular point penetration needling along the skin is a special auricular acupuncture method in which a filiform needle was inserted along the skin, one needle penetrates two points or point areas simultaneously in one insertion. This method is more used at the scaphoid fossa of auricle, helixes and its upper and lower comers, and others, and the method is of characteristics of rapidly producing transient therapeutic effect, less treatment times and consolidation of therapeutic effect in treatment of pain and/or dysfunctions of limbs and the trunk such as cervical spondylopathy , acute lumbar sprain, periarthritis of shoulder, sciatica and disfunction. of limbs induced by apoplexy or brain trauma, and so on. [5.10 / - ]

909- gera: 101618/di/ra

**[FACIAL INSPECTION AND THE OUTLINE OF ITS MODEM RESEARCH].** LI XIN-HUA. *academic periodical of changchun college of traditional chinese medicine.* 2002,18(1),47 (chi). ref:\*  
[4.04 / - ]

910- gera: 117790/di/tt

**INSPECTION OF FACE AND BODY FOR DIAGNOSIS OF DISEASES.** LIU BANGMING. *foreign languages press beijing.* 2002,,208p (eng). ref:\*  
[4.04 / - ]

911- gera: 106708/di/ra

**[APPLICATION OF ACUPOINT PRESS ON EAR IN TREATING DISEASES IN INTERNAL MEDICINE].** QI HONG. *information on traditional chinese medicine.* 2002,19(3),25 (chi). ref:\*  
[5.10 / acupression- ]

912- gera: 109871/di/cg

**A LA DECOUVERTE DU POINT DL AURICULOTHERAPIE :.** ROUXEVILLE Y. *vi congres national de la faformec,clermont-ferrand.* 2002,,144 (fra). ref:\*  
[5.10 / - ]

913- gera: 111574/di/ra

**CONSIDERATIONS SUR LE POINT D'AURICULOTHERAPIE.** ROUXEVILLE Y. *acupuncture et moxibustion.* 2002,1(3-4),58 (fra). ref:\*  
[5.10 / 02.06- ]

914- gera: 114565/di/ra

**CONSIDERATIONS SUR LE POINT D'AURICULOTHERAPIE.** ROUXEVILLE Y. *acupuncture et moxibustion.* 2002,1(3-4),58 (fra). ref:\*



[5.10 / - ]

915- gera: 103406/di/ra

**[ELEMENTARY INTRODUCTION ON DIAGNOSIS OF OBSERVING TEETH DEVELOPED BY YE TIANSHI AND ITS CLINICAL APPLICATION].**

WANG YI. *journal of tianjin university of traditional chinese medicine*. 2002,21(1),43 (chi). ref.\*

[4.04 / - ]

916- gera: 108976/di/ra

**TRATTAMENTO DELL' ORZAILO MEDIANTE SANGUINAMENTO ALL' APICE DELL' ORECCHIO.**

WANG ZHAO ED ALTRI. *rivista italiana di medicina tradizionale cinese*. 2002,89,61 (ita\*). ref.\*

[5.10 / - ]

917- gera: 125742/di/ra

**CONSIDÉRATIONS SUR LE POINT**

**D'AURICULOTHÉRAPIE. YVES ROUXEVILLE.**

*acupuncture & moxibustion*. 2002,1(3-4),58 (fra). ref.\*

[5.10 / - ]

918- gera: 109842/di/ra

**CONSIDERATIONS SUR LE POINT**

**D'AURICULOTHERAPIE.. YVES ROUXEVILLE Y.**

*acupuncture et moxibustion*. 2002,1(3-4),58 (fra). ref.\*

[5.10 / - ]

919- gera: 105945/di/ra

**[PROJECTION OF EAR POINTS ON THE BRAIN AND SPINAL GANGLIA]. ZHANG SHI-XING, ZHOU**

KUN-FU, JIANG WEN-FANG, ET. *shanghai journal of acupuncture and moxibustion*. 2002,21 (3),35 (chi\*). ref.\*

Purpose: To observe the projection of ear points on peripheral related spinal ganglia. Methods: Different ear points in SD rat auricles were subcutaneously injected with HRP and the number, form and distribution of the enzyme-labeled cells were observed in the brain and spinal ganglia. Results: If acupoints in concha ariculae were injected, enzyme-labeled cells often appeared in vagal and sympathetic ganglia; if acupoints in the helix were injected, enzyme-labeled cells often appeared in trigeminal, spinal and sympathetic ganglia. Conclusion: The projection of ear points on the brain and spinal ganglia conforms completely to the nerves controlling them. The projection of ear points on to sympathetic ganglia is in large amounts and most of the enzyme-labeled cells are multipolar ones. [5.10 / - ]

920- gera: 122170/di/ra

**ESTABLISHING THE EXISTENCE OF THE ACTIVE STOMACH POINT IN THE AURICLE UTILIZING RADIAL ARTERY TONOMETRY. ETSUTARO**

LKEZONO, TETSUO. *american journal of chinese medicine*. 2003,31(2),285 (eng\*). ref.\*

[5.10 / - ]

921- gera: 115298/di/ra

**HISTORIA DE LA AURICULOTERAPIA EN CHINA.**

HERZOG A. *revista argentina de acupuntura*. 2003,45,14 (esp). ref.\*

[5.10 / - ]

922- gera: 116902/di/ra

**INFLUENCE OF GENERAL ANESTHESIA AND SURGICAL INTERVENTION ON THE ELECTRICAL PARAMETERS OF AURICULAR ORGAN**

**PROJECTION AREAS. JAN Z. SZOPINSKI, ET AL.** *medical acupuncture*. 2003,14(2),40 (eng\*). ref.\*

Background : Pathology of a particular organ causes related

skin areas to rectify electrical currents once the resistance breakthrough effect has been induced in the skin. Objectives To confirm the skin electrical rectification phenomena experimentally, and to determine the influence of state of consciousness. Design Comparative prospective case study of the influence of general anesthesia and internal organ damage on the skin electrical rectification phenomenon at related organ projection areas (OPAs). Setting Surgery department at a teaching hospital in Poland, and obstetrics and gynecology department in South Africa. Patients Forty-five inpatients admitted for surgery, with a total of 135 OPAs subjected to electrical measurements. Intervention Electrical rectification at OPAs during successive stages of general anesthesia and surgical intervention. Main Outcome Measures The ratio of the skin resistance measured at the OPA before, during, and after surgery with a negatively polarized point electrode to the skin resistance, measured at the same area with the same electrode polarized positively (after obtaining the breakthrough effect). Results The degree of rectification measured at OPAs related to diseased organs was significantly ( $P < .001$ ) higher than at OPAs related to healthy organs. Premedication, general anesthesia, and skin incision did not influence the results. A rapid and statistically significant ( $P < .001$ ) increase in the degree of rectification was observed at OPAs undergoing direct surgical intervention. Patient consciousness did not affect the findings. Conclusion : Organ projection areas (acupuncture points) exist on the skin surface. Damage to an internal organ causes an immediate increase in the degree of electrical rectification exhibited by the related projection areas. State of consciousness does not affect this phenomenon. [4.04 / - ]

923- gera: 133471/di/ra

**LOCALIZATION OF AURICULAR PROJECTION AREAS OF THE STOMACH AND DUODENUM AND THEIR USE IN THE MONITORING OF ULCER**

**DISEASE. JAN Z. SZOPINSKI, GEORG P LOCHNER, SZKLINIARZ J, KARCZ- SOCHA I, KASPRZYK-MINKNER A, KRZYSCZOF KAOLIN, KRUPA- JEZAORSKA B, DARIUSZ J. NASAOK, AND PIOTR. medical acupuncture**. 2003,15(1),31 (eng\*). ref.\*

Background Pathology of a particular organ causes related skin areas (organ projection areas [OPAs]) to rectify electrical currents (diode phe nomenon), once the resistance breakthrough effect has been induced in the skin. Objectives To localize auricular projection areas of the stomach and duodenum, and to evaluate their usefulness in the monitoring of ulcer disease Design, Patients, and Setting Case-control study comparing the degree of electrical rectification measured at various spots in the auricular concha region in 18 patients with gastric ulcers, 17 with duodenal ulcers, and 17 controls from the 4th Department of Internal Medicine, Silesian School of Medicine, Poland. Intervention Evaluation of electrical verification at OPAs on the auricular concha using a "rectification ratio" (normal range, 0%-60%; 0%=no rectification. Main Outcome Measures The location of skin areas where a statistically significant difference existed between the rectification ratios observe( in patients vs controls. Results Locations were identified on ear auricles where the electrical rectification phenomenon displayed a dependence on the presence of ulcers. In patients with gastric ulcers, the rectification ratio in the stomach OPA was a mean (SD) of 87% (8%) while in other areas it wa 37% (9%). After treatment, the rectification ratio in the stomach OPA decreased to 58% (12%). In patients with duodenal ulcers, the rectification ratio in the duodenum OPA was a mean (SD) of 84% (9%) while in other areas it was 41% (11%). After treatment, the rectification ratio it the duodenum OPA decreased to 52% (P4%). In controls, no areas of high

rectification ratio were observed (42% [8%]). Conclusions Stomach and duodenum OPAs exist on the ear auricle within the region of cymba conchae. The existence of gastric or duodena ulcers causes these skin areas to display a higher degree of rectification which may be monitored. [4.04 / 05.10- 10.05- ]

924- gera: 118383/di/ra

**AGOPUNTURA AURICOLARE.** M. RORNOLI. *rivista italiana di medicina tradizionale cinese.* 2003,93(3),78 (esp). ref:\*  
[5.10 / - ]

925- gera: 126075/nd/re

**DOUBLE T** USICHENKO TI, PAVLOVIC D, GROTH M.. *anaesthesia.* 2003,58(9),928-9. (eng). ref:\*  
[5.10 / - ]

926- gera: 125881/nd/re

**THE EFFECT OF AURICULAR ACUPUNCTURE ON ANAESTHESIA: A SEARCH FOR OPTIMAL DESIGN.** USICHENKO TI, PAVLOVIC D, GROTH M.. *anaesthesia.* 2003,58(9), (eng). ref:\*  
[5.10 / - ]

927- gera: 126198/re/nd

**DOUBLE** USICHENKO TI, PAVLOVIC D, GROTH M.. *anaesthesia.* 2003,58(9),928-9. (eng). ref:\*  
[5.10 / - ]

928- gera: 118777/di/ra

**[AURICULAR POINT COMPRESS IN THE TREATMENT OF 50 CASES OF ACEI DRUG - INDUCED TUSSICULATION].** WANG PING. *journal of henan university of chinese medicine.* 2003,18(107),19 (chi). ref:\*  
[5.10 / - ]

929- gera: 121271/di/ra

**EAR ACUPUNCTURE . X.** *journal of acupuncture and tuina science.* 2003,1(2),39 (eng\*). ref:\*  
[5.10 / - ]

930- gera: 133506/di/ra

**EL POTENCIAL ELÉCTRICO EN LA SUPERFICIE CORPORAL DE LOS PUNTOS AURICULARES. X.** *medicina energetica.* 2003,20,18 (esp). ref:\*  
[5.10 / - ]

931- gera: 111218/di/ra

**[STUDY ON MORPHOLOGICAL MECHANISM OF EAR ACUPUNCTURE].** ZHANG QB. *shanghai journal of acupuncture and moxibustion.* 2003,22(1),46 (chi\*). ref:\*

This paper summarizes the morphological mechanism of ear acupuncture ' in the past decades of years. It is demonstrated that vagus nerve, glossopharyngeal nerve and the ear branch of facial nerve distribute on the ear areas corresponding to the internal organs in the thoracic and abdominal cavities; great auricular nerve and lesser occipital nerve distribute on the ear areas corresponding to the tissues and external organs. HRP method and fluorescent double labelling technique have proven that ear acupoints overlap the projection areas of internal organs in nervous nerves, which provide a forceful morphological evidence of ear acupuncture. [5.10 / - ]

932- gera: 131695/di/ra

**ACUPUNCTURE AURICULAIRE ET SYSTEME NERVEUX AUTONOME.** ALIMI D. *acupuncture et moxibustion.* 2004,3(1),44 (fra). ref:\*

[5.10 / - ]

933- gera: 134071/di/ra- num

**BILATERAL DIAGONAL EARLOBE CREASE AND CORONARY ARTERY DISEASE: A SIGNIFICANT** EVRENGUL H, DURSUNOGLU D, KAFTAN A, ZOGHI M, TANRIVERDI H, ZUNGUR M, KILIC M. EVRENGUL H, DURSUNOGLU D, KAFTAN A, ZOGHI M, TANRIVERDI H, ZUNGUR M, KILIC M.. *dermatology..* 2004,209(4),271-5 (eng). ref:\*

BACKGROUND: The association between the presence of diagonal earlobe crease (ELC) and coronary artery disease (CAD) still remains controversial. OBJECTIVE: The aim of this study was to evaluate the association between bilateral ELC and CAD. METHODS: 415 patients were examined for the presence or absence of bilateral ELC, angiographic evidence of CAD and coronary risk factors. The patients were divided into 2 groups according to angiographic evidence of CAD. RESULTS: Bilateral ELC was significantly and positively correlated with CAD, hypertension, age, male gender, cigarette smoking and family history of CAD. The ELC was an independent variable for CAD. The observed sensitivity, specificity, positive predictive value and negative predictive value of the bilateral ELC for the diagnosis of CAD were in the following order: 51.3, 84.8, 89.4 and 41.2%. CONCLUSION: The presence of bilateral ELC was significantly associated with CAD and coronary risk factors. The bilateral ELC was an important dermatological indicator of CAD, and it might be a useful diagnostic tool in the clinical examination of patients. Copyright (c) 2004 S. Karger AG, Basel. [4.04 / lcp- 07.03- ]

934- gera: 133782/di/ra

**[ON CINNAMON BARK'S ACTION IN CONDUCTING FIRE INTO ITS ORIGIN].** HAN JUN-SHENG. *shanghai journal of tcm.* 2004,38(8),47 (chi\*). ref:\*  
[4.04 / - ]

935- gera: 134318/di/ra- num

**[ANALYSIS OF COMPLEXIONS OF 113 CASES HEALTH ADULTS BELOW GD-3 PHOTOELECTRIC BLOOD STREAM PLETHYSMOGRAPH ].** HU ZHI-XI, ET AL . *chinese journal of information on tcm.* 2004,11(11),965 (chi\*). ref:\*

Objective Observe the normal reference values of photoelectric blood stream plethysmogram indexes of health adults' complexions and observe ratio indexes of blood stream plethysmogram of three kinds of colours. Methods By matching GD-3 photoelectric blood stream plethysmograph and Pclab biology enginery system, we observed indexes of blood stream plethysmogram of forehead, leftcheek, rightcheek; nose and mandible, and indexes of blood stream plethysmogram of three kinds of colours. Result In the five positions, indexes of time reflecting heart pulsation (Tag, Tab, Tae, Teg, -Tab/Tag, The/Tab) are consistent, but indexes of reflecting heart and blood vessel function and blood stream state (Hb, Hd, He, Hf, Tw, Hb/Tab, Hd/Hb, He/Hb, Hf/Hb, Tw/Tag) varied according to different positions : Hb/Tab of nose>Hb/Tab of left-cheek and right-cheek>Hb/Tab of forehead and mandible, however Hd/Hb, He/Hb, Hf/Hb and Tw/Tag are opposite to Hb/Tab. In the three kinds of colours, indexes of reflecting heart and blood vessel function (Hb/Tab, Hd/Hb, He/Hb, Hf/Hb, Tw/Tag) are obviously different. According to complexions from red to white to yellow, Hb/Tab is gradually smaller, Hd/Hb, He/Hb, Hf/Hb and Tw/Tag are gradually bigger. Conclusion The indexes of photoelectric blood stream plethysmogram can reflect heart and blood vessel faction and blood stream state. The change of face blood stream plethysmogram are

physiological base of forming various complexions because it reflect changing mechanism of complexion - blood stream plethysmogram in different aspects. Therefore photoelectric blood stream plethysmograph provide a modern technological platform for color-diagnostics of TCM, and deserve to popularize and apply. [4.04 / - ]

936- gera: 136108/di/ra- num

**ASSOCIATION BETWEEN IRIS CONSTITUTION AND APOLIPOPROTEIN E GENE POLYMORPHISM IN HYPERTENSIVES.** JAE-YOUNG UM, CHUNG-YEON HWANG, WOO-JUN HWANG. **journal of alternative and complementary medicine.**

2004,10(6),1101-05 (eng). ref:\*

Objective: Iridology is a complementary and alternative medicine (CAM) that involves the diagnosis of medical conditions by noting irregularities of the pigmentation in the iris. Iris constitution has a strong familial aggregation and heredity is implicated. Apolipoprotein E (apoE) gene polymorphism is one of the most well-studied genetic markers for vascular diseases, including hypertension. In this study, we investigated the relationship between iris constitution and apoE polymorphism in hypertensives. Design and subjects: We classified 87 hypertensives and 79 controls according to iris constitution and determined the apoE genotype of each individual. Results: A significantly higher percentage of individuals with neurogenic constitutions was found in the hypertensive group when compared with the control group (2 = 40.244,  $p < 0.001$ ). In addition, a neurogenic constitution increased the relative risk for hypertension for subjects with an apo 2 or an 4 allele (2 = 4.086,  $p = 0.049$ , odds ratio = 2.633, confidence interval = 1.0046.905). Conclusions: Our results imply that a neurogenic iris constitution enhances the relative risk for hypertension in subjects with the apo 2 or 4 allele. Furthermore, we attempted to evaluate the efficacy of iris constitutional medicine and to find an association with hypertension. Full Text PDF: • For printing • With links • Help with PDFs • Add to favorites • E-mail to a colleague • Track citations • Download metadata • PubMed citation • Related papers in: Liebert Online, PubMed • Most read papers Search: Liebert Online PubMed CrossRef for Authors: Jae-Young Um Chung-Yeon Hwang Woo-Jun Hwang Sung-Do Kang Keum-Rok Do Ju-Jang Cho Jae-Woon Cho Sung-Hoon Kim Tae-Yong Shin Yun-Kyung Kim Hyung-Min Kim Seung-Heon Hong [4.04 / - ]

937- gera: 135076/di/ra

**COLOR CHANGES IN SCIERAI CAPILLARIES AND THEIR CLINICAL SIGNIFICANCE.** KEIKOBAD H. **medical acupuncture.** 2004,16(1),18 (eng\*). ref:\*

[4.04 / - ]

938- gera: 126453/di/tt

**CE QUI MARCHE...CE QUI NE MARCHE PAS EN AURICULOTHERAPIE.** MEAS Y, ROUXVILLE Y.. **editions josette lyon, paris.** 2004,,120 P (fra). ref:\*

[5.10 / - ]

939- gera: 131945/di/ra

**[STUDY OF COLOUR INSPECTION OF TCM AND**

**APPLICATION OF PHOTONICS ON COLOUR** ZENG CHANG CHUN WANG XIAN-JU LI ZI-RU ET AL.. **chinese journal of basic medicine in tcm.** 2004,10(9),74 (chi\*). ref:\*

The concept of inspection of the colour of the skin, the speciality of ordinary colour and sickly colour and application of Diagnostic of the Five Colour has been expounded. Then, potential application and research advancement of the theory and technology of modern photonics on inspection of the colour of the skin has been discussed. The direction of research and development to tittle, automatization and expeditiousness of inspection of the colour of the skin by photonics technology was defined. For Traditional Chinese Medicinal Modernization, the new instrument, innovation and new instrument of traditional Chinese medicine diagnostics was supplied. [4.04 / - ]

940- gera: 124269/di/ra

**[APPROACH TO THE CONCEPT, THE PATHOGENESIS AND THE SYMPTOMS OF UP - STIRRING OF LIVER].** ZHANG ANLING. **journal of emergency in tcm.** 2004,13(1),27 (chi). ref:\*

[4.04 / - ]

941- gera: 117551/di/ra

**CAN IRIDOLGY DETECT SUSCEPTIBILITY TO CANCER? A PROSPECTIVE CASE-CONTROLLED STUDY.** MUNSTEDT K, EL-SAFADI S, BRUCK F, ZYGMUNT M, HACKETHAL A, TINNEBERG HR.. **j altern complement med.** 2005,11(3),515-9. (eng). ref:\*

OBJECTIVE: This prospective case-control study aimed to investigate the value of iridology as a diagnostic tool in detecting some common cancers. SUBJECTS: One hundred ten (110) subjects were enrolled in the study: 68 subjects had histologically proven cancers of the breast, ovary, uterus, prostate, or colorectum, and 42 were control subjects. METHODS: All subjects were examined by an experienced practitioner of iridology, who was unaware of their gender or medical details. He was allowed to suggest up to five diagnoses for each subject and his results were then compared with each subject's medical diagnosis to determine the accuracy of iridology in detecting malignancy. RESULTS: Iridology identified the correct diagnosis in only 3 cases (sensitivity, 0.04). CONCLUSION: Iridology was of no value in diagnosing the cancers investigated in this study. [4.04 / - ]

942- gera: 138666/di/ra

**[SUMMARY ON THE RESEARCH OF ZHUANG DOCTOR DIAGNIZING FROM EYES].** SONG NING. **journal of liaoning college of tcm.** 2005,7(1),32 (chi). ref:\*

[4.04 / - ]

943- gera: 138048/di/ra

**[CLINICAL APPLICATION OF FILIFORM NEEDLES IN AURICULAR THERAPY].** ZHONG YUANMING, CAI HONG, WANG YINPING, ET AL. **jiangsu journal of tcm.** 2005,26(2),32 (chi). ref:\*

[5.10 / aiguille- ]

## Index des auteurs ☐

- 1 ,  
 (DOCTEUR RAPHAEL NOGIER)☐ 478 ,  
 (DOCTEUR YVES ROUXEVILLE)☐ 479 ,  
 A. DE-SOUSA☐ 690 ,  
 A. SANCHEZ-ARAUJO☐ 691 ,  
 A. VAN DEN BOS☐ 692 ,  
 A.LENTZ,☐ 693 ,  
 AKIRA IMAI☐ 733 , 734 ,  
 ALI FARAH M. (TUNISIE).☐ 834 ,  
 ALIMI D☐ 932 ,  
 ANDRE LENTZ☐ 599 ,  
 ANDRE M☐ 338 ,  
 ASIS D, ET AL (ARGENTINE).☐ 835 ,  
 ASLAMAZOVA VI ET AL☐ 504 ,  
 B. LECLERC☐ 694 ,  
 B. STRITTMATTER☐ 695 ,  
 B.BRICOT☐ 696 ,  
 BAHR F☐ 416 , 505 , 506 , 600 , 631 , 632 , 662 , 663 , 664 ,  
 BAHR F ET AL☐ 601 , 602 ,  
 BAHR F. (ALLEMAGNE).☐ 836 ,  
 BAHR FR☐ 224 , 246 , 339 , 340 , 417 , 437 ,  
 BAI ZHELUN ET AL☐ 418 , 507 , 508 ,  
 BANOS A☐ 509 , 633 ,  
 BAO GUOQING ET AL☐ 438 , 480 , 510 ,  
 BAO ZHIYUN ET AL☐ 511 ,  
 BARBAGALLO G☐ 902 ,  
 BATAILLER A☐ 177 ,  
 BEI ZHELUN ET AL☐ 512 ,  
 BEIJING MEDICAL COLLEGE☐ 198 , 419 ,  
 BERGERET C☐ 62 ,  
 BERNARD BRICOT☐ 603 ,  
 BILEN A☐ 513 ,  
 BO ZHIYUN ET AL☐ 569 ,  
 BO ZHI-YUN ET AL☐ 634 ,  
 BOGDANOV N.N.☐ 875 , 876 ,  
 BONNETON A☐ 5 ,  
 BOS N☐ 420 ,  
 BOSSY J☐ 178 ,  
 BOSSY J ET AL☐ 136 , BOSSY J ET AL☐ 155 ,  
 BOSSY J. (FRANCE).☐ 837 ,  
 BOUGUES R☐ 439 ,  
 BOURDIAL☐ 108 ,  
 BOURDIOL☐ 109 ,  
 BOURDIOL R☐ 39 , 47 , 48 , 49 , 52 , 57 ,  
 BOURDIOL RJ☐ 6 , 7 , 82 , 83 , 84 , 85 , 86 , 110 , 111 , 199 ,  
 225 , 247 , 292 ,  
 BRAEMER C☐ 248 , 877 , 878 ,  
 BROEDERSDORFF CD☐ 293 ,  
 BROUGHAM P☐ 635 , 697 ,  
 BROX G☐ 440 ,  
 BROY J☐ 294 ,  
 BU ZHI YUN☐ 481 ,  
 BUCEK R☐ 698 ,  
 BUCHHOLZ W☐ 295 ,  
 BURSENS P☐ 665 ,  
 BUTTIGIEG C☐ 514 ,  
 C. VULLIEZ☐ 699 ,  
 CAI GUANGXIAN ET AL☐ 752 ,  
 CAMP V☐ 666 ,  
 CARADONNA B☐ 570 , 775 ,  
 CASAL R☐ 794 ,  
 CASPANI F☐ 8 , 515 ,  
 CECCHERELLI F ET AL☐ 571 ,  
 CHAMFRAULT☐ 37 ,  
 CHANG YANHUA ET AL☐ 516 ,  
 CHEN GONGSUN☐ 200 , 517 , 572 , 604 , 636 , 637 , 879 ,  
 CHEN GONGSUN ET AL☐ 667 , 880 , 881 ,  
 CHEN GONG-SUN ET AL☐ 838 ,  
 CHEN GONGSUNG☐ 249 ,  
 CHEN H ☐ 668 ,  
 CHEN K ET AL☐ 669 ,  
 CHEN KANGMEI ET AL☐ 638 , 639 , 670 , 700 ,  
 CHEN KEN ET CUI YONGQIANG☐ 605 , 606 ,  
 CHEN WAN CHUN ET AL☐ 250 ,  
 CHEN YOUXIN☐ 640 ,  
 CHEN ZHENXIANG ET AL☐ 607 ,  
 CHENG GONGSUN☐ 441 ,  
 CHENG XINNONG☐ 442 ,  
 CHIANG RT☐ 179 , 226 ,  
 CHON GONGSUN☐ 443 ,  
 CLOUTIER P☐ 573 ,  
 COLTON J ET AL☐ 753 ,  
 COMMITTEE OF AURICULAR ACUPUNCTURE \*☐ 63 ,  
 CONCON AA☐ 296 ,  
 CONTI L☐ 482 ,  
 COVACI A☐ 754 , 755 ,  
 CUI MONG☐ 518 ,  
 CUI YONG QIANG☐ 701 ,  
 CURE N☐ 43 ,  
 D. ALIMI☐ 702 ,  
 D. KASTNER☐ 703 ,  
 D. OHLMANN☐ 704 ,  
 D. PIRO☐ 705 ,  
 DAHOUT C☐ 297 ,  
 DASSONVILLE G☐ 519 ,  
 DE SOUSA A☐ 341 ,  
 DE SURANY M☐ 251 ,  
 DE TYMOWSKI JC☐ 252 ,  
 DEBARDO B ET AL☐ 87 ,  
 DEBEF J☐ 608 , 839 ,  
 DECK J☐ 201 ,  
 DEGRAIX M☐ 342 ,  
 DEGRAIX-ROUX A☐ 298 ,  
 DEJEAN-MASSIA☐ 253 ,  
 DELFAU☐ 343 ,  
 DELPUECH☐ 344 ,  
 DELPUECH JP☐ 254 , 255 , 256 , 257 , 258 , 345 ,  
 DEMAISON B☐ 444 ,  
 DENG LIANIGYUE☐ 671 ,  
 DI STANISLAO C☐ 811 ,  
 DOCTEUR A. PELLETIER☐ 520 ,  
 DOCTEUR ALAIN BRICARD.☐ 521 ,  
 DOCTEUR ALAIN MARIGNAN☐ 522 ,  
 DOCTEUR MICHEL MARIGNAN☐ 523 ,  
 DONG QIN ET AL☐ 812 , 813 ,  
 DONG XIU QIN☐ 346 ,  
 DR 1. L. VIGNERON☐ 756 ,  
 DR 1. NETLAND.☐ 757 ,  
 DR A. BOEHLER.☐ 795 ,  
 DR A. LENTZ☐ 758 ,  
 DR A. LENTZ.☐ 759 , 760 , 776 , 777 , 778 , 779 , 796 , 797 ,  
 ,  
 DR ALAIN BRICARD.☐ 814 ,  
 DR ANDRE LENTZ☐ 735 ,  
 DR ANDRE LENTZ.☐ 736 , 737 ,  
 DR ANTHONY DE SOUSA☐ 882 ,  
 DR B. BRICOT☐ 761 ,  
 DR B. JULIENNE☐ 762 ,  
 DR BERNARD JULIENNE-ALAIN MOLLARD☐ 883 ,  
 DR BERNARD LECLERC☐ 840 , 884 ,  
 DR BERNARD LECLERC.☐ 815 , 841 ,  
 DR CHANTAI VULLIEZ.☐ 738 ,  
 DR CHANTAL VULLIEZ☐ 739 ,  
 DR D. ALIMI.☐ 780 ,  
 DR DANIELLE LEVY.☐ 842 ,

- DR J C TOURENG.□ 781 ,  
 DR J NETLAND.□ 782 , 798 ,  
 DR J. L. VIGNERON.□ 799 ,  
 DR J. NETLAND□ 740 ,  
 DR JEAN-LUC VIGNERON.□ 816 ,  
 DR JL. VIGNERON.□ 783 ,  
 DR JOCELYNE BLANCHON.□ 741 ,  
 DR M MARIGNAN□ 763 ,  
 DR PHILIPPE LAPRAY□ 885 ,  
 DR Y ROUXEVILLE.□ 784 , 800 ,  
 DR Y. ROUXEUILLE□ 764 ,  
 DR Y. ROUXEVILLE.□ 765 ,  
 DR YVES ROUXEVILLE,□ 742 ,  
 DR YVES ROUXEVILLE.□ 817 , 818 ,  
 DR. BERNARD JULIENNE-MR ALAIN MALLARD.□  
 819 ,  
 DR. GUY DASSONVILLE□ 524 ,  
 DRS A. DE LA BROUSSE ET B. FLORENTIN□ 766 ,  
 DRS B. JULIENNE, A. MALLARD.□ 801 , 802 , 803 ,  
 DU CHANGHUA□ 785 ,  
 DUBOIS JC, ET AL□ 886 ,  
 DUC MINH BUI□ 347 ,  
 DURINYAN RA□ 299 , 300 ,  
 DURYNIAN RA□ 348 ,  
 DVORKIN E ET AL□ 887 ,  
 E VIGOUREUXIM. PIQUEMAL□ 706 ,  
 E. GOMEZ-ORTIZ□ 707 ,  
 E. IKEZONO□ 708 ,  
 E.-M STRAUBE□ 709 ,  
 E.M. STRAUBE□ 710 ,  
 ECHE M□ 903 ,  
 ECHE M ET AL□ 904 ,  
 EDER R□ 393 ,  
 ELSEN HG□ 137 ,  
 EMBID A□ 672 ,  
 ERBE G□ 445 ,  
 ETSUTARO LKEZONO, TETSUO□ 920 ,  
 EVRENGUL H, DURSUNOGLU D, KAFTAN A, ZOGHI  
 M, TANRIVERDI H, 933 ,  
 F. ZAMPIERI ET AL□ 905 ,  
 FAH L□ 446 ,  
 FAYETON□ 301 ,  
 FAYETON S□ 180 ,  
 FICHES G□ 302 ,  
 FIRST SHANGHAI MUNICIPAL PEOPLE'S \*□ 88 ,  
 FISCHER H□ 525 ,  
 FLAMENT□ 156 , 303 ,  
 FLAMENT C□ 181 , 349 ,  
 FONG KIA TONG ET AL□ 574 ,  
 FRAGNAY P□ 9 ,  
 FRANK B□ 888 , 889 ,  
 FRANK BL ET AL□ 820 ,  
 FRANK BRYAN L ET AL□ 821 ,  
 FRANK E. BAHR□ 711 ,  
 FRONT E□ 182 ,  
 FU YAN LING□ 483 ,  
 GALLIEN JL□ 44 ,  
 GARDIN VF□ 227 ,  
 GAURIER T□ 421 ,  
 GE XIAOCHUN□ 484 ,  
 GLEDITSCH J□ 422 ,  
 GONGSUN C ET AL□ 447 ,  
 GONZALES-BOSCAN N□ 350 ,  
 GORET O□ 259 ,  
 GORIS J. (ALLEMAGNE).□ 843 ,  
 GOURION A□ 89 ,  
 GRAF M□ 641 ,  
 GRALL□ 31 ,  
 GROBLAS A ET LEVY J□ 90 , 423 ,  
 GROBLAS A ET AL□ 157 ,  
 GROUPE DE L'ERZHEN (SHANGAI)□ 40 ,  
 GU LI□ 526 ,  
 GU WC ET AL□ 64 ,  
 GUAN XIAORONG ET AL□ 527 ,  
 GUAN ZHUNXIN□ 351 ,  
 GUAN ZUENG Y□ 228 ,  
 GUAN ZUN XIN□ 673 ,  
 GUAN ZUNXIN□ 229 , 352 , 394 , 712 , 890 ,  
 GUAN ZUNXIN ET AL□ 448 , 528 ,  
 GUANG ZUN XIN ET AL□ 485 ,  
 GUANG ZUNXIN ET AL□ 486 ,  
 GUICHES JE□ 230 ,  
 H. HEINE□ 713 ,  
 HALFON R□ 231 ,  
 HALL D□ 202 ,  
 HAN JUN-SHENG□ 934 ,  
 HANPING C□ 714 , 715 ,  
 HAUBURSIN P□ 304 , 305 , 306 , 307 ,  
 HAYES W□ 487 ,  
 HE CHENGJIAN ET AL□ 232 ,  
 HEIMANN KO ET LINDEMANN G□ 138 ,  
 HEINE H□ 674 ,  
 HELENA DE SABOYA RIQUET S.□ 844 ,  
 HERZOG A□ 112 , 921 ,  
 HIROMI MATSUMOTO□ 845 ,  
 HMICHEL MARIGNAN□ 609 ,  
 HOLMES C□ 488 ,  
 HONG WEN□ 906 , 907 ,  
 HOUDRET□ 10 , 11 ,  
 HOUDRET JC□ 353 ,  
 HSING-YUN YANG□ 424 ,  
 HSU E□ 642 ,  
 HU PILI□ 643 ,  
 HU RUZHEN ET AL□ 575 ,  
 HU ZHI-HUI ET AL□ 891 ,  
 HU ZHIHUI ET AL.□ 892 , 893 ,  
 HU ZHI-XI,ET AL □ 935 ,  
 HUA XINGBANG□ 529 ,  
 HUANG H□ 53 ,  
 HUANG HEQING□ 610 ,  
 HUANG JIAN HONG□ 530 ,  
 HUANG LI-CHUN□ 767 , 822 , 894 ,  
 HUANG LICHUN ET AL□ 531 ,  
 HUANG XIAN-PING ET AL□ 895 ,  
 HUIJUN Z□ 743 ,  
 HURTADO GL□ 354 , 644 ,  
 INSTITUTO HISPANICO DE ACUPUNTURA□ 425 ,  
 J. BOSSY□ 716 ,  
 J.-L. VIGNERON□ 717 ,  
 J.M. ACKERMAN,□ 718 ,  
 JACKSON A□ 645 ,  
 JAE-YOUNG UM, CHUNG-YEON HWANG, WOO-JUN  
 HWANG□ 936 ,  
 JAMES Y ET AL□ 65 ,  
 JAN Z. SZOPINSKI, ET AL□ 2 , 922 ,  
 JAN Z. SZOPINSKI,GEORG P LOCHNER,SZKLINIARZ  
 J,KARCZ-SOCHA 923 ,  
 JAP HG,ET JAP E□ 395 ,  
 JAROSZYK G□ 426 ,  
 JARRICOT ET AL□ 45 ,  
 JARRICOT H ET AL□ 58 ,  
 JAUSAS G□ 139 ,  
 JEANNOT R□ 233 ,  
 JENSEN B□ 12 ,  
 JI XIAO-PING□ 823 ,  
 JIA CHUNSHENG□ 908 ,  
 JIA MENGHUI ET AL□ 646 ,  
 JIANG YUNWU ET AL□ 824 ,  
 JIN RENYAN□ 611 ,  
 JIN SHI YING□ 576 ,

- JIN XIUZHEN<sup>α</sup> 532 ,  
 JINPING Q ET AL<sup>α</sup> 768 ,  
 JOHANNSEN W<sup>α</sup> 355 ,  
 JOHNSTON G<sup>α</sup> 612 ,  
 JOSEFA GRANJA COSTA W. (BRESIL).<sup>α</sup> 846 ,  
 JOYEUX CM<sup>α</sup> 66 , 67 ,  
 JULIENNE B ET MALLARD A. (DIPLOME ECOLE PAUL)<sup>α</sup> 847 ,  
 KACHERSKI S ET AL<sup>α</sup> 647 ,  
 KADJOS V<sup>α</sup> 113 ,  
 KANGMEI C ET AL<sup>α</sup> 675 , 676 , 719 ,  
 KAWAKITA K ET AL<sup>α</sup> 613 ,  
 KE MENG BI ET AL<sup>α</sup> 489 ,  
 KE MENGBI ET AL<sup>α</sup> 490 ,  
 KEIKOBAD H<sup>α</sup> 937 ,  
 KI HO KIM<sup>α</sup> 720 ,  
 KI HO KIM ET AL<sup>α</sup> 825 ,  
 KITTLER P<sup>α</sup> 234 ,  
 KLOWERSA R. (ALLEMAGNE).<sup>α</sup> 848 ,  
 KNIPSCHILD P<sup>α</sup> 786 ,  
 KONIG G ET WANCURA I<sup>α</sup> 59 , 396 , 449 ,  
 KÖNIG G ET WANCURA I<sup>α</sup> 577 ,  
 KOVACS JH<sup>α</sup> 203 ,  
 KOVACS RJH<sup>α</sup> 183 , 308 ,  
 KRAACK PJ<sup>α</sup> 450 ,  
 KRADOLFER F<sup>α</sup> 451 ,  
 KRASIMIR KIRILOV VAZHAROV<sup>α</sup> 578 ,  
 KROPEJ H<sup>α</sup> 356 ,  
 KROPEJ H.<sup>α</sup> 184 ,  
 KUANG PEIGEN ET AL<sup>α</sup> 204 ,  
 KUNKEL C<sup>α</sup> 849 ,  
 KVIRCHISHVILI VI<sup>α</sup> 68 ,  
 L. COUTURE.<sup>α</sup> 721 ,  
 LA FERLA D, ROMOLI M. (ITALIE).<sup>α</sup> 850 ,  
 LAMBERT G<sup>α</sup> 260 , 309 ,  
 LANGE G<sup>α</sup> 397 ,  
 LAUBORG P<sup>α</sup> 357 ,  
 LEE Z<sup>α</sup> 69 ,  
 LEHRNBECHER W<sup>α</sup> 91 ,  
 LENGGENHAGER U ET AL<sup>α</sup> 579 ,  
 LENTS A<sup>α</sup> 358 ,  
 LENTZ A<sup>α</sup> 310 , 311 , 398 ,  
 LENZ A<sup>α</sup> 185 ,  
 LI CHAO TE ET AL<sup>α</sup> 60 ,  
 LI CHIRONG ET AL<sup>α</sup> 648 ,  
 LI DONGSHENG<sup>α</sup> 452 , 453 ,  
 LI GUANRONG ET AL<sup>α</sup> 533 , 580 ,  
 LI HUIFANG ET AL<sup>α</sup> 359 ,  
 LI RONGXIAN ET AL<sup>α</sup> 614 ,  
 LI RUNHONG<sup>α</sup> 360 ,  
 LI TAO<sup>α</sup> 534 ,  
 LI XIN-HUA<sup>α</sup> 909 ,  
 LI YANHEN ET AL<sup>α</sup> 535 ,  
 LI YUQIN<sup>α</sup> 536 ,  
 LI ZHANYUA ET AL<sup>α</sup> 615 ,  
 LIBERT F<sup>α</sup> 787 ,  
 LIBOTTE R<sup>α</sup> 399 ,  
 LI-CHUN HUANG<sup>α</sup> 3 ,  
 LIESKE F<sup>α</sup> 312 ,  
 LIMONANT DE KERMEL<sup>α</sup> 361 ,  
 LIMONAT DE KERMEL<sup>α</sup> 261 ,  
 LINDLAHR H<sup>α</sup> 400 ,  
 LING CHU<sup>α</sup> 722 ,  
 LIPSZYC M<sup>α</sup> 581 ,  
 LIQUN Z<sup>α</sup> 744 , 769 ,  
 LIU BANGMING<sup>α</sup> 910 ,  
 LIU FUXIN<sup>α</sup> 537 , 538 , 616 ,  
 LIU HONG<sup>α</sup> 454 ,  
 LIU JIANMEI ET AL<sup>α</sup> 851 ,  
 LIU JING ET AL<sup>α</sup> 539 ,  
 LIU SHI-PEI<sup>α</sup> 723 ,  
 LIU WEIZHOU ET AL<sup>α</sup> 427 , 455 , 456 , 540 , 582 ,  
 LIU YUSHU ET AL<sup>α</sup> 788 ,  
 LM GONZALO AND S. ROTINEN.<sup>α</sup> 745 ,  
 LORENTE JM<sup>α</sup> 362 ,  
 LU HC<sup>α</sup> 92 ,  
 LU MINGZHUANG ET AL<sup>α</sup> 541 ,  
 LUPARELLO V<sup>α</sup> 401 ,  
 LURABDA GONZALES R<sup>α</sup> 235 ,  
 M ACKERMAN J (USA).<sup>α</sup> 852 ,  
 M. LEBEL<sup>α</sup> 724 ,  
 M. RORNOLI<sup>α</sup> 924 ,  
 M. VEENSTRA.<sup>α</sup> 804 ,  
 MAGNIN P<sup>α</sup> 186 , 205 ,  
 MALLARD A ET AL<sup>α</sup> 363 , 364 ,  
 MARIGNAN<sup>α</sup> 262 ,  
 MARIGNAN M<sup>α</sup> 365 , 677 , 826 ,  
 MARIGNAN M ET AL<sup>α</sup> 805 , 853 ,  
 MARKGRAF A<sup>α</sup> 13 ,  
 MARTINELLI G<sup>α</sup> 50 ,  
 MARTINEZ FIGUEROE V<sup>α</sup> 827 ,  
 MARTINEZ V ET AL<sup>α</sup> 313 ,  
 MASTALIER O<sup>α</sup> 314 , 617 , 649 , 678 ,  
 MATSUOKA HAKUSEI<sup>α</sup> 770 ,  
 MEAS Y, ROUXEVILLE Y.<sup>α</sup> 938 ,  
 MICHEI MARIGNAN<sup>α</sup> 618 ,  
 MICHIO KUSHI<sup>α</sup> 315 ,  
 MILSKY C<sup>α</sup> 457 ,  
 MING-ZHUANG L<sup>α</sup> 679 ,  
 MINHAING CHO<sup>α</sup> 158 ,  
 MONFARDINI A<sup>α</sup> 140 , 206 , 207 ,  
 MONNERET M<sup>α</sup> 402 ,  
 MONTEFIORE I<sup>α</sup> 366 ,  
 MUNSTEDT K, EL-SAFADI S, BRUCK F, ZYGMUNT M, HACKETHAL A, 941 ,  
 MUSSAT<sup>α</sup> 70 ,  
 NAO HONGXIAO<sup>α</sup> 428 ,  
 NAVACH JH<sup>α</sup> 263 ,  
 NETLAND J. (NORVÈGE).<sup>α</sup> 854 ,  
 NGUYEN DIEM CHI<sup>α</sup> 264 ,  
 NGUYEN J<sup>α</sup> 265 , 266 , 267 , 268 , 316 , 367 , 368 , 542 , 680 ,  
 NGUYEN J ET AL<sup>α</sup> 236 , 237 , 369 , 370 ,  
 NGUYEN J ET LAMBERT G<sup>α</sup> 429 ,  
 NGUYEN J, LAMBERT G ET NGUYEN TRONG KHANH<sup>α</sup> 371 ,  
 NGUYEN J, NGUYEN G, CARTEAU Y ET LAMORTE J<sup>α</sup> 269 ,  
 NGUYEN VAN NGHI<sup>α</sup> 61 , 71 , 72 , 73 , 74 , 75 , 76 , 77 , 141 , NGUYEN VAN NGHI<sup>α</sup> 208 ,  
 NGUYEN VAN NGHI ET AL<sup>α</sup> 142 , 159 , 160 , 161 , 162 , 163 , 491 , 771 ,  
 NISHIMURA K ET AL<sup>α</sup> 681 ,  
 NOEL E<sup>α</sup> 38 ,  
 NOGIER<sup>α</sup> 32 , 33 , 114 , 115 , 116 , 117 , 118 , 119 , 120 , 143 , 144 , 145 , 146 , 164 , 165 , 187 , 238 , 239 ,  
 NOGIER ET AL<sup>α</sup> 121 , 147 ,  
 NOGIER P<sup>α</sup> 30 , 34 , 35 , 41 , 46 , 51 , 54 , 93 , 94 , 95 , 122 , 123 , 124 , 125 , NOGIER P<sup>α</sup> 126 , 127 , 128 , 129 , 130 , 131 , 148 , 149 , 150 , 166 , 167 , 188 , 189 , 190 , 191 , 270 , 271 , 272 , 273 , 274 , 275 , 317 , 318 , 319 , 320 , 321 , 372 , 373 , 492 , 493 ,  
 NOGIER P ET AL<sup>α</sup> 96 , 132 , 322 , 374 , 375 ,  
 NOGIER PFM<sup>α</sup> 14 , 15 , 16 , 17 , 18 , 19 , 20 , 42 , 55 , 56 , 78 , 240 , 241 , 323 ,  
 NOGIER PFM ET NOGIER R<sup>α</sup> 21 ,  
 NOGIER PFM<sup>α</sup> 168 ,  
 NOGIER R<sup>α</sup> 192 , 896 , 897 ,  
 NOUREAU JP<sup>α</sup> 151 ,  
 OLESON T<sup>α</sup> 22 ,

- OLESON T. (USA).□ 855 ,  
 OLESON TD□ 23 ,  
 OLESON TD ET AL□ 324 , 325 , 376 ,  
 OLESSON ET AL□ 209 ,  
 ONG LS ET AL□ 210 ,  
 ORGANISATION MONDIALE DE LA SANTE□ 619 , 620  
 ,  
 OVERBYE BJ□ 403 , 404 ,  
 P NOGIER□ 725 ,  
 PAGANI M□ 405 ,  
 PAGANI-GUY M□ 169 , 170 , 193 ,  
 PAGANO M. (ITALIE).□ 856 ,  
 PAGANY-GUY M□ 97 ,  
 PAMUK W□ 79 ,  
 PAN JIHUA□ 583 ,  
 PAN JIHUA ET AL□ 584 ,  
 PANAREO M (ITALIE).□ 857 ,  
 PANG JIHUA ET AL□ 585 ,  
 PASCAL□ 28 ,  
 PAUL MONNIER.□ 858 ,  
 PAVLOV R□ 586 ,  
 PEKING MEDICAL COLLEGE□ 133 ,  
 PELLETIER A□ 326 ,  
 PELLIN□ 4 ,  
 PENG QINGHUA□ 543 ,  
 PENG QING-HUA□ 458 ,  
 PEREZ L ET AL□ 621 ,  
 PESIKOV IS□ 276 ,  
 PHAM QUANG CHAU□ 211 , 242 ,  
 PIRO□ 194 ,  
 PIRO C□ 277 ,  
 PORTNOV FG□ 587 , 622 ,  
 PORTNOV FG ET AL□ 377 ,  
 PORTNOV RC□ 327 ,  
 PR NICOLA.N ANANIN□ 898 ,  
 PR PIERRE MAGNIN□ 899 ,  
 PUGUET-XAN□ 406 ,  
 PULCRI F□ 588 ,  
 QI HONG□ 911 ,  
 QI W ET AL□ 746 ,  
 QONF YITONG ET AL□ 459 ,  
 REIS A□ 544 , REIS A□ 545 ,  
 REYNAUD A□ 171 ,  
 RIVAILLER J□ 460 ,  
 RIVIERE□ 195 ,  
 ROCCIA□ 172 ,  
 ROMOLI M□ 278 , 650 , 682 ,  
 ROMOLI M ET AL□ 726 ,  
 ROSENSTIEL ET AMAR□ 24 , 25 , 26 ,  
 ROULLET C□ 378 , 407 , 408 ,  
 ROURENG JC□ 279 ,  
 ROUS A□ 461 ,  
 ROUSTAN C□ 379 ,  
 ROUX A□ 430 ,  
 ROUXEVILLE Y□ 280 , 281 , 282 , 380 , 727 , 747 , 806 ,  
 828 , 912 , 913 , 914 ,  
 ROUXEVILLE Y. (FRANCE).□ 859 ,  
 ROUXEVILLE-LORIENT Y□ 381 ,  
 RUBIN M□ 283 ,  
 S.V. TIMOSHEVSKY□ 728 ,  
 S.W. HOFMAN□ 729 ,  
 SAE II CHUN□ 98 ,  
 SAGNE R□ 196 , 382 ,  
 SAKU K ET AL□ 683 ,  
 SALLET A□ 29 ,  
 SAMLERT H□ 546 ,  
 SANCHEZ ARAUJO□ 284 ,  
 SANCHEZ ARAUJO M ET AL□ 285 ,  
 SANCHEZ MORALES M□ 462 ,  
 SANZ A□ 807 ,  
 SAPOJNIKOVA E. (RUSSIE).□ 860 ,  
 SCHMID HD ET AL□ 651 ,  
 SCHNEIDER R□ 328 , 329 , 330 , 331 , 383 ,  
 SECONDY□ 173 ,  
 SECONDY A□ 286 , 287 ,  
 SEOANE M□ 80 ,  
 SERGUEITIMOSCHEVSKI. (OUZBEKISTAN).□ 861 ,  
 SHAN QIUHUA□ 772 ,  
 SHI YUMIN ET AL□ 748 ,  
 SINNING M□ 463 ,  
 SOLIMAN N ET AL□ 829 ,  
 SONG NING□ 942 ,  
 SONG YITONG ET AL□ 464 ,  
 SONG ZHIXING□ 465 ,  
 SONG ZHIXING ET AL□ 466 ,  
 SPONZILI O□ 243 ,  
 SPONZILLI O□ 212 , 213 ,  
 SPONZILLI O. (ITALIE).□ 862 ,  
 STILL J□ 467 ,  
 STILL J ET AL□ 409 , 410 , 468 ,  
 STRITTMATTER B□ 547 , 589 , 623 , 624 , 684 ,  
 STRITTMATTER B ET AL□ 27 ,  
 SUN YU ET AL□ 548 ,  
 SURIER D□ 174 ,  
 SUWANDA S□ 625 ,  
 SUWANDA S ET AL□ 590 ,  
 SZUSTER JC ET AL□ 152 ,  
 T USICHENKO TI, PAVLOVIC D, GROTH M.□ 925 ,  
 T. OLESON□ 730 ,  
 TAN FENGHAU□ 469 ,  
 TAN XIANWEI ET AL□ 431 ,  
 TANG JIE ET AL□ 549 , 550 ,  
 TANG TIFAN ET AL□ 749 ,  
 TANG XINOYUN,□ 863 ,  
 TARD-GEORGET□ 288 ,  
 TAUBERT K□ 652 ,  
 THE EDITORIAL BOARD□ 900 ,  
 THOENEMANN K□ 685 ,  
 THOMPSON WH□ 332 ,  
 THOMSEN J□ 214 ,  
 TIANJIN COLLEGE OF TCM□ 470 ,  
 TONG YUJIE□ 215 ,  
 TOURNIER B□ 289 ,  
 TRAN THUY ET AL□ 384 ,  
 TRAN VAN SEN□ 411 ,  
 TREVOR-ROPER PD□ 153 ,  
 TROSHIN OV □ 686 ,  
 TSIANG CT□ 333 ,  
 TUCKER D□ 591 ,  
 UMEH B□ 494 ,  
 USICHENKO TI, PAVLOVIC D, GROTH M.□ 926 , 927 ,  
 VALENTINI JP ET AL□ 471 ,  
 VAN BENSCHOTEN MM□ 808 ,  
 VAN GELDER A□ 432 , 433 ,  
 VAN GELDER A.F.(HOLLANDE).□ 864 ,  
 VEENSTRA M□ 750 ,  
 VEENSTRA M. (HOLLANDE).□ 865 ,  
 VERDU F□ 412 ,  
 VICHNIAKOVA L. (OUZBEKISTAN).□ 866 ,  
 VIGGIANI BRUNO ET AL□ 472 ,  
 VIGNERON JL. (FRANCE).□ 867 ,  
 VIGUE R□ 385 ,  
 VIGUIE R□ 386 ,  
 VON STRITTMATTER B□ 626 ,  
 VON STRITTMATTER BS□ 687 ,  
 VU GIANG M□ 216 ,  
 WAHL D□ 244 ,  
 WANG DESHEN□ 495 , 551 ,  
 WANG HONGZHENG□ 830 ,  
 WANG JIE□ 496 ,

- WANG MIN JI<sup>□</sup> 473 ,  
 WANG PING<sup>□</sup> 928 ,  
 WANG SHAORONG ET AL<sup>□</sup> 809 ,  
 WANG SHI ET AL<sup>□</sup> 868 ,  
 WANG YANQING<sup>□</sup> 552 ,  
 WANG YI<sup>□</sup> 915 ,  
 WANG YINHUI<sup>□</sup> 434 ,  
 WANG YINPING ET AL<sup>□</sup> 831 ,  
 WANG YIZHONG ET AL<sup>□</sup> 474 ,  
 WANG YONGHONG ET AL<sup>□</sup> 832 ,  
 WANG ZHAO ED ALTRI<sup>□</sup> 916 ,  
 WANG ZHAOHAO ET AL<sup>□</sup> 553 , 627 ,  
 WARREN FZ ET HUANG HL<sup>□</sup> 81 ,  
 WEDJA JOSEFA GRANJA COSTA W, EDUARDO  
 TORTI E. (AR<sup>□</sup> 869 ,  
 WEI D ET AL<sup>□</sup> 554 ,  
 WEI SHUJUN ET AL<sup>□</sup> 592 ,  
 WEN TAICAI<sup>□</sup> 334 ,  
 WENG TAILAI ET AL<sup>□</sup> 387 , 555 ,  
 WERTSCH GI<sup>□</sup> 335 ,  
 WEXU M<sup>□</sup> 99 , 175 ,  
 WORLEY FM<sup>□</sup> 176 ,  
 WU DINGZONG.<sup>□</sup> 556 ,  
 WU WY<sup>□</sup> 36 ,  
 X<sup>□</sup> 100 , 101 , 102 , 103 , 104 , 105 , 106 , 107 , 134 , 135 ,  
 154 , 197 , 217 , 218 , 219 , 220 , 290 , 336 , 337 , 413 , 414 ,  
 497 , 557 , 593 , 653 , 654 , 655 , 656 , X<sup>□</sup> 657 , 929 , 930 ,  
 XI JUNFENG ET AL<sup>□</sup> 789 ,  
 XIANG JIALUN ET AL<sup>□</sup> 388 ,  
 XIANG XIANDE<sup>□</sup> 558 ,  
 XIANGLIN W<sup>□</sup> 751 ,  
 XING JIANQIU ET AL<sup>□</sup> 870 ,  
 XU RUIZHENG ET AL<sup>□</sup> 291 ,  
 XU RUIZMENG ET AL<sup>□</sup> 221 ,  
 XU TIAN-DE<sup>□</sup> 475 ,  
 Y. KESSOUS<sup>□</sup> 731 ,  
 Y. MEAS.<sup>□</sup> 732 ,  
 YAMAMURA Y<sup>□</sup> 628 ,  
 YAN LI-PING LI HENG<sup>□</sup> 901 ,  
 YAN QIANLIN<sup>□</sup> 559 ,  
 YAN QINGRUI<sup>□</sup> 498 ,  
 YAN SHENGXIU<sup>□</sup> 688 ,  
 YAN ZHENGUO, ET AL<sup>□</sup> 560 ,  
 YAN ZHIQIANG ET AL<sup>□</sup> 415 ,  
 YANG CANGLIANG ET AL<sup>□</sup> 594 ,  
 YANG YUNBI ET AL<sup>□</sup> 389 ,  
 YIN HUIZHEN ET AL<sup>□</sup> 435 ,  
 YIN HUIZMEN ET AL<sup>□</sup> 222 ,  
 YIZHEN J<sup>□</sup> 658 ,  
 YOKOUCHI M ET AL<sup>□</sup> 790 ,  
 YOSHIAKI OMURA<sup>□</sup> 561 ,  
 YU PENG ET AL<sup>□</sup> 562 ,  
 YU XUE-FENG<sup>□</sup> 629 ,  
 YUAN QILUN<sup>□</sup> 871 ,  
 YUAN QI-LUN<sup>□</sup> 872 ,  
 YUAN SHUO ET AL<sup>□</sup> 563 ,  
 YUAN ZHAOKAI ET AL<sup>□</sup> 791 ,  
 YVES ROUXEVILLE<sup>□</sup> 917 ,  
 YVES ROUXEVILLE Y<sup>□</sup> 918 ,  
 ZAMPIERI F ET AL<sup>□</sup> 689 ,  
 ZENG CHANG CHUN WANG XIAN-JU LI ZI-RU ET  
 AL<sup>□</sup> 939 ,  
 ZHANG ANLING<sup>□</sup> 940 ,  
 ZHANG AO'QING ET AL<sup>□</sup> 499 ,  
 ZHANG LIYING ET AL<sup>□</sup> 595 ,  
 ZHANG QB<sup>□</sup> 931 ,  
 ZHANG SHANGWU<sup>□</sup> 476 ,  
 ZHANG SHI-XING, ZHOU KUN-FU, JIANG WEN-  
 FANG, ET<sup>□</sup> 919 ,  
 ZHAO LAN ET AL<sup>□</sup> 564 ,  
 ZHAO QIN ET AL<sup>□</sup> 500 , 565 , 659 ,  
 ZHAO SHUNHUA ET AL<sup>□</sup> 566 ,  
 ZHAO YU<sup>□</sup> 596 ,  
 ZHAO YU-LAN<sup>□</sup> 873 ,  
 ZHENG JIN<sup>□</sup> 501 ,  
 ZHONG YUANMING ET AL<sup>□</sup> 792 ,  
 ZHONG YUANMING, CAI HONG, WANG YINPING, ET  
 AL<sup>□</sup> 943 ,  
 ZHOU JIAN<sup>□</sup> 597 , 630 ,  
 ZHOU LIQUN<sup>□</sup> 567 , 660 ,  
 ZHOU SHAO CI ET AL<sup>□</sup> 223 ,  
 ZHOU SHI ZHANG ET AL<sup>□</sup> 502 , 503 ,  
 ZHOU WENQI ET AL<sup>□</sup> 773 ,  
 ZHU BING ET AL<sup>□</sup> 810 , 833 ,  
 ZHU DAN ET AL<sup>□</sup> 774 ,  
 ZHU YUANGEN ET AL<sup>□</sup> 245 , 390 , 391 , 392 , 436 , 477 ,  
 568 , 598 , 661 , 793 ,  
 ZULUETA C. (MEXIQUE)<sup>□</sup> 874 ,



## Index des sujets/ subject index (non exhaustif)

-x /

□ 5, 5, 5, 18, 18, 18, 19, 19, 19, 142, 185, 202, 209, 228, 356, 356, 356, 388, 430, 430, 430, 483, 501, 578, 601, 602, 605, 605, 610, 613, 632, 645, 645, 645, 647, 651, 661, 661, □ 671, 671, 671, 671, 674, 734, 913,

### 1.01 -x GENERAL ASPECTS AND HISTORY/ ASPECTS GÉNÉRAUX ET HISTOIRE

association□ 132,  
congrès□ 488, 583, 584, 585, 593, 900,  
enseignement□ 290,  
holisme□ 566,  
OMS□ 443, 495, 677,

### 1.02 -x history/ histoire

\*□ 200, 212, 249, 367, 576, 701,

### 1.03 -x medical classics/ classiques médicaux

jin kui yao lue□ 360,  
ling shu□ 460,  
shang han lun□ 596,  
su wen□ 472, su wen□ 530, 611,

### 1.07 -x bibliography/ bibliographie

\*□ 539,  
atlas□ 648,

### 2.01 -x ANATOMY- PHYSIOLOGY/ ANATOMIE- PHYSIOLOGIE

anatomie□ 80, 136, 151, 199,  
innervation□ 80, 136, 151, 189, 221,  
malformation□ 106,  
poil□ 267,

### 2.02 -x yin-yang. five elements/ yin-yang. cinq éléments

\*□ 169,  
5 mouvements□ 169,

### 2.03 -x qi, blood, body fluids/ énergie, sang et liquides organiques

couleur□ 148, 173,  
liquide□ 483,

### 2.04 -x organs and functions/ organes et fonctions

5 sens□ 89,  
curieux□ 176,  
embryologie□ 82, 106, 199, embryologie□ 265, 404,  
foie□ 269,  
poumons□ 353,  
rate□ 590,  
reins□ 107,  
triple rechauffeur□ 506,  
vésicule biliaire□ 579,

### 2.05 -x meridians/ méridiens

\*□ 92, 176, 463, 579, 590,  
dermatoses méridiennes□ 260,  
du mai□ 176,  
méridien curieux□ 176,  
ren mai□ 176,  
sensation propagée le long des méridiens□ 92, 141, 142,  
456,

### 2.06 -x points/ points

\*□ 136, 151, 189, 269, 448, 476, 495, \*□ 553, 789, 890,  
913,

atlas□ 648,  
E36□ 390,  
localistaion□ 476,  
MC6□ 391,  
MU□ 746,  
nomenclature□ 443, 495, 497, 526, 551, 572, 600, 619,  
620, 648, 660, 677, 744,  
propriétés électriques□ 60, 68, 115, 133, 151, 154, 198,  
204, 210, 215, 221, 222, propriétés électriques□ 223, 233,  
243, 245, 334, 387, 389, 390, 391, 392, 410, 418, 431,  
467, 468, 541, 555, 595, 683, 789, 833, 838, 890, 891  
,  
spécificité□ 401, 831,  
VC12□ 746,  
VC4□ 746,  
VG28□ 454,

### 3.01 -x chronobiology/ chronobiologie

\*□ 516,  
astrologie□ 412,  
saison□ 752,

### 3.02 -x pathogeny. causes of diseases/ pathogénie

\*□ 541, 608,  
froid□ 746,  
stress□ 381, 608,

### 4.01 -x DIAGNOSIS/ DIAGNOSTIC

\*□ 119,  
inspection□ 457,

### 4.02 -x tongue diagnosis/ glossoscopie

histologie□ 448, 485, 890,

### 4.03 -x pulse diagnosis/ pulsologie

\*□ 129, 155, 287,

### 4.04 -x face and ear diagnosis/ examen auriculaire et facial

\*□ 45, 48, 58, 64, 68, 92, 102, 113, 115, 141, 154, 158,  
159, 162, 163, 195, 199, 221, \*□ 225, 226, 233, 239,  
327, 384, 476, 529, 568, 571, 580, 582, 583, 584, 585,  
589, 593, 595, 789, 812,  
dent□ 214, 234,  
iridologie□ 9, 37, 83, 87, 139, 140, 153, 155, 177, 178,  
206, 207, 230, 235, 252, 283, iridologie□ 315, 353, 360,  
366, 399, 412, 439, 444, 458, 461, 530, 570, 573, 586,  
665,  
lésion cutanée ponctuelle□ 68, 106, 154, 221, 227, 229,  
232, 236, 237, 250, 259, 260, 264, 266, 267, 268, 269,  
278, 316, 351, 352, 359, 369, 370, lésion cutanée  
ponctuelle□ 371, 378, 388, 394, 418, 427, 429, 434, 438,  
448, 454, 464, 473, 486, 500, 502, 503, 510, 528, 549,  
565, 634, 646, 650, 659, 679, 751, 774, 933,  
teint□ 264, 457, 460, 466,

### 4.05 -x point diagnosis/ examen des points somatiques

\*□ 474,

### 4.07 -x syndromes/ syndromes

\*□ 568, 610,  
froid□ 746,  
vide□ 568,  
vide de yang□ 661,  
yang□ 568,

### 4.08 -x terrains/ terrains

\*□ 402, 457, 471,

### 5.03 -x acupuncture/ acupuncture

acupuncture des troncs nerveux 245 ,  
 aiguille 48 , 943 ,  
 association ou interaction médicamenteuse 571 ,  
 latéralité 39 , 48 , 113 , 114 , 180 , 188 , 192 , 375 , 393 ,  
 624 , 656 , 682 , 726 ,  
 séance d'acupuncture 48 , 48 ,

**5.05 -x plum blossom needle/ fleur de prunier**  
 \* 774 ,

**5.06 -x intradermal needle. embedding sutures/ aiguille à demeure. catgut**  
 \* 141 , 154 , 159 , 233 , 494 , 612 ,

**5.07 -x bloodletting/ saignées**  
 \* 470 ,

**5.08 -x cupping/ ventouses**  
 \* 824 ,

**5.09 -x moxibustion/ moxibustion**  
 \* 159 , 226 , 533 ,

**5.10 -x ear acupuncture. auricular medicine/ auriculopuncture. auriculomédecine**  
 \* 34 , 60 , 69 , 106 , 133 , 198 , 204 , 209 , 215 , 222 , 223 ,  
 243 , 245 , 250 , 259 , 266 , 267 , 268 , 285 , 316 , 326 , 334 ,  
 \* 351 , 352 , 354 , 359 , 369 , 370 , 371 , 378 , 388 , 389 ,  
 418 , 427 , 429 , 448 , 452 , 453 , 459 , 462 , 473 , 474 , 485 ,  
 500 , 527 , 538 , 550 , 569 , 588 , 592 , 608 , 614 , 622 , 646 ,  
 667 , 688 , 723 , 743 , 838 , 891 , 923 ,  
 auriculomédecine 41 , 54 , 85 , 86 , 93 , 94 , 95 , 100 , 104 ,  
 143 , 144 , 145 , 146 , 147 , 148 , 150 , 156 , 164 , 165 , 169 ,  
 173 , 183 , 213 , 240 , 242 , 256 , 273 , 277 , 279 , 280 , 284 ,  
 286 , 297 , 300 , 317 , 322 , 487 ,

**5.11 -x nose, face, eye, hand and foot acupuncture/ rhinofacio, manopodo, craniopuncture**  
 \* 155 , \* 264 , 265 , 267 , 475 , 566 , 591 ,  
 craniopuncture 474 ,  
 faciopuncture 264 , 265 , 832 ,  
 oculopuncture 823 ,  
 rhinopuncture 264 , 475 ,

**5.12 -x electro-acupuncture/ electro-acupuncture**  
 \* 220 , 293 , 327 , 377 , 561 ,  
 paramètres de l'électroacupuncture 561 ,

**5.13 -x magnetic acupuncture/ magnétothérapie**  
 \* 375 ,

**5.14 -x laser acupuncture/ laser**  
 \* 591 , 602 , 632 ,

**5.15 -x drug acupuncture/ chimiothérapie**  
 \* 92 , 231 , 594 ,

**5.16 -x qi gong. massages/ qi gong. massages**  
 acupression 484 , 554 , acupression 559 , 597 , 616 , 629 ,  
 630 , 637 , 640 , 911 ,

**5.20 -x tcm and alternative medicine/ mtc et médecines douces**  
 homeopathie 301 ,

**6.01 -x algology/ algologie**  
 psychisme 552 ,

**6.02 -x acupuncture anesthesia/ analgésie chirurgicale**  
 \* 92 , 154 , 293 ,

**7.01 -x CARDIOLOGY- ANGIOLOGY/ CARDIOLOGIE- ANGEIOLOGIE**  
 \* 245 , 890 ,

**7.02 -x heart failure/ insuffisance cardiaque**  
 \* 392 ,

**7.03 -x coronary diseases/ coronaropathies**  
 \* 369 , 370 , 415 , 473 , 502 , 503 , 507 , 508 , 683 , 751 ,  
 933 ,

**7.05 -x hypertension/ hypertension**  
 \* 159 , \* 452 , 901 ,

**8.01 -x DERMATOLOGY/ DERMATOLOGIE**  
 \* 316 , 468 ,  
 cicatrice 122 , 192 , 196 , 273 , 306 , 362 ,

**9.01 -x ENDOCRINOLOGY- NUTRITION/ ENDOCRINOLOGIE- NUTRITION**  
 \* 117 ,

**9.02 -x thyroid gland/ thyroïde**  
 \* 901 ,

**9.07 -x hyperlipidemia/ hyperlipidémie**  
 \* 250 ,

**9.09 -x thinness. malnutrition/ maigreur. malnutrition**  
 \* 832 ,

**10.01 -x GASTROENTEROLOGY/ GASTRO- ENTEROLOGIE**  
 sécrétion 142 , 162 ,

**10.05 -x stomach. duodenum/ estomac. duodénum**  
 \* 133 , 142 , 159 , 162 , 198 , 418 , 419 , 486 , 512 , 528 ,  
 646 , \* 723 , 923 ,

**10.06 -x intestines/ intestins**  
 \* 107 ,

**10.07 -x diarrhea/ diarrhées**  
 \* 832 ,

**10.09 -x anus. rectum/ anus. rectum**  
 \* 107 , 454 ,

**10.10 -x liver/ foie**  
 \* 140 , 232 , 399 , 535 , 633 , 659 , 743 ,

**10.11 -x bile ducts/ voies biliaires**  
 \* 140 , 427 , 486 , 890 , 901 ,

**10.14 -x abdominal pain. acute abdomen/ douleurs abdominales. abdomen aigu**  
 \* 60 , 133 , 351 , 352 , 392 , 528 , 613 ,  
 appendicite 351 , 352 ,

**11.01 -x GYNECOLOGY- OBSTETRICS/ GYNECOLOGIE- OBSTETRIQUE**  
 \* 264 , 389 ,

**11.03 -x menstruation. menstruation disorders/ menstruation. troubles des règles**  
 \* 334 ,

**11.10 -x obstetrics/ obstétrique**  
 \* 223 , 253 , 533 , 548 , 831 ,

version□ 533 ,

**12.02 -x anemia. cytopenia/ anémie. cytopénie**  
\*□ 832 ,

**13.02 -x influenza/ grippe**  
\*□ 159 ,

**14.01 -x NEUROLOGY- PSYCHIATRY/  
NEUROLOGIE- PSYCHIATRIE**  
\*□ 467 ,

**14.02 -x headache/ céphalées**  
\*□ 204 , 289 , 470 ,

**14.05 -x epilepsy. convulsions/ epilepsie. convulsions**  
\*□ 470 ,

**14.11 -x autonomic nervous system diseases/ dystonie  
neuro-végétative.spasmophilie**  
\*□ 191 ,

**14.14 -x psychiatry/ psychiatrie**  
\*□ 134 , 174 ,  
psychisme□ 552 ,  
psychosomatique□ 255 ,

**15.01 -x OPHTHALMOLOGY/ OPHTALMOLOGIE**  
\*□ 401 ,

**16.01 -x ENT/ OTO-RHINO-LARYNGOLOGIE**  
\*□ 160 ,

**16.02 -x ear. hearing loss. tinnitus/ oreille. surdité.  
acouphènes**  
\*□ 160 , 287 , 504 ,

**16.04 -x nose. sinus/ nez. sinus**  
\*□ 160 ,

**16.05 -x pharynx. larynx/ pharynx. larynx**  
\*□ 141 , 142 , 160 ,

**16.07 -x facial paralysis/ paralysie faciale**  
\*□ 476 ,

**16.08 -x facial neuralgia/ névralgie faciale**  
\*□ 476 ,

**17.01 -x PNEUMOLOGY/ PNEUMOLOGIE**  
\*□ 353 , 569 , 592 ,

**17.03 -x dyspnea. respiratory insufficiency. chronic  
bronchitis/ dyspnée. insuffisance respiratoire. bronchite  
chronique**  
\*□ 388 , 434 , 511 , 634 ,

**17.06 -x pulmonary tuberculosis/ tuberculose pulmonaire**  
\*□ 538 ,

**17.07 -x acute bronchopneumonia/  
bronchopneumopathies aigües**  
\*□ 141 , 549 , 832 ,

**18.01 -x RHEUMATOLOGY- ORTHOPEDICS/  
RHUMATOLOGIE- ORTHOPEDIE**  
\*□ 467 ,

**18.07 -x traumatology/ traumatologie**  
\*□ 307 ,

**18.08 -x hand/ main**  
\*□ 106 , 288 ,

**18.10 -x shoulder/ epaule**  
\*□ 452 ,

**18.11 -x spine/ rachis**  
\*□ 125 , 304 ,

**18.12 -x cervical spine. cervicobrachial neuralgia/ rachis  
cervical. névralgies cervico- brachiales**  
\*□ 123 , 124 , 253 , 289 , 438 , 452 , 459 , 464 ,

**18.16 -x sciatica/ sciatique**  
\*□ 159 , 452 ,

**18.17 -x hip. pelvic bones/ hanche. bassin**  
\*□ 305 ,

**18.18 -x knee/ genou**  
\*□ 285 , 288 ,

**19.02 -x tongue/ langue**  
\*□ 253 ,

**19.05 -x tooth/ organe dentaire**  
\*□ 214 , \*□ 234 , 591 ,

**20.02 -x smoking/ tabagisme**  
\*□ 96 , 253 ,

**20.03 -x substance abuse/ toxicomanies**  
\*□ 154 ,

**22.01 -x UROLOGY- NEPHROLOGY/ URO-  
NEPHROLOGIE**  
\*□ 371 ,

**22.02 -x kidney diseases. kidney failure/ néphropathies.  
insuffisance rénale**  
\*□ 811 ,

**22.07 -x urologic and male genital diseases/ appareil  
génital masculin**  
\*□ 264 , 452 ,

**23.01 -x INTERNAL MEDICINE. MISCELLANEOUS/  
MEDECINE INTERNE. DIVERS**  
\*□ 615 ,

**23.02 -x allergology. immunology/ allergologie.  
immunologie.**  
\*□ 679 ,

**23.04 -x oncology/ cancérologie**  
\*□ 221 , 230 , 232 , 535 , 614 , 615 , 774 ,

**23.11 -x pediatrics/ pédiatrie**  
\*□ 428 , 466 , 469 , 470 , 491 , 576 , 832 ,  
malformation□ 106 ,

**24.01 -x VETERINARY MEDICINE/ MEDECINE  
VETERINAIRE**  
\*□ 488 ,

**24.02 -x dogs. cats/ chien. chat**  
\*□ 151 , 233 , 409 , 410 , 467 , 468 ,

**24.07 -x / animaux de laboratoire**

cobaye□ 648 ,  
 lapin□ 60 , 133 , 198 , 222 , 245 , 351 , 352 , 375 , 391 , 392 ,  
 419 , 435 , 436 , 549 , 592 , 598 ,  
 rat□ 613 ,  
 singe□ 36 , 789 ,

**25.01 -x MECHANISM OF ACUPUNCTURE.  
 ACUPUNCTURE AND CENTRAL NERVOUS  
 SYSTEM/ MECANISME D'ACTION DE  
 L'ACUPUNCTURE. ACUPUNCTURE ET SYSTEME  
 NERVEUX CENTRAL**

\*□ 43 , \*□ 52 , 57 , 436 , 595 ,  
 sympathique□ 185 , 222 ,  
 systeme nerveux vegetatif□ 84 , 85 , 86 , 191 , 198 , 222 ,

**25.02 -x afferent pathways/ voies afférentes**

\*□ 68 , 136 , 198 , 222 , 223 , 390 , 419 , 435 , 598 ,

**25.09 -x cerebral cortex/ cortex cérébral**

\*□ 375 , 401 ,

**27.01 -x methods/ méthodes**

cas clinique□ 901 ,  
 essai ouvert (acupuncture)□ 209 , 229 , 232 , 264 , 266 , 268  
 , 376 ,  
 experimentation animale□ 36 , experimentation animale□ 60

, 133 , 198 , 222 , 245 , 351 , 352 , 392 , 419 , 435 , 436 , 549  
 , 592 , 598 , 610 ,  
 experimentation animale (acupuncture)□ 613 , 648 , 789 ,  
 experimentation animale (acupuncture)/ lapin□ 659 ,  
 placebo□ 338 ,  
 revue générale□ 211 , 346 , 517 , 518 , 604 , 630 , 636 , 677 ,  
 680 , 830 , 833 , 890 ,

**27.02 -x / techniques d'exploration**

ECG□ 245 , 391 ,  
 histologie□ 448 , 485 , 890 ,  
 ponction lombaire□ 141 ,  
 potentiels évoqués□ 401 , 810 ,  
 temperature□ 285 , 288 , 415 , 533 , 640 , 746 ,  
 thermographie□ 288 , 607 ,

**27.03 -x biological l products/ produits biologiques**

actetylcholine□ 190 ,  
 mélanine□ 256 ,  
 noradrenaline□ 190 ,

**27.06 -x geographical terms/ termes géographiques**

nigeria□ 494 ,  
 vietnam□ 29 ,

## Index des sources

### 1 - divers à vérifier

journal of chinese medicine 447 ,

### 2 - divers à vérifier

akupunktur theorie und praxis 422 ,  
auriculo-medecine 103 ,  
der akupunkturarzt-aurikulothérapeut 450 ,  
deutsche zeitschrift für akupunktur 404 ,

### 3 - congrès

16eme congres national d'acupuncture, paris 471 ,  
1er seminaire de la saa, bordeaux 193 ,  
2eme congres mondial d'acupuncture et moxibustion, paris 572 , 587 , 592 , 594 , 597 ,  
6eme congres national d'acupuncture, paris 96 ,  
acta medica viet americana, los angeles 347 ,  
actes du 2eme congres d'acupuncture afera, nimes 460 ,  
advances in acupuncture and acupuncture  
anaesthesia, beijing 198 , 200 , 204 , 215 , 221 , 222 , 223 ,  
Annales du premier symposium international d'  
auriculotherapie et d'auriculomedecin 690 , 691 , 692 , 693 ,  
694 , 695 , 696 , 699 , 702 , 703 , 704 , 705 , 706 , 707 , 708 ,  
709 , annales du premier symposium international d'  
auriculotherapie et d'auriculomedecin 710 , 711 , 713 , 716 ,  
717 , 718 , 721 , 724 , 725 , 728 , 729 , 730 , 731 , 732 ,  
colloques lyonnais sur l'acupuncture, lyon 10-11 mars 1962 35 ,  
conferences d'acupuncture, gera, toulon 155 ,  
congres national d'acupuncture, paris 252 , 260 ,  
iieme congresso mondiale delle wmaa 902 ,  
iiieme symposium international d'auriculotherapie et d'  
auriculomedicine 834 , 835 , 836 , 837 , 839 , 843 , 844 ,  
846 , 847 , 848 , 850 , 852 , 853 , 854 , 855 , 856 , 857 , 859 ,  
860 , 861 , 862 , 864 , 865 , 866 , 867 , 869 , 874 ,  
iiemes journees internationales d'acupuncture, la bourboule 31 , 32 ,  
in actes du 2eme congres national de la faformec, nimes 805 , 806 ,  
in actes du iiieme congres de la faformec, paris 826 , 828 ,  
in compilation of the abstracts of acupuncture and  
moxibustion papers, beijing 441 ,  
in selections from article abstracts on acupuncture and  
moxibustion, beijing 453 ,  
in selections from article abstracts on acupuncture and  
moxibustion, beijing 454 , 456 , 470 ,  
international symposium on diagnosis and treatment with  
auricular points, beijing 507 , 508 , 510 , 511 , 512 , 516 ,  
517 , 518 , 526 , 528 , 529 , 531 , 532 , 533 , 534 , 535 , 536 ,  
537 , 539 , 540 , 541 , 549 , 551 , 552 , 553 , 555 , 558 , 562 ,  
563 , 564 , 565 , 566 , 567 , 568 ,  
proceedings of the fifth international congress of chinese  
medicine, berkeley 578 ,  
second national symposium on acupuncture and  
moxibustion, beijing 352 , 359 , 387 , 390 , 391 , 392 ,  
selections from article abstracts on acupuncture and  
moxibustion, beijing 443 , 452 , 455 , selections from article  
abstracts on acupuncture and moxibustion, beijing 464 , 474 ,  
476 , 477 ,  
the third world conference on acupuncture 665 , 681 ,  
third world conference on acupuncture 673 , 679 , 689 ,  
vi congres national de la faformec, clermont-ferrand 903 ,  
914 ,  
wfas international symposium on acupuncture 905 ,

### 4 - divers à vérifier

guangzhou traditional medical college, guangzhou 220 ,

institut de mtc de shanghai, shanghai 217 ,  
paderno del grappa, treviso 50 ,

### 5 - extraits de traités

encyclopedie des medecines naturelles, paris 542 ,  
in chinese acupuncture and moxibustion, foreign languages  
press, \* 442 ,  
in essentials of chinese acupuncture, foreign language  
press, beijing 219 ,  
in lu hc 197 ,  
in research on acupuncture, moxibustion and acupuncture  
anesthesia, beijing 419 , 435 ,  
in traite d'acupuncture, masson, paris 379 ,  
in traite de medecine chinoise 37 ,

### 6 - mémoires

memoire d'acupuncture, afera, nimes 177 ,  
memoire d'acupuncture, oedea, paris 259 ,  
x 4 ,

### 7 - divers à vérifier

anaesthesia 926 ,

### 8 - revues d'acupuncture et MTC

academic periodical of changchun college of traditional  
chinese medicine 909 ,  
acta chinese medicine and pharmacology 868 ,  
acta medica sinica 607 ,  
acupuncture 48 , 49 ,  
acupuncture & moxibustion 904 , 917 ,  
acupuncture and electrotherapeutics research 98 , 136 , 158 ,  
299 , 321 , 561 , 571 , 647 , 720 , 726 , 790 ,  
acupuncture and electro-therapeutics research 825 ,  
acupuncture et moxibustion 912 , 913 , 918 , 932 ,  
acupuncture in medicine 635 , 642 , 666 , 697 ,  
acupuncture research 436 , 582 , 598 ,  
acupuncture research quarterly 179 , 226 , 333 , 424 ,  
acupunctuur 750 ,  
akupunktur 318 , 608 , 622 ,  
akupunktur theorie und praxis 849 , 887 ,  
akupunktur theorie und praxis 649 ,  
akupunkturarzt / aurikulothérapeut 27 ,  
akupunkturarzt aurikulothérapeut 590 , 601 ,  
akupunkturarzt/aurikulothérapeut 579 , 589 ,  
american academy of medical acupuncture review 641 ,  
american journal of acupuncture 68 , 113 , 176 , 214 , 296 ,  
324 , 325 , 411 , 467 , 468 , 591 , 808 ,  
american journal of chinese medicine 65 , 494 , 613 , 920 ,  
annales de la societe d'acupuncture d'aquitaine 509 , 633 ,  
asclepios 677 ,  
auricular-medicine and acupuncture physician 82 , 85 , 86 ,  
93 , 94 , 95 , 100 , 105 , 106 , 107 , 224 , 293 , 300 , 317 , 322 ,  
327 , 377 ,  
auriculo medecine 84 , 101 , 102 , 110 , 119 , 122 , 123 ,  
124 , 125 , 126 , 132 , 166 , auriculo medecine 167 , 171 ,  
180 , 182 , 186 , 191 , 196 ,  
auriculomedecine 108 , 109 , 111 , 114 , 115 , 116 , 117 ,  
118 , 120 , 127 , 128 , 129 , 130 , 131 , 134 , 135 , 143 , 144 ,  
145 , 146 , 147 , 148 , 150 , 156 , 164 , 165 , 173 , 181 , 185 ,  
187 , 188 , 189 , 190 , 194 , 195 , 238 , 239 , 248 , 253 , 254 ,  
255 , 256 , 257 , 258 , 261 , 262 , 270 , 271 , 272 , 273 , 274 ,  
auriculomedecine 275 , 277 , 279 , 280 , 281 , 282 , 284 ,  
285 , 286 , 287 , 288 , 289 , 290 , 297 , 298 , 301 , 302 , 303 ,  
304 , 305 , 306 , 307 , 319 , 320 , 326 , 328 , 329 , 330 , 331 ,  
336 , 337 , 341 , 342 , 343 , 344 , 345 , 349 , 350 , 358 , 361 ,  
362 , 363 , 364 , 365 , 372 , 373 , 374 , 375 , 380 , 381 , 382 ,  
383 , 385 , 386 ,  
auriculo-medecine 104 ,  
biociencias 421 ,  
british journal of acupuncture 332 , 513 , 630 , 658 ,

- bulletin de la societe d'acupuncture 30, 33 ,  
bulletin de la societe d'acupuncture 34 ,  
bulletin de l'association des medecins acupuncteurs de  
bourgogne franche-comte 310, 311, 398 ,  
cahiers de biotherapie 38, 44, 57, 62, 97, 183, 203, 205  
,  
china journal of traditional chinese medicine and pharmacy 643, 751 ,  
chinese acupuncture and moxibustion 245, 334, 388, 418  
, 427, 431, 434, 484, 496, 548, 559, 615, 661, 743, 785  
, 788, 789, 792, 810, 813, 824, 831, 833, 863, 871, 906  
, 907, 908 ,  
chinese journal of acupuncture and moxibustion 574 ,  
chinese journal of basic medicine in tcm 939 ,  
chinese journal of basic mtc 895 ,  
chinese journal of information on tcm 935 ,  
chinese journal of integrated traditional and western  
medicine 575, 770, 830 ,  
chinese journal of medical history 576 ,  
chinese medical journal 60, 133, 250 ,  
complementary therapies in medicine 775, 786 ,  
contemporary research in chinese acupuncture 63, 64, 69 ,  
88 ,  
der akupunkturarzt aurikulotherapeut 651, 653, 656 ,  
der akupunkturarzt aurikulotherapeut 393 ,  
der akupunkturarzt aurikulotherapeut 339, 340, 545, 600 ,  
602, 623, 624, 625, 626, 631, 632, 654, 655, 663, 664 ,  
der akupunkturarzt- aurikulotherapeut 687 ,  
der akupunkturarzt/aurikulotherapeut 445, 446, 451, 505 ,  
506, 525, 544, 547 ,  
der akupunkturarzt-aurikulotherapeut 440 , der  
akupunkturarzt-aurikulotherapeut 463, 662, 684, 685 ,  
dermatology. 933 ,  
deutsch zeitschrift fuer akupunktur 546 ,  
deutsche zeitschrift fuer akupunktur 403, 875, 876, 877 ,  
878, 888, 889, 896, 897 ,  
deutsche zeitschrift fuer akupunktur 617, 650, 674, 682 ,  
epidaure 439, 444, 461 ,  
gansu journal of tcm 851 ,  
giornale italiano di agopuntura 212, 213, 243 ,  
glem 519 ,  
groupe lyonnais d ' etude medicales 478, 479, 520, 521 ,  
522, 523 ,  
henan traditional chinese medicine 473 ,  
hubei journal of traditional chinese medicine 688 ,  
hunan journal of tcm 749 ,  
information on traditional chinese medicine 911 ,  
international conference on tcm and  
pharmacology, shanghai 438, 448, 459, 466 ,  
international journal of chinese medicine 354 ,  
international journal of clinical acupuncture 657, 723, 823  
, 838, 872, 879, 890, 900 ,  
iridology review 570, 573, 586 ,  
j altern complement med 941 ,  
jiangsu journal of tcm 870, 943 ,  
jiangsu journal of traditional chinese medicine 610 ,  
journal of acupuncture and tuina science 930 ,  
journal of alternative and complementary medicine 936 ,  
journal of emergency in tcm 940 ,  
journal of henan university of chinese medicine 928 ,  
journal of liaoning college of tcm 942 ,  
journal of nanjing university tcm 891 ,  
journal of shandong tcm college 543 ,  
journal of tcm 580, 746, 752, 774, 791 ,  
journal of the medical acupuncture society of new zealand 357 ,  
journal of tianjin university of traditional chinese medicine 915 ,  
journal of traditional chinese medicine 415, 495, 497, 583  
, 604, 638, 639, 660, 668, 669, 744 ,  
journal of zhejiang college of traditional chinese medicine 611 ,  
knowledge of ancient medical literature 722 ,  
l'acupuncture 47 ,  
les annales 735, 736, 737, 738, 739, 740, 741, 742 ,  
745, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765 ,  
766, 776, 777, 778, 779, 780, 781, 782, 783, 784, 795 ,  
796, 797, 798, 799, 800, 801, 802, 803, 804, 814, 815 ,  
816, 817, 818, 819, 840, 841, 842, 858, 882, 883, 884 ,  
les annales 885, 898, 899 ,  
liaoning journal of tcm 428, 832, 873 ,  
liaoning journal of traditional chinese medicine 483, 502 ,  
503, 530, 596, 748 ,  
mains libres 407, 408 ,  
medecine biotique 378, 402 ,  
medecines nouvelles 413, 492, 493 ,  
medical acupuncture 2, 820, 821, 922, 923, 937 ,  
medicina energetica 621, 929 ,  
medicina holistica 487, 672, 680 ,  
medicina tradicional china 235, 412, 462 ,  
mensuel du medecin acupuncteur 61, 71, 72, 73, 74, 75 ,  
76, 77, 89, 141, 142, 159, 160, 161, 162, mensuel du  
medecin acupuncteur 163, 211, 236, 237, 242, 249, 265 ,  
266, 268, 291 ,  
meridiens 39, 40, 41, 58, 701 ,  
natura medicatrix 313, 348, 376 ,  
new zealand journal of acupuncture 612 ,  
north american journal of oriental medicine 733, 734, 845  
,  
nouvelle revue internationale d'acupuncture 43, 45, 46, 70  
,  
officiel des medecines naturelles 353, 399 ,  
orientamenti mtc 588 ,  
point lo 157 ,  
practical journal of integrating chinese with modern  
medicine 614 ,  
quaderni di agopuntura tradizionale 206, 207, 405 ,  
revista argentina de acupuntura 112, 152, 921 ,  
revista de la medicina tradicional china 585, 593, 636 ,  
637, 675, 700, 715 ,  
revista de la sociedad latino-americana de acupuntura y  
auriculoterapia 178 ,  
revista espanola de mtc 368, 370 ,  
revista romana de acupuntura 754, 755 ,  
revue d'acupuncture veterinaire 410 ,  
revue de mtc du yunnan 228, 229, 351, 389, 394 ,  
revue francaise d'acupuncture 169, 457 ,  
revue francaise de medecine traditionnelle chinoise 491 ,  
619, 620 ,  
revue francaise de mtc 267, 269, 309, 316, 367, 369 ,  
371, 429, 771 ,  
rivista di agopuntura 87 ,  
rivista italiana di agopuntura 140, 263, 366, 414, 472 ,  
482, 811 ,  
rivista italiana di medicina orientale 401 ,  
rivista italiana di medicina tradizionale cinese 584, 670 ,  
676, 714, 719, 769, 916, 924 ,  
sciences et medecines nouvelles 524, 599, 603, sciences  
et medecines nouvelles 609, 618 ,  
shaanxi journal of tcm 465 ,  
shaanxi traditional chinese medicine 498, 538, 554, 616 ,  
646 ,  
shanghai journal of acupuncture and moxibustion 527, 556  
, 560, 640, 648, 768, 919, 931 ,  
shanghai journal of tcm 934 ,  
shanghai journal of traditional chinese medicine 232, 480 ,  
499, 595, 901 ,  
shanxi journal of traditional chinese medicine 481, 569 ,  
629, 634 ,  
su-jok 794, 807 ,

tao yin 787 ,  
 veterinary acupuncture newsletter 488 ,  
 vi congres de la faformec, nantes 886 ,  
 word journal of acupuncture-moxibustion 812 ,  
 world journal of acupuncture-moxibustion 667 , 712 , 793 ,  
 809 , 880 , 881 , 892 , 893 ,  
 yunnan journal of tcm 469 ,  
 yunnan journal of tcm and materia medica 773 ,  
 yunnan journal of traditional chinese medicine 485 , 486 ,  
 490 , 500 , 550 , 659 ,  
 z allg med 137 ,  
 zhejiang journal of traditional chinese medicine 346 , 360 ,  
 458 , 475 , 489 , 501 ,

### **9 - revues extérieures**

acta physiologica sinica 36 ,  
 anaesthesia 925 , 927 ,  
 cahiers de biotherapie 747 ,  
 chir dent fr 121 ,  
 clin cardiol 683 ,  
 ethnographie 29 ,  
 fiziol zh im i m sechenova 686 ,  
 infirm fr 216 ,  
 journal med chir pharm 28 ,  
 kleintier praxis 409 ,  
 klin monatsbl augenheilkde 153 ,  
 lyon mediterrane medical 51 , 52 , 54 ,  
 med j aust 79 , 91 ,  
 med j malaysia 210 ,  
 medical 338 ,  
 minerva medica 278 ,  
 natura med 678 ,  
 pain (amsterdam) 209 ,  
 phys med rehabil clin n am 829 ,  
 revue medicale 384 ,  
 terapeuticheskii arkhiv 276 ,  
 vestn otorinolaringol 504 ,  
 z arztl forbild 652 ,

### **10 - thèses**

these medecine, paris 7 227 ,  
 these medecine, grenoble 66 ,  
 these medecine, marseille 234 ,  
 these medecine, montpellier 80 , 230 , 264 ,  
 these medecine, paris-bichat 174 ,  
 these medecine, strasbourg 244 ,  
 these veterinaire, toulouse 151 , 233 ,

### **11 - tirés-à-part ou manuscrits non publiés**

x 67 , 727 ,

### **12 - traités**

1 , 3 , 10 , 11 , 24 , 25 , 26 , 432 ,  
 academy of oriental heritage, vancouver 92 ,  
 aho 246 , 417 , 437 ,  
 angus and robertson publishers 202 ,  
 ankh hermes 175 ,  
 asian publishers, new york 99 ,  
 auricular medicine international research and training  
 center, lakeview 894 ,

aurikulomedizin von munkes az 295 ,  
 avery publishing group inc, wayne 315 ,  
 cabal, madrid 208 ,  
 center ao, sao paulo 628 ,  
 china association of zhenjiu, beijing 557 ,  
 chine ooracupunctuur a8 433 ,  
 dangles, st jean de braye 430 ,  
 daniel 400 ,  
 de driehoek 420 ,  
 deck 201 ,  
 edition dangles, st-jean-de-braye 139 ,  
 editions jean de cassagnac paris 170 ,  
 editions josette lyon, paris 938 ,  
 editions publi-real, paris 90 ,  
 edizioni di red, como 8 , 9 ,  
 emmaus, rodale 53 , 78 ,  
 emmaus, rodale 81 ,  
 foreign languages press beijing 910 ,  
 foreign languages press, beijing 605 , 606 ,  
 haug verlag, heidelberg 184 , 577 ,  
 haug, heidelberg 356 ,  
 ibis, madrid 515 ,  
 jensen 12 ,  
 karl f haug verlag/huthig gmbh, heidelberg 698 ,  
 kier, buenos aires 581 ,  
 kovaks, palma de mallorca 149 ,  
 librairie you feng, paris 627 ,  
 longevity press, bellaire 767 , 822 ,  
 ma editions, paris 514 ,  
 maisnie-tredaniel 251 ,  
 maison d'edition de medecine-medicaments traditionnels  
 chinois, beijing 671 ,  
 maisonneuve, moulins-les-metz 247 ,  
 maisonneuve, moulins-les-metz 56 , 241 , 292 , 323 ,  
 maisonneuve, ste ruffine 5 , 18 , 19 ,  
 maisonneuve, moulins-les-metz 7 , 192 , 199 , 225 ,  
 maisonneuve, st ruffine 283 ,  
 maisonneuve, ste ruffine 6 , 14 , 15 , 16 , 17 , 20 , 21 , 42 ,  
 55 , 83 , 168 , 240 ,  
 maloine, paris 231 , 308 , 423 ,  
 mandala ediciones, madrid 827 ,  
 marczell 138 , 294 , 312 ,  
 markgraf 13 ,  
 maudrich 396 , 449 ,  
 maug verlag, heidelberg 59 ,  
 medicine and health publishing co, hong-kong 154 ,  
 minerva, torino 172 ,  
 miraguano, madrid 218 , 425 ,  
 obelisco, barcelona 406 ,  
 optima 645 ,  
 otto spatz, wiesbaden 395 ,  
 pfluger 355 ,  
 shaftesbury, element 753 ,  
 shandong science and technology press 772 ,  
 vieweg, wiesbaden 314 , 416 ,  
 wbv 335 , 397 ,  
 x 22 , 23 , 426 ,  
 x, mexico 644 ,